



2020 PRODUCT CATALOG

A TRAILER IN EVERY DRIVEWAY

AVAILABLE. AFFORDABLE.



CARRY-ONTRAILER.COM

Things To Consider Before Buying a Trailer

Determine Your Hauling Needs

Consider the types of equipment to be hauled. Be sure to plan for growing needs, as well as, for any alternative or extra equipment to be carried.

Determine Your GVWR Needs

Once you determine the weight of the cargo you expect to haul, add the weight of the trailer to the expected payload capacity to determine the combined weight. Select a trailer with a Gross Vehicle Weight Rating (GVWR) higher than the combined weight of the trailer and its load.
 $GVWR - \text{Empty Weight} = \text{Maximum Payload Capacity}$

Evaluate the Tow Vehicle

Selection of an appropriate tow vehicle and the proper equipment to tow a trailer depends on the type of trailer including the size, weight, and the amount of weight being towed. The vehicle manufacturer may offer varying towing packages to meet the needs of various sizes and types of trailers.

Trailer Must Be Compatible With Tow Vehicle

You must determine your vehicle's tow rating including maximum loaded weight and maximum tongue weight of a trailer. The vehicle owner's manual contains this information. Most automotive manufacturers and dealerships have towing specification guides. Remember your vehicle and hitch system must be able to handle the same specifications.

Loading and Unloading Trailers

There are many options for loading and unloading. Some small trailers have tilt beds or ramp gates that can be lowered by hand. Other trailers may have side ramp gates or removable sides that act as ramps. Larger trailers may have split ramps for easier lifting. When loading the trailer remember to balance weight from side to side, distribute cargo weight evenly along the length of the trailer, secure and brace all items to prevent them from moving during travel, and don't overload the weight capacity of the trailer.

The Importance of Correct Tire Size

Tires are significant in regards to weight, handling and the smoothness of the ride. All your trailer tires should be the same type, size and construction- do not mix bias ply and radial tires. In selecting tires for your trailer, buy the size, type and load range found on the trailer's certification label or in the owner's manual. Each trailer tire handles a specific weight limit. Be sure to check that the tires on the trailer are adequate for the load and are properly inflated. Regularly check all tires for proper wear and correct air pressure.

Key Differences Between Open and Enclosed Trailers

Open Trailers are great for a variety of uses. Size availability includes trailers ranging from about 4 x 6 feet to 8.5 x 30 feet and even longer. Some trailers feature deckovers, mesh sides or tall steel sides that surround the edge. These types of rails are important for keeping the equipment contained while in transit.

Enclosed Trailers have several advantages, including the ability to lock up your equipment. This feature is particularly important if a storage place is not available. Enclosed trailers may be used as an extra storage facility during off-season as well.

Although it is still important to properly secure the load, the enclosed trailer has the advantage of containing your equipment if the load should shift. This benefit can help you prepare for a safer towing experience. Enclosed trailer sizes vary similarly to open-style trailers. Smaller enclosed trailers can come in 4 x 6 foot with a single axle, and trailers increase in size up to 8.5 x 30 feet with up to 3 axles. Standard features could include rock guards, roof vents, interior lighting and tie-downs.

* Helpful Tips for Purchasing the Right Trailer:

Check for Proper Licensing and Registration

It is the customer's responsibility to make sure the trailer complies with federal, state and local regulations, as well as, to properly license the trailer after purchasing it. When a trailer is sold, the purchaser will receive a Manufacturer Certificate of Origin (MCO) which is to be taken to the local license bureau with the Bill of Sale, and in most states, a title will be issued.


5-Steps To Guide You In The Ordering Process.

1. Determine the size and weight of the cargo that is to be hauled.
2. Decide if you need an enclosed trailer or an open trailer.
3. Determine the maximum weight of the tow vehicle and how much weight can be towed.
4. Determine the size of the trailer coupler. The trailer ball on the tow vehicle must be the exact size.

**Contact Carry-On Customer Service At 1-800-240-3121 To Discuss Options
On Various Models That You Are Interested In.**



CARRY-ON TRAILER LOCATIONS



Nevada Plant

5300 Westmoreland Rd.
Winnemucca, NV 89445

Oregon Plant

91218 North Coburg Industrial Way
Coburg, OR 97408

Texas Plants

931 Industrial Blvd.
Mexia, TX 76667

935 Industrial Blvd.
Mexia, TX 76667

Iowa Plant

1965 Highway 30
Missouri Valley, IA 51555

Georgia Plants

453 Shuford St.
Lavonia, GA 30553

637 Shuford St.
Lavonia, GA 30553

Virginia Plants

159 Industrial Park Blvd.
Montross, VA 22520


617 Harry Hogan Rd.
Callao, VA 22435

CUSTOMER SUPPORT

1-800-240-3121 Option #1 (8 am - 6 pm EST)
1-706-356-5379 Option #1 (8 am - 6 pm EST)
1-706-356-4431 FAX

CS@carry-ontrailer.com

All trailers meet or exceed all government regulations and industry standards.
Specifications are subject to change without notice.



CHAT WITH US
WWW.CARRY-ONTRAILER.COM

A Trailer in Every Driveway™
WWW.CARRY-ONTRAILER.COM



2,990 LB. GVWR WOOD FLOOR TRAILERS

FEATURES:



- 4" Aluminum Channel A-Frame Tongue
- 3" x 2" x 1/4" Aluminum Angle Main Frame
- 1.25" x 2" Aluminum Tube Top Rail
- 1.25" x 2" Aluminum Tube Uprights
- 2" A-Frame Coupler, Zinc Finished With Safety Chains
- 2,000 lb. Rated Top Wind Jack, Zinc Finish
- 3,500 lb. Rated EZ Lube Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- Silver Mod Wheels
- Aluminum Round Fender with Back
- Treated Wood Floor
- 72" W x 50" H Rear Ramp Gate
- LED Lighting Package



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp WxL	Floor Type
6x8AGW	638	2,352	15"	72" x 50"	Treated Wood
6x10AGW	696	2,294	15"	72" x 50"	Treated Wood
6x12AGW	771	2,219	15"	72" x 50"	Treated Wood

OPTIONS/ ACCESSORIES

- AL-STC ALUMINUM SPARE TIRE MOUNT
- 818T JACK SAND FOOT
- 205X15ALUMINUM ALUMINUM WHEEL WITH 20515 TIRE

REPLACEMENT PARTS

- | | |
|---|---|
| • 205X15SILVER TIRE & WHEEL | • 496T 1.719 GREASE SEAL |
| • CPL2-BOLTON 2" A-FRAME COUPLER, BOLT-ON | • ALFENDER9X32 32" ALUMINUM FENDER WITH BACK |
| • 639T CLASS II SAFETY CHAIN | • 742 TOP WIND JACK, ZINC FINISH |
| • 3K8470EZ 84 X 70 EZ LUBE AXLE | • ALLEDTAILLIGHT LED TAILLIGHT, ROADSIDE & CURBSIDE |
| • 504T LEAF SPRING | • 880T LED AMBER CLEARANCE LIGHT |
| • 545T REPLACEMENT WHEEL HUB | • 881T LED RED CLEARANCE LIGHT |
| • 520T HUB DUST CAP | • 438T LED 3-LIGHT ID BAR |
| • 350T 1-3/8" SPINDLE KIT | • 834T LICENSE PLATE LIGHT |
| • 502T 1-3/8" BEARING KIT | • 841T LICENSE BRACKET |

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



2,990 LB. GVWR WOOD FLOOR TRAILERS

FEATURES:



- 4" Aluminum Channel A-Frame Tongue
- 3" x 2" x 1/4" Aluminum Angle Main Frame
- 1.25" x 2.50" Aluminum Tube Top Rail
- 1.25" x 2.50" Aluminum Tube Uprights
- 2" A-Frame Coupler, Zinc Finished With Safety Chains
- 2,000 lb. Rated Top Wind Jack, Zinc Finish
- 3,500 lb. Rated EZ Lube Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- Silver Mod Wheels
- Aluminum Round Fender with Back
- Treated Wood Floor
- 79" W x 50" H Rear Ramp Gate
- LED Lighting Package



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp WxL	Floor Type
7x12AGW	798	2,192	15"	72" x 50"	Treated Wood

OPTIONS/ ACCESSORIES

• AL-STC	ALUMINUM SPARE TIRE MOUNT
• 818T	JACK SAND FOOT
• 205X15ALUMINUM	ALUMINUM WHEEL WITH 20515 TIRE

REPLACEMENT PARTS

• 205X15SILVER	TIRE & WHEEL	• 496T	1.719 GREASE SEAL
• CPL2-BOLTON	2" A-FRAME COUPLER, BOLT-ON	• ALFENDER9X32	32" ALUMINUM FENDER WITH BACK
• 639T	CLASS II SAFETY CHAIN	• 742	TOP WIND JACK, ZINC FINISH
• 3K9380EZ	84 X 70 EZ LUBE AXLE	• ALLEDTAILLIGHT	LED TAILLIGHT, ROADSIDE & CURBSIDE
• 504T	LEAF SPRING	• 880T	LED AMBER CLEARANCE LIGHT
• 545T	REPLACEMENT WHEEL HUB	• 881T	LED RED CLEARANCE LIGHT
• 520T	HUB DUST CAP	• 3BLIGHT-LED	LED 3-LIGHT ID BAR
• 350T	1-3/8" SPINDLE KIT	• 834T	LICENSE PLATE LIGHT
• 502T	1-3/8" BEARING KIT	• 841T	LICENSE BRACKET

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



7,000 LB. GVWR WOOD FLOOR TRAILER



• 2 Brake Axles



FEATURES:



- 6" Aluminum Channel A-Frame Tongue
- 2" x 6" x 1/4" Aluminum Angle Main Frame
- 1-1/4" x 2-1/2" x 1/8" Aluminum Tube Uprights
- 2-5/16" A-Frame Coupler, Zinc Finish, with Safety Chains
- 2,000 lb. Rated Top Wind Jack, Zinc Finish
- (2) 3,500 lb. Rated EZ Lube Brake Axles
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- Silver Mod Wheels
- Aluminum Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 72" W x 49" H Rear Ramp Gate
- LED Lighting Package

Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
6X12AGW7K	1,040	5,960	15"	72" x 49"	Treated Wood
6X14AGW7K	1,190	5,810	15"	72" x 49"	Treated Wood
6X16AGW7K	1,340	5,660	15"	72" x 49"	Treated Wood

OPTIONS/ ACCESSORIES

• AL-STC	ALUMINUM SPARE TIRE MOUNT	• 791	ALUMINUM TONGUE BOX
• 205X15SILVER	SPARE TIRE & WHEEL		
• 818T	JACK SAND FOOT		

REPLACEMENT PARTS

• 205X15SILVER	TIRE & WHEEL	• 742	TOP WIND JACK, ZINC FINISH
• ALCPL2516	2-5/16" A-FRAME COUPLER ZINC PLATTED	• ALLEDTAILLIGHT	LED TAILLIGHT, ROADSIDE & CURBSIDE
• 640T	CLASS III SAFETY CHAIN	• 880T	LED CLEARANCE LIGHT (RED)
• 3K8874EZB	88 X 74 EZ LUBE BRAKE AXLE	• 881T	LED CLEARANCE LIGHT (AMBER)
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 438T	LED 3-LIGHT ID BAR
• 545T	REPLACEMENT WHEEL HUB	• 834T	LICENSE PLATE LIGHT
• 657	EZ-LUBE HUB DUST CAP	• 841T	LICENSE BRACKET
• 350T	1-3/8" SPINDLE KIT	• 701T	BREAKAWAY KIT COMPLETE
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• ALFENDER9X67	9X67 FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.




2,000 LB. GVWR ALUMINUM FLOOR TRAILERS

FEATURES:



- 3" X 3" X 3/16" Square Tube with Angle Braces
- 3.5" Dock Rail
- Front Bumper 1.5" x 2.5" x 1/4" Angle Uprights
- 2" Straight Coupler with Safety Chains
- 2,000 lb. Rated Swing Up Jack, Zinc Finish
- 2,000 lb. Rated Torsion Axle
- ST205/75R14 Radial Tires and Wheel Assemblies
- Silver Aluminum Wheels
- Aluminum Round Fender with Back
- Aluminum Plank Floor
- 74" W x 38" H" Rear Ramp Gate



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp WxL	Floor Type
6.5x10AGA2K	544	1,456	14"	74" W x 38 H"	Aluminum
6.5x12AGA2K	579	1,421	14"	74" W x 38 H"	Aluminum

OPTIONS/ ACCESSORIES

- AL-STC ALUMINUM SPARE TIRE MOUNT

REPLACEMENT PARTS


• 205RX14ALSILVER	TIRE & WHEEL	• 494T	1.25 GREASE SEAL
• COUPLER2X3-ZINC	2" COUPLER, BOLT-ON	• ALFENDER10X32	32" ALUMINUM FENDER WITH BACK
• 639T	CLASS II SAFETY CHAIN	• 980T	TOP WIND JACK, ZINC FINISH
• 2K9481EZ-TORSION	94 X 81 EZ LUBE TORSION AXLE	• ALLEDTAILLIGHT	LED TAILLIGHT, ROADSIDE & CURBSIDE
• 150T	REPLACEMENT WHEEL HUB	• 880T	LED AMBER CLEARANCE LIGHT
• 851T	EZ LUB DUST CAP	• 881T	LED RED CLEARANCE LIGHT
• 151T	1-1/16" SPINDLE KIT	• 438T	LED 3-LIGHT ID BAR
• 500T	1-1/16" BEARING KIT	• 834T	LICENSE PLATE LIGHT
		• 841T	LICENSE BRACKET

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



2,990 LB. GVWR ALUMINUM FLOOR TRAILERS

FEATURES:



- 3" X 3" X 3/16" Stacked Square Tube with Angle Braces
- 3.5" Dock Rail
- 1" x 1.50" x 1/8" Tube Top Rail
- 1" x 1.50" x 1/8" Tube
- 2" Straight Coupler with Safety Chains
- 2,000 lb. Rated Swing Up Jack, Zinc Finish
- 3,500 lb. Rated Torsion Axle
- ST205/75R15 Radial Tires and Wheel Assemblies
- Black Accent Aluminum Wheels
- Aluminum Round Fender with Back
- Aluminum Plank Floor
- 74" W x 49" H" Rear Ramp Gate



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp WxL	Floor Type
6.5x10AGA3K	638	2,352	15"	74" x 49"	Aluminum
6.5x12AGA3K	680	2,310	15"	74" x 49"	Aluminum

OPTIONS/ ACCESSORIES

- AL-STC ALUMINUM SPARE TIRE MOUNT

REPLACEMENT PARTS

• 205RX15ALBLK/SILV	TIRE & WHEEL	• ALFENDER10X32	32" ALUMINUM FENDER WITH BACK
• CPL2-BOLTON	2" A-FRAME COUPLER, BOLT-ON	• 980T	TOP WIND JACK, ZINC FINISH
• 639T	CLASS II SAFETY CHAIN	• ALLEDTAILLIGHT	LED TAILLIGHT, ROADSIDE & CURBSIDE
• 3K9481EZ-TORSION	94 X 81 EZ LUBE TORSION AXLE	• 880T	LED AMBER CLEARANCE LIGHT
• 545T	REPLACEMENT WHEEL HUB	• 881T	LED RED CLEARANCE LIGHT
• 851T	EZ LUB DUST CAP	• 438T	LED 3-LIGHT ID BAR
• 350T	1-3/8" SPINDLE KIT	• 834T	LICENSE PLATE LIGHT
• 502T	1-3/8" BEARING KIT	• 841T	LICENSE BRACKET
• 496T	1.719 GREASE SEAL		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



2,000 LB. GVWR GRILL TRAILER

FEATURES:



- 2" x 3" Straight Tube Tongue
- 1.5" x 1.5" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 2,000 lb. Rated Idler Axle
- 2-Leaf Springs
- 4.80x12 Tire and Wheel Assemblies
- White Mod Wheels
- 24" Jeep Style Fender
- Mesh Floor



- 3' x 4' Grilling Surface
- Smoker Box
- Storage Box With Cutting Board
- Temperature Gauge

Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Grilling Surface	Floor Type
3X4GT	900	1,100	12"	12 Sq Ft	Mesh

OPTIONS/ ACCESSORIES

- 48012T SPARE TIRE & WHEEL
- 812T LIGHT PROTECTOR
- 818T JACK SANDFOOT
- 820 JACK CASTER WHEEL

REPLACEMENT PARTS

- | | |
|--------------------------------------|---------------------------------|
| • 48012T TIRE & WHEEL | • 813T TAIL LIGHT, ROAD SIDE |
| • 143T 2" A-FRAME COUPLER REPAIR KIT | • 814T TAIL LIGHT, CURB SIDE |
| • 200T 2" A-FRAME COUPLER | • 817-2T CLEARANCE LIGHT, AMBER |
| • 638T CLASS I SAFETY CHAIN | • 841T LICENSE BRACKET |
| • 2K4532.5 45 X 32.5 IDLER AXLE | |
| • 155T 1,250 LB. HUB KIT 5-HOLE | |
| • 520T HUB DUST CAP | |
| • 151T 1-1/16" SPINDLE KIT | |
| • 500T 1-1/16" BEARING KIT | |
| • 494T 1.25 GREASE SEAL | |
| • 7240T 24" JEEP STYLE FENDER | |
| • 741 TOP WIND JACK | |

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



800 LB. GVWR MESH FLOOR TRAILER



FEATURES:

- 2" x 3" Straight Tube Tongue
- 1.5" x 1.5" Angle Main Frame
- 1.5" x 1.5" x 1/8" Angle Top Rail
- 1-7/8" Straight Coupler with Safety Chains
- 16" Mesh High Sides
- 2,000 lb. Rated Idler Axle
- 2-Leaf Springs
- 10" x 8.5" Tire and Wheel Assemblies
- Mesh Floor
- 16" Removable Rear Gate

Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
3.5X5ATV	250	550	10" x 8.5"	16" x 40"	Mesh

OPTIONS/ ACCESSORIES

- 10X8.5ATVT&W SPARE TIRE & WHEEL
- 863 SWING AWAY TONGUE JACK

REPLACEMENT PARTS

- 10X8.5ATVT&W TIRE & WHEEL
- 140T 1-7/8" COUPLER REPAIR KIT
- 198T 1-7/8" COUPLER
- 638T CLASS I SAFETY CHAIN
- 2K5340 53 X 40 IDLER AXLE
- TONGUECOMPLETE48" TONGUE



2,000 LB. GVWR MESH FLOOR TRAILER

FEATURES:



- 2" x 3" Straight Tube Tongue
- 1.5" x 1.5" Angle Main Frame
- 1.5" x 1.5" x 1/8" Angle Top Rail
- 1-7/8" Straight Coupler with Safety Chains
- 16" Mesh High Sides
- 2,000 lb. Rated Idler Axle
- 2-Leaf Springs
- 4.80x12 Tire and Wheel Assemblies
- White Mod Wheels
- 24" Jeep Style Fender
- Mesh Floor
- 16" Removable Rear Gate



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
3.5X5LSHS	250	1,750	12"	10" x 16" Removable	Mesh

OPTIONS/ ACCESSORIES

- 628 SPARE TIRE CARRIER
- 48012T SPARE TIRE & WHEEL
- 812T LIGHT PROTECTOR
- 863 SWING AWAY TONGUE JACK

REPLACEMENT PARTS

- | | |
|----------------------------------|---------------------------------|
| • 48012T TIRE & WHEEL | • 813T TAIL LIGHT, ROAD SIDE |
| • 140T 1-7/8" COUPLER REPAIR KIT | • 814T TAIL LIGHT, CURB SIDE |
| • 198T 1-7/8" COUPLER | • 817-2T CLEARANCE LIGHT, AMBER |
| • 638T CLASS I SAFETY CHAIN | • 841T LICENSE BRACKET |
| • 2K5140 51 X 40 IDLER AXLE | • TONGUECOMPLETE48" TONGUE |
| • 155T 1,250 LB. HUB KIT 5-HOLE | |
| • 520T HUB DUST CAP | |
| • 151T 1-1/16" SPINDLE KIT | |
| • 500T 1-1/16" BEARING KIT | |
| • 494T 1.25 GREASE SEAL | |
| • 7240T 24" JEEP STYLE FENDER | |

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



2,000 LB. GVWR MESH FLOOR TRAILERS

FEATURES:



- 2" x 3" Straight Tube Tongue
- 2" x 2" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 1.5" x 1.5" x 1/8" Angle Uprights
- 1-7/8" Straight Coupler with Safety Chains
- 2,000 lb. Rated Idler Axle
- 2-Leaf Springs
- 4.80x12 Tire and Wheel Assemblies
- White Mod Wheels
- 24" Jeep Style Fender
- Mesh Floor
- 46" W x 38" H Rear Ramp Gate



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp WxL	Floor Type
4x6G	300	1,700	12"	46" x 38"	Mesh
4x8G	325	1,675	12"	46" x 38"	Mesh

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER
• 48012T	SPARE TIRE & WHEEL
• 812T	LIGHT PROTECTOR
• 863	SWING UP JACK

REPLACEMENT PARTS

• 48012T	TIRE & WHEEL	• 813T	TAIL LIGHT, ROAD SIDE
• 140T	1-7/8" COUPLER REPAIR KIT	• 814T	TAIL LIGHT, CURB SIDE
• 198T	1-7/8" COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 638T	CLASS I SAFETY CHAIN	• 841T	LICENSE BRACKET
• 2K6047	60 X 47.25 IDLER AXLE	• BARRELHINGE-UTIL	BARREL HINGE
• 155T	1,250 LB. HUB KIT 5-HOLE	• 847T	GATE LATCH-COMPLETE
• 520T	HUB DUST CAP	• 819T	GATE LATCH SPRING & PIN
• 151T	1-1/16" SPINDLE KIT	• TONGUECOMPLETE48"	TONGUE
• 500T	1-1/16" BEARING KIT		
• 494T	1.25 GREASE SEAL		
• 7240T	24" JEEP STYLE FENDER		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



2,000 LB. GVWR MESH FLOOR TRAILERS

FEATURES:



- 2" x 3" Straight Tube Tongue
- 2" x 2" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 1.5" x 1.5" x 1/8" Angle Uprights
- 1-7/8" Straight Coupler with Safety Chains
- 2,000 lb. Rated Idler Axle
- 2-Leaf Springs
- 4.80x12 Tire and Wheel Assemblies
- White Mod Wheels
- 24" Jeep Style Fender
- Mesh Floor
- 57" W x 38" H Rear Ramp Gate



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
5x7G	325	1,675	12"	57" x 38"	Mesh
5x8G	375	1,625	12"	57" x 38"	Mesh
5x10G	400	1,600	12"	57" x 38"	Mesh

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER
• 48012T	SPARE TIRE & WHEEL
• 812T	LIGHT PROTECTOR
• 863	SWING UP JACK

REPLACEMENT PARTS


• 48012T	TIRE & WHEEL	• 813T	TAIL LIGHT, ROAD SIDE
• 140T	1-7/8" COUPLER REPAIR KIT	• 814T	TAIL LIGHT, CURB SIDE
• 198T	1-7/8" COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 638T	CLASS I SAFETY CHAIN	• 841T	LICENSE BRACKET
• 2K7158	71 X 58 IDLER AXLE	• BARRELHINGE-UTIL	BARREL HINGE
• 155T	1,250 LB. HUB KIT 5-HOLE	• 847T	GATE LATCH-COMPLETE
• 520T	HUB DUST CAP	• 819T	GATE LATCH SPRING & PIN
• 151T	1-1/16" SPINDLE KIT	• TONGUECOMPLETE48"	TONGUE
• 500T	1-1/16" BEARING KIT		
• 494T	1.25 GREASE SEAL		
• 7240T	24" JEEP STYLE FENDER		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



2,000 LB. GVWR MESH FLOOR TRAILERS

FEATURES:



- 2" x 3" Straight Tube Tongue
- 2" x 2" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 1.5" x 1.5" x 1/8" Angle Uprights
- 1-7/8" Straight Coupler with Safety Chains
- 2,000 lb. Rated Idler Axle
- 2-Leaf Springs
- 4.80x12 Tire and Wheel Assemblies
- White Mod Wheels
- 24" Jeep Style Fender
- Mesh Floor



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
4x6T	250	1,750	12"	Tilt Deck	Mesh

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER
• 48012T	SPARE TIRE & WHEEL
• 812T	LIGHT PROTECTOR
• 863	SWING UP JACK

REPLACEMENT PARTS

• 48012T	TIRE & WHEEL	• 813T	TAIL LIGHT, ROAD SIDE
• 140T	1-7/8" COUPLER REPAIR KIT	• 814T	TAIL LIGHT, CURB SIDE
• 198T	1-7/8" COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 638T	CLASS I SAFETY CHAIN	• 841T	LICENSE BRACKET
• 2K6047	60 X 47.25 IDLER AXLE	• TONGUECOMPLETE48"	TONGUE
• 155T	1,250 LB. HUB KIT 5-HOLE		
• 520T	HUB DUST CAP		
• 151T	1-1/16" SPINDLE KIT		
• 500T	1-1/16" BEARING KIT		
• 494T	1.25 GREASE SEAL		
• 7240T	24" JEEP STYLE FENDER		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



2,000 LB. GVWR MESH FLOOR TRAILER

FEATURES:



- 2" x 3" Straight Tube Tongue
- 2" x 2" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 1.5" x 1.5" x 1/8" Angle Uprights
- 1-7/8" Straight Coupler with Safety Chains
- 2,000 lb. Rated Idler Axle
- 2-Leaf Springs
- 4.80x12 Tire and Wheel Assemblies
- White Mod Wheels
- 24" Jeep Style Fender
- Mesh Floor



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
5x8NG	350	1,650	12"	Flat Deck	Mesh

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER
• 48012T	SPARE TIRE & WHEEL
• 812T	LIGHT PROTECTOR
• 863	SWING UP JACK

REPLACEMENT PARTS

• 48012T	TIRE & WHEEL	• 813T	TAIL LIGHT, ROAD SIDE
• 140T	1-7/8" COUPLER REPAIR KIT	• 814T	TAIL LIGHT, CURB SIDE
• 198T	1-7/8" COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 638T	CLASS I SAFETY CHAIN	• 841T	LICENSE BRACKET
• 2K7158	71 X 58 IDLER AXLE	• TONGUECOMPLETE48"	TONGUE
• 155T	1,250 LB. HUB KIT 5-HOLE		
• 520T	HUB DUST CAP		
• 151T	1-1/16" SPINDLE KIT		
• 500T	1-1/16" BEARING KIT		
• 494T	1.25 GREASE SEAL		
• 7240T	24" JEEP STYLE FENDER		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



2,000 LB. GVWR MESH FLOOR TRAILERS

FEATURES:



- 2" x 3" Straight Tube Tongue
- 2" x 2" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 1.5" x 1.5" x 1/8" Angle Uprights
- 1-7/8" Straight Coupler with Safety Chains
- 2,000 lb. Rated Idler Axle
- 2-Leaf Springs
- ST175X13 Tire and Wheel Assemblies
- White Mod Wheels
- 30" Fender with Back
- Mesh Floor
- 57" W x 49" H Rear Ramp Gate



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
5x8SP	400	1,600	13"	57" x 49"	Mesh

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER
• 175X13T	SPARE TIRE & WHEEL
• 812T	LIGHT PROTECTOR
• 863	SWING UP JACK

REPLACEMENT PARTS

• 175X13T	TIRE & WHEEL	• 813T	TAIL LIGHT, ROAD SIDE
• 140T	1-7/8" COUPLER REPAIR KIT	• 814T	TAIL LIGHT, CURB SIDE
• 198T	1-7/8" COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 638T	CLASS I SAFETY CHAIN	• 841T	LICENSE BRACKET
• 2K7158	71 X 58 IDLER AXLE	• BARRELHINGE-UTIL	BARREL HINGE
• 155T	1,250 LB. HUB KIT 5-HOLE	• 847T	GATE LATCH-COMplete
• 520T	HUB DUST CAP	• 819T	GATE LATCH SPRING & PIN
• 151T	1-1/16" SPINDLE KIT	• TONGUECOMPLETE48"	TONGUE
• 500T	1-1/16" BEARING KIT		
• 494T	1.25 GREASE SEAL		
• 357T	30" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



2,000 LB. GVWR MESH FLOOR TRAILERS

FEATURES:



- 2" x 3" Straight Tube Tongue
- 2" x 2" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 1.5" x 1.5" x 1/8" Angle Uprights
- 1-7/8" Straight Coupler with Safety Chains
- 2,000 lb. Rated Idler Axle
- 2-Leaf Springs
- ST175X13 Tire and Wheel Assemblies
- White Mod Wheels
- 30" Fender with Back
- Mesh Floor
- 57" W x 49" H Rear Ramp Gate
- 16" High Side Mesh



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
5x8SPHS	425	1,575	13"	57" x 49"	Mesh

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER
• 175X13T	SPARE TIRE & WHEEL
• 812T	LIGHT PROTECTOR
• 863	SWING UP JACK

REPLACEMENT PARTS

• 175X13T	TIRE & WHEEL	• 813T	TAIL LIGHT, ROAD SIDE
• 140T	1-7/8" COUPLER REPAIR KIT	• 814T	TAIL LIGHT, CURB SIDE
• 198T	1-7/8" COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 638T	CLASS I SAFETY CHAIN	• 841T	LICENSE BRACKET
• 2K7158	71 X 58 IDLER AXLE	• BARRELHINGE-UTIL	BARREL HINGE
• 155T	1,250 LB. HUB KIT 5-HOLE	• 847T	GATE LATCH-COMPLETE
• 520T	HUB DUST CAP	• 819T	GATE LATCH SPRING & PIN
• 151T	1-1/16" SPINDLE KIT	• TONGUECOMPLETE48"	TONGUE
• 500T	1-1/16" BEARING KIT		
• 494T	1.25 GREASE SEAL		
• 357T	30" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



2,000 LB. GVWR MESH FLOOR TRAILER

FEATURES:



- 2" x 3" Straight Tube Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 19" Wood High Sides
- 1-7/8" Straight Coupler with Safety Chains
- 2,000 lb. Rated Idler Axle
- 2-Leaf Springs
- 4.80x12 Tire and Wheel Assemblies
- White Mod Wheels
- 24" Jeep Style Fender
- Mesh Floor
- 46" W x 38" H Rear Ramp Gate



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
4x8-WOODY	425	1,575	12"	46" x 38"	Mesh

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER
• 48012T	SPARE TIRE & WHEEL
• 812T	LIGHT PROTECTOR
• 863	SWING UP JACK

REPLACEMENT PARTS

• 48012T	TIRE & WHEEL	• 814T	TAIL LIGHT, CURB SIDE
• 140T	1-7/8" COUPLER REPAIR KIT	• 817-2T	CLEARANCE LIGHT, AMBER
• 198T	1-7/8" COUPLER	• 841T	LICENSE BRACKET
• 638T	CLASS I SAFETY CHAIN	• BARRELHINGE-UTIL	BARREL HINGE
• 2K6047	51 X 40 IDLER AXLE	• 847T	GATE LATCH-COMPLETE
• 155T	1,250 LB. HUB KIT 5-HOLE	• 819T	GATE LATCH SPRING & PIN
• 520T	HUB DUST CAP	• TONGUECOMPLETE48"	TONGUE
• 151T	1-1/16" SPINDLE KIT		
• 500T	1-1/16" BEARING KIT		
• 494T	1.25 GREASE SEAL		
• 7240T	24" JEEP STYLE FENDER		
• 813T	TAIL LIGHT, ROAD SIDE		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



2,000 LB. GVWR MESH FLOOR TRAILER

FEATURES:



- 3" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Idler Axle
- 2-Leaf Springs
- ST175X13 Tire and Wheel Assemblies
- White Mod Wheels
- 24" Jeep Style Fender
- Mesh Floor
- 57" W x 49" H Rear Ramp Gate
- 19" High Wood Sides



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
5x8-WOODY	475	1,525	13"	57" x 49"	Mesh

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER
• 175X13T	SPARE TIRE & WHEEL
• 812T	LIGHT PROTECTOR
• 818T	JACK SANDFOOT
• 820	JACK CASTER WHEEL

REPLACEMENT PARTS


• 175X13T	TIRE & WHEEL	• 813T	TAIL LIGHT, ROAD SIDE
• 143T	2" COUPLER REPAIR KIT	• 814T	TAIL LIGHT, CURB SIDE
• 200T	2" COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 638T	CLASS I SAFETY CHAIN	• 841T	LICENSE BRACKET
• 2K7158	71 X 58.5 IDLER AXLE (5x10GW2K)	• BARRELHINGE-UTIL	BARREL HINGE
• 155T	1,250 LB. HUB KIT 5-HOLE	• 847T	GATE LATCH-COMPLETE
• 520T	HUB DUST CAP	• 819T	GATE LATCH SPRING & PIN
• 151T	1-1/16" SPINDLE KIT		
• 500T	1-1/16" BEARING KIT		
• 494T	1.25 GREASE SEAL		
• 357T	30" FENDER W/BACK		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



2,000 LB. GVWR WOOD FLOOR TRAILERS

FEATURES:



- 2" x 3" Straight Tube Tongue
- 2" x 2" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 1.5" x 1.5" x 1/8" Angle Uprights
- 1-7/8" Straight Coupler with Safety Chains
- 2,000 lb. Rated Idler Axle
- 2-Leaf Springs
- 4.80x12 Tire and Wheel Assemblies
- White Mod Wheels
- 24" Jeep Style Fender
- Treated Wood Floor
- 46" W x 38" H Rear Ramp Gate



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
4x6GW2K	350	1,650	12"	46" x 38"	Treated Wood
4x8GW2K	375	1,625	12"	46" x 38"	Treated Wood

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER
• 48012T	SPARE TIRE & WHEEL
• 812T	LIGHT PROTECTOR
• 863	SWING UP JACK

REPLACEMENT PARTS

• 48012T	TIRE & WHEEL	• 813T	TAIL LIGHT, ROAD SIDE
• 140T	1-7/8" COUPLER REPAIR KIT	• 814T	TAIL LIGHT, CURB SIDE
• 198T	1-7/8" COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 638T	CLASS I SAFETY CHAIN	• 841T	LICENSE BRACKET
• 2K6047	60 X 47.25 IDLER AXLE	• BARRELHINGE-UTIL	BARREL HINGE
• 155T	1,250 LB. HUB KIT 5-HOLE	• 847T	GATE LATCH-COMplete
• 520T	HUB DUST CAP	• 819T	GATE LATCH SPRING & PIN
• 151T	1-1/16" SPINDLE KIT	• TONGUECOMPLETE48"	TONGUE
• 500T	1-1/16" BEARING KIT		
• 494T	1.25 GREASE SEAL		
• 7240T	24" JEEP STYLE FENDER		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



2,000 LB. GVWR WOOD FLOOR TRAILER

FEATURES:



- 2" x 3" Straight Tube Tongue
- 2" x 2" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 1.5" x 1.5" x 1/8" Angle Uprights
- 1-7/8" Straight Coupler with Safety Chains
- 2,000 lb. Rated Idler Axle
- 2-Leaf Springs
- 4.80x12 Tire and Wheel Assemblies
- White Mod Wheels
- 24" Jeep Style Fender
- Treated Wood Floor
- 57" W x 38" H Rear Ramp Gate



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
5x8GW2K	400	1,600	12"	57" x 38"	Treated Wood

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER
• 48012T	SPARE TIRE & WHEEL
• 812T	LIGHT PROTECTOR
• 863	SWING UP JACK

REPLACEMENT PARTS

• 48012T	TIRE & WHEEL	• 813T	TAIL LIGHT, ROAD SIDE
• 140T	1-7/8" COUPLER REPAIR KIT	• 814T	TAIL LIGHT, CURB SIDE
• 198T	1-7/8" COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 638T	CLASS I SAFETY CHAIN	• 841T	LICENSE BRACKET
• 2K7158	71 X 58.5 IDLER AXLE	• BARRELHINGE-UTIL	BARREL HINGE
• 155T	1,250 LB. HUB KIT 5-HOLE	• 847T	GATE LATCH-COMPLETE
• 520T	HUB DUST CAP	• 819T	GATE LATCH SPRING & PIN
• 151T	1-1/16" SPINDLE KIT	• TONGUECOMPLETE48"	TONGUE
• 500T	1-1/16" BEARING KIT		
• 494T	1.25 GREASE SEAL		
• 7240T	24" JEEP STYLE FENDER		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



2,000 LB. GVWR WOOD FLOOR TRAILER

FEATURES:



- 3" Channel A-Frame Tongue
- 2" x 2" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 1.5" x 1.5" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 2,000 lb. Rated Idler Axle
- 2-Leaf Springs
- ST175X13 Tire and Wheel Assemblies
- White Mod Wheels
- 30" Fender with Back
- Treated Wood Floor
- 57" W x 49" H Rear Ramp Gate



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
5x10LGW2K	700	1,300	13"	57" x 49"	Treated Wood

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 798	MESH TONGUE BOX
• 175X13T	SPARE TIRE & WHEEL	• 797	STEEL TONGUE BOX
• 812T	LIGHT PROTECTOR		
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 175X13T	TIRE & WHEEL	• 813T	TAIL LIGHT, ROAD SIDE
• 143T	2" COUPLER REPAIR KIT	• 814T	TAIL LIGHT, CURB SIDE
• 200T	2" COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 638T	CLASS I SAFETY CHAIN	• 841T	LICENSE BRACKET
• 2K7158	71 X 58.5 IDLER AXLE	• BARRELHINGE-UTIL	BARREL HINGE
• 155T	1,250 LB. HUB KIT 5-HOLE	• 847T	GATE LATCH-COMPLETE
• 520T	HUB DUST CAP	• 819T	GATE LATCH SPRING & PIN
• 151T	1-1/16" SPINDLE KIT		
• 500T	1-1/16" BEARING KIT		
• 494T	1.25 GREASE SEAL		
• 357T	30" FENDER W/BACK		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



2,000 LB. GVWR WOOD FLOOR TRAILER

FEATURES:



- 2" x 3" Straight Tube Tongue
- 2" x 2" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 1.5" x 1.5" x 1/8" Angle Uprights
- 1-7/8" Straight Coupler with Safety Chains
- 2,000 lb. Rated Idler Axle
- 2-Leaf Springs
- ST175X13 Tire and Wheel Assemblies
- White Mod Wheels
- 30" Fender with Back
- Treated Wood Floor
- 57" W x 49" H Rear Ramp Gate



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
5X8SPW	550	1,450	13"	57" x 49"	Treated Wood

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER
• 175X13T	SPARE TIRE & WHEEL
• 812T	LIGHT PROTECTOR
• 863	SWING UP JACK

REPLACEMENT PARTS

• 175X13T	TIRE & WHEEL	• 813T	TAIL LIGHT, ROAD SIDE
• 140T	1-7/8" COUPLER REPAIR KIT	• 814T	TAIL LIGHT, CURB SIDE
• 198T	1-7/8" COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 638T	CLASS I SAFETY CHAIN	• 841T	LICENSE BRACKET
• 2K7158	71 X 58.5 IDLER AXLE	• BARRELHINGE-UTIL	BARREL HINGE
• 155T	1,250 LB. HUB KIT 5-HOLE	• 847T	GATE LATCH-COMPLETE
• 520T	HUB DUST CAP	• 819T	GATE LATCH SPRING & PIN
• 151T	1-1/16" SPINDLE KIT	• TONGUECOMPLETE48"	TONGUE
• 500T	1-1/16" BEARING KIT		
• 357T	30" FENDER W/BACK		
• 494T	1.25 GREASE SEAL		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



2,000 LB. GVWR WOOD FLOOR TRAILERS

FEATURES:



- 2" x 3" Straight Tube Tongue
- 2" x 2" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 1.5" x 1.5" x 1/8" Angle Uprights
- 1-7/8" Straight Coupler with Safety Chains
- 2,000 lb. Rated Idler Axle
- 2-Leaf Springs
- ST175X13 Tire and Wheel Assemblies
- White Mod Wheels
- 30" Fender with Back
- Treated Wood Floor
- 57" W x 49" H Rear Ramp Gate



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
5x8GWHS2K	500	1,500	13"	57" x 49"	Treated Wood
5x10GW2KHS	750	1,250	13"	57" x 49"	Treated Wood

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER
• 175X13T	SPARE TIRE & WHEEL
• 812T	LIGHT PROTECTOR
• 863	SWING UP JACK

REPLACEMENT PARTS

• 175X13T	TIRE & WHEEL	• 813T	TAIL LIGHT, ROAD SIDE
• 140T	1-7/8" COUPLER REPAIR KIT	• 814T	TAIL LIGHT, CURB SIDE
• 198T	1-7/8" COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 638T	CLASS I SAFETY CHAIN	• 841T	LICENSE BRACKET
• 2K7158	71 X 58.5 IDLER AXLE	• BARRELHINGE-UTIL	BARREL HINGE
• 155T	1,250 LB. HUB KIT 5-HOLE	• 847T	GATE LATCH-COMPLETE
• 520T	HUB DUST CAP	• 819T	GATE LATCH SPRING & PIN
• 151T	1-1/16" SPINDLE KIT	• TONGUECOMPLETE48"	TONGUE
• 500T	1-1/16" BEARING KIT		
• 357T	30" FENDER W/BACK		
• 494T	1.25 GREASE SEAL		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



2,400 LB. GVWR WOOD FLOOR TRAILER

FEATURES:



- 3" Channel A-Frame Tongue
- 2" x 2" x 1/8" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 1.5" x 1.5" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST175x13 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- 72" W x 49" H Rear Ramp Gate



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
6x8GW13	600	1,800	13"	57" x 49"	Treated Wood

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 799	LANDSCAPE BOX
• 175X13T	SPARE TIRE & WHEEL	• 862	LANDSCAPE BOX W/LID
• 812T	LIGHT PROTECTOR	• 798	MESH TONGUE BOX
• 818T	JACK SANDFOOT	• 797	STEEL TONGUE BOX
• 820	JACK CASTER WHEEL	• SPARETIREMOUNT-UTPT	SPARE TIRE CARRIER

REPLACEMENT PARTS

• 175X13T	TIRE & WHEEL	• 815T	TAIL LIGHT, ROAD SIDE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 816T	TAIL LIGHT, CURB SIDE
• 200T	2" A-FRAME COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 639T	CLASS II SAFETY CHAIN	• 838T	3-LIGHT ID BAR
• 3K8874	88 X 74 IDLER AXLE	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• BARRELHINGE-UTIL	BARREL HINGE
• 520T	HUB DUST CAP	• 847T	GATE LATCH-COMPLETE
• 350T	1-3/8" SPINDLE KIT	• 819T	GATE LATCH SPRING & PIN
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 357T	30" FENDER W/BACK		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



2,400 LB. GVWR WOOD FLOOR TRAILER

FEATURES:



- 3" Channel A-Frame Tongue
- 2" x 2" x 1/8" Angle Main Frame
- 2-3/8" Pipe Top Rail
- 2" x 2" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST175x13 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- 72" W x 49" H Rear Ramp Gate



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
6x8GW2KPT	725	1,675	13"	72" x 49"	Treated Wood

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• SPARETIREMOUNT-UTPT	SPARE TIRE CARRIER
• 175X13T	SPARE TIRE & WHEEL		
• 812T	LIGHT PROTECTOR		
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 175X13T	TIRE & WHEEL	• 815T	TAIL LIGHT, ROAD SIDE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 816T	TAIL LIGHT, CURB SIDE
• 200T	2" A-FRAME COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 639T	CLASS II SAFETY CHAIN	• 838T	3-LIGHT ID BAR
• 3K8874	77 X 64 IDLER AXLE	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• BARRELHINGE-UTIL	BARREL HINGE
• 520T	HUB DUST CAP	• 847T	GATE LATCH-COMPLETE
• 350T	1-3/8" SPINDLE KIT	• 819T	GATE LATCH SPRING & PIN
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 357T	32" FENDER W/BACK SMOOTH		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



2,990 LB. GVWR WOOD FLOOR TRAILER

FEATURES:



- 3" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2-3/8" Pipe Top Rail
- 2" x 2" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- 63" W x 49" H Rear Ramp Gate
- Mesh Tongue Box



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
5.5x10GWPR	950	2,040	15"	63" x 49"	Treated Wood

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• SPARETIREMOUNT-UTPT	SPARE TIRE CARRIER
• 2051556T	SPARE TIRE & WHEEL		
• 812T	LIGHT PROTECTOR		
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 815T	TAIL LIGHT, ROAD SIDE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 816T	TAIL LIGHT, CURB SIDE
• 200T	2" A-FRAME COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 639T	CLASS II SAFETY CHAIN	• 838T	3-LIGHT ID BAR
• 3K7764	77 X 64 IDLER AXLE	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• BARRELHINGE-UTIL	BARREL HINGE
• 520T	HUB DUST CAP	• 847T	GATE LATCH-COMPLETE
• 350T	1-3/8" SPINDLE KIT	• 819T	GATE LATCH SPRING & PIN
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9320T	32" FENDER W/BACK SMOOTH		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



2,990 LB. GVWR WOOD FLOOR TRAILERS

FEATURES:



- 3" Channel A-Frame Tongue
- 3" x 2" x 1/16" Angle Main Frame
- 2-3/8" Pipe Top Rail
- 2" x 2" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205X15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- 63" W x 49" H Rear Ramp Gate
- Mesh Tongue Box
- LED Lighting



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
5.5x8GWPTLED	900	2,090	15"	63" x 49"	Treated Wood

OPTIONS/ ACCESSORIES

• 20551556T	SPARE TIRE CARRIER	• SPARETIREMOUNT-UTPT	SPARE TIRE CARRIER
• 175x13T	SPARE TIRE & WHEEL		
• 812T	LIGHT PROTECTOR		
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 20551556T	TIRE & WHEEL	• 415T	TAIL LIGHT, ROAD SIDE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 416T	TAIL LIGHT, CURB SIDE
• 200T	2" A-FRAME COUPLER	• 417T	CLEARANCE LIGHT, AMBER
• 639T	CLASS II SAFETY CHAIN	• 438T	3-LIGHT ID BAR
• 3K7764	77 X 64 IDLER AXLE	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• BARRELHINGE-UTIL	BARREL HINGE
• 520T	HUB DUST CAP	• 847T	GATE LATCH-COMPLETE
• 350T	1-3/8" SPINDLE KIT	• 819T	GATE LATCH SPRING & PIN
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9320T	32" FENDER W/BACK SMOOTH		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



2,990 LB. GVWR WOOD FLOOR TRAILERS

FEATURES:



- 3" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2-3/8" Pipe Top Rail
- 2" x 2" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- 63" W x 49" H Rear Ramp Gate
- Mesh Tongue Box
- LED Lighting



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
5.5x10GWPTLED	950	2,040	15"	63" x 49"	Treated Wood
5.5x12GWPTLED	970	2,020	15"	63" x 49"	Treated Wood

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• SPARETIREMOUNT-UTPT	SPARE TIRE CARRIER
• 2051556T	SPARE TIRE & WHEEL		
• 812T	LIGHT PROTECTOR		
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 415T	TAIL LIGHT, ROAD SIDE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 416T	TAIL LIGHT, CURB SIDE
• 200T	2" A-FRAME COUPLER	• 417T	CLEARANCE LIGHT, AMBER
• 639T	CLASS II SAFETY CHAIN	• 438T	3-LIGHT ID BAR
• 3K7764	77 X 64 IDLER AXLE	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• BARRELHINGE-UTIL	BARREL HINGE
• 520T	HUB DUST CAP	• 847T	GATE LATCH-COMPLETE
• 350T	1-3/8" SPINDLE KIT	• 819T	GATE LATCH SPRING & PIN
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9320T	32" FENDER W/BACK SMOOTH		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



2,990 LB. GVWR WOOD FLOOR TRAILERS

FEATURES:



- 3" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 1.5" x 1.5" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- 57" W x 49" H Rear Ramp Gate



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
5x8GW	775	2,215	15"	57" x 49"	Treated Wood
5x10GW	800	2,115	15"	57" x 49"	Treated Wood
5x12GW	825	2,315	15"	57" x 49"	Treated Wood
5x14GW	850	2,190	15"	57" x 49"	Treated Wood

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 800	LANDSCAPE BOX
• 2051556T	SPARE TIRE & WHEEL	• 861	LANDSCAPE BOX W/LID
• 812T	LIGHT PROTECTOR	• 798	MESH TONGUE BOX
• 818T	JACK SANDFOOT	• 797	STEEL TONGUE BOX
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 813T	TAIL LIGHT, ROAD SIDE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 814T	TAIL LIGHT, CURB SIDE
• 200T	2" A-FRAME COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 639T	CLASS II SAFETY CHAIN	• 841T	LICENSE BRACKET
• 3K7258	72 X 58 IDLER AXLE	• BARRELHINGE-UTIL	BARREL HINGE
• 545T	REPLACEMENT WHEEL HUB	• 847T	GATE LATCH-COMPLETE
• 520T	HUB DUST CAP	• 819T	GATE LATCH SPRING & PIN
• 350T	1-3/8" SPINDLE KIT		
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9320T	32" FENDER W/BACK SMOOTH		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



2,990 LB. GVWR WOOD FLOOR TRAILERS

FEATURES:



- 3" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 1.5" x 1.5" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- 57" W x 49" H Rear Ramp Gate



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
5x8GWHS	800	2,190	15"	57" x 49"	Treated Wood
5x10GWHS	825	2,165	15"	57" x 49"	Treated Wood
5x12GWHS	850	2,140	15"	57" x 49"	Treated Wood

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 800	LANDSCAPE BOX
• 2051556T	SPARE TIRE & WHEEL	• 861	LANDSCAPE BOX W/LID
• 812T	LIGHT PROTECTOR	• 798	MESH TONGUE BOX
• 818T	JACK SANDFOOT	• 797	STEEL TONGUE BOX
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 813T	TAIL LIGHT, ROAD SIDE
• 200T	2" A-FRAME COUPLER	• 814T	TAIL LIGHT, CURB SIDE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 817-2T	CLEARANCE LIGHT, AMBER
• 639T	CLASS II SAFETY CHAIN	• 841T	LICENSE BRACKET
• 3K7258	72 X 58 IDLER AXLE	• BARRELHINGE-UTIL	BARREL HINGE
• 545T	REPLACEMENT WHEEL HUB	• 847T	GATE LATCH-COMPLETE
• 520T	HUB DUST CAP	• 819T	GATE LATCH SPRING & PIN
• 350T	1-3/8" SPINDLE KIT		
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9320T	32" FENDER W/BACK SMOOTH		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



2,990 LB. GVWR WOOD FLOOR TRAILERS

FEATURES:



- 3" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 1.5" x 1.5" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- 72" W x 49" H Rear Ramp Gate



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
6x10GW	850	2,140	15"	72" x 49"	Treated Wood
6x12GW	875	2,115	15"	72" x 49"	Treated Wood
6x14GW	900	2,090	15"	72" x 49"	Treated Wood

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 799	LANDSCAPE BOX
• 2051556T	SPARE TIRE & WHEEL	• 862	LANDSCAPE BOX W/LID
• 812T	LIGHT PROTECTOR	• 798	MESH TONGUE BOX
• 818T	JACK SANDFOOT	• 797	STEEL TONGUE BOX
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 815T	TAIL LIGHT, ROAD SIDE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 816T	TAIL LIGHT, CURB SIDE
• 200T	2" A-FRAME COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 639T	CLASS II SAFETY CHAIN	• 838T	3-LIGHT ID BAR
• 3K8874	88 X 74 IDLER AXLE	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• BARRELHINGE-UTIL	BARREL HINGE
• 520T	HUB DUST CAP	• 847T	GATE LATCH-COMPLETE
• 350T	1-3/8" SPINDLE KIT	• 819T	GATE LATCH SPRING & PIN
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9320T	32" FENDER W/BACK SMOOTH		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



2,990 LB. GVWR WOOD FLOOR TRAILERS

FEATURES:



- 3" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 1.5" x 1.5" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- 72" W x 49" H Rear Ramp Gate
- 16" Mesh High Sides



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
6x10GWHS16	975	2,015	15"	72" x 49"	Treated Wood

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 799	LANDSCAPE BOX
• 2051556T	SPARE TIRE & WHEEL	• 862	LANDSCAPE BOX W/LID
• 812T	LIGHT PROTECTOR	• 798	MESH TONGUE BOX
• 818T	JACK SANDFOOT	• 797	STEEL TONGUE BOX
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 815T	TAIL LIGHT, ROAD SIDE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 816T	TAIL LIGHT, CURB SIDE
• 200T	2" A-FRAME COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 639T	CLASS II SAFETY CHAIN	• 838T	3-LIGHT ID BAR
• 3K8874	88 X 74 IDLER AXLE	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• BARRELHINGE-UTIL	BARREL HINGE
• 520T	HUB DUST CAP	• 847T	GATE LATCH-COMPLETE
• 350T	1-3/8" SPINDLE KIT	• 819T	GATE LATCH SPRING & PIN
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9320T	32" FENDER W/BACK SMOOTH		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



2,990 LB. GVWR WOOD FLOOR TRAILERS

FEATURES:



- 3" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 1.5" x 1.5" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- 72" W x 49" H Rear Ramp Gate
- 24" Mesh High Sides



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
6x10GWHS	875	2,115	15"	72" x 49"	Treated Wood
6x12GWHS	900	2,090	15"	72" x 49"	Treated Wood
6x14GWHS	975	2,015	15"	72" x 49"	Treated Wood

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 799	LANDSCAPE BOX
• 2051556T	SPARE TIRE & WHEEL	• 862	LANDSCAPE BOX W/LID
• 812T	LIGHT PROTECTOR	• 798	MESH TONGUE BOX
• 818T	JACK SANDFOOT	• 797	STEEL TONGUE BOX
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 815T	TAIL LIGHT, ROAD SIDE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 816T	TAIL LIGHT, CURB SIDE
• 200T	2" A-FRAME COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 639T	CLASS II SAFETY CHAIN	• 838T	3-LIGHT ID BAR
• 3K8874	88 X 74 IDLER AXLE	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• BARRELHINGE-UTIL	BARREL HINGE
• 520T	HUB DUST CAP	• 847T	GATE LATCH-COMPLETE
• 350T	1-3/8" SPINDLE KIT	• 819T	GATE LATCH SPRING & PIN
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9320T	32" FENDER W/BACK SMOOTH		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



2,990 LB. GVWR WOOD FLOOR TRAILERS

FEATURES:



- 3" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 1.5" x 1.5" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- 72" W x 49" H Rear Ramp Gate
- 57" W x 49" H Side Ramp Gate

ATV MODEL

- Curbside Ramp



RS Model

- (2) Sideload Ramps
- Curbside or Roadside Load



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
6x12GWATV	980	2,010	15"	72" x 49"	Treated Wood
6x12GWATVHS	975	2,015	15"	72" x 49"	Treated Wood
6x12GWRS	900	2,090	15"	72" x 49"	Treated Wood

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 799	LANDSCAPE BOX
• 2051556T	SPARE TIRE & WHEEL	• 862	LANDSCAPE BOX W/LID
• 812T	LIGHT PROTECTOR	• 798	MESH TONGUE BOX
• 818T	JACK SANDFOOT	• 797	STEEL TONGUE BOX
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 815T	TAIL LIGHT, ROAD SIDE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 816T	TAIL LIGHT, CURB SIDE
• 200T	2" A-FRAME COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 639T	CLASS II SAFETY CHAIN	• 838T	3-LIGHT ID BAR
• 3K8874	88 X 74 IDLER AXLE	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• BARRELHINGE-UTIL	BARREL HINGE
• 520T	HUB DUST CAP	• 847T	GATE LATCH-COMPLETE
• 350T	1-3/8" SPINDLE KIT	• 819T	GATE LATCH SPRING & PIN
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9320T	32" FENDER W/BACK SMOOTH		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



2,990 LB. GVWR WOOD FLOOR TRAILERS

FEATURES:



- 3" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 1.5" x 1.5" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- 79" W x 49" H Rear Ramp Gate
- 57" W x 49" H Side Ramp Gate

ATV MODEL

- Curbside Ramp



RS Model

- (2) Sideload Ramps
- Curbside or Roadside Load



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
7x12GWATV	990	2,000	15"	79" x 49"	Treated Wood
7x12GWRS	950	2,040	15"	79" x 49"	Treated Wood

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 799	LANDSCAPE BOX
• 2051556T	SPARE TIRE & WHEEL	• 862	LANDSCAPE BOX W/LID
• 812T	LIGHT PROTECTOR	• 798	MESH TONGUE BOX
• 818T	JACK SANDFOOT	• 797	STEEL TONGUE BOX
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 815T	TAIL LIGHT, ROAD SIDE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 816T	TAIL LIGHT, CURB SIDE
• 200T	2" A-FRAME COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 639T	CLASS II SAFETY CHAIN	• 838T	3-LIGHT ID BAR
• 3K9380	93 X 80 IDLER AXLE	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• BARRELHINGE-UTIL	BARREL HINGE
• 520T	HUB DUST CAP	• 847T	GATE LATCH-COMPLETE
• 350T	1-3/8" SPINDLE KIT	• 819T	GATE LATCH SPRING & PIN
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9320T	32" FENDER W/BACK SMOOTH		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



2,990 LB. GVWR WOOD FLOOR TRAILERS

FEATURES:



- 3" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2-3/8" Pipe Top Rail
- 2" x 2" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- 6" Front and Side Rib Panels
- Steel Round Fender with Back
- Treated Wood Floor
- 79" W x 49" H Rear Ramp Gate
- Mesh Tongue Box



COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
7x12GWPT	990	2,000	15"	79" x 49"	Treated Wood

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 799	LANDSCAPE BOX
• 2051556T	SPARE TIRE & WHEEL	• 862	LANDSCAPE BOX W/LID
• 812T	LIGHT PROTECTOR	• 797	STEEL TONGUE BOX
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 815T	TAIL LIGHT, ROAD SIDE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 816T	TAIL LIGHT, CURB SIDE
• 200T	2" A-FRAME COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 639T	CLASS II SAFETY CHAIN	• 838T	3-LIGHT ID BAR
• 3K9380	93 X 80 IDLER AXLE	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• BARRELHINGE-UTIL	BARREL HINGE
• 520T	HUB DUST CAP	• 847T	GATE LATCH-COMPLETE
• 350T	1-3/8" SPINDLE KIT	• 819T	GATE LATCH SPRING & PIN
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9320T	32" FENDER W/BACK SMOOTH		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



2,990 LB. GVWR WOOD FLOOR TRAILERS

FEATURES:



- 3" Channel A-Frame Tongue
- 4" x 3" x 1/4" Angle Main Frame
- Front Bumper 2" x 2" x 1/8" Angle Top Rail
- Front Bumper 1.5" x 1.5" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated EZ Lube Drop Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Removable Aluminum Tread Plate Fenders
- Treated Wood Floor
- 72" W x 49" H Rear Ramp Gate



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
6x10CHGW	950	2,040	15"	72" x 49"	Treated Wood
6x12CHGW	975	2,015	15"	72" x 49"	Treated Wood

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 798	MESH TONGUE BOX
• 2051556T	SPARE TIRE & WHEEL	• 797	STEEL TONGUE BOX
• 812T	LIGHT PROTECTOR		
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 815T	TAIL LIGHT, ROAD SIDE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 816T	TAIL LIGHT, CURB SIDE
• 200T	2" A-FRAME COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 639T	CLASS II SAFETY CHAIN	• 838T	3-LIGHT ID BAR
• 3K8874EZ DROP	93 X 80 IDLER AXLE	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• BARRELRHINGE-UTIL	BARREL HINGE
• 520T	HUB DUST CAP		
• 350T	1-3/8" SPINDLE KIT		
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



2,990 LB. GVWR TILT WOOD FLOOR TRAILER



- Manual Hydraulic Cylinder
- 10° Tilt Angle
- Knife Edge Rear Folding Ramps
- (6) Heavy Duty Tie Downs



FEATURES:



- 3" Channel A-Frame Tongue
- 4" x 3" x 1/4" Angle Main Frame
- 12" High Front Bumper
- Front Bumper 2" x 2" x 1/8" Angle Top Rail
- Front Bumper 1.5" x 1.5" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated EZ Lube Drop Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- (2) Fold Up Ramps
- Manual Tilt Cylinder

Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
6x12CH-TILT	975	2,015	15"	NA	Treated Wood

OPTIONS/ ACCESSORIES

- 2051556T SPARE TIRE & WHEEL
- 812T LIGHT PROTECTOR
- 818T JACK SANDFOOT
- 820 JACK CASTER WHEEL

REPLACEMENT PARTS

- | | |
|--------------------------------------|---------------------------------|
| • 2051556T TIRE & WHEEL | • 815T TAIL LIGHT, ROAD SIDE |
| • 143T 2" A-FRAME COUPLER REPAIR KIT | • 816T TAIL LIGHT, CURB SIDE |
| • 200T 2" A-FRAME COUPLER | • 817-2T CLEARANCE LIGHT, AMBER |
| • 639T CLASS II SAFETY CHAIN | • 838T 3-LIGHT ID BAR |
| • 3K8874EZDROP 88 X 74.5 DROP AXLE | • 841T LICENSE BRACKET |
| • 545T REPLACEMENT WHEEL HUB | |
| • 520T HUB DUST CAP | |
| • 350T 1-3/8" SPINDLE KIT | |
| • 502T 1-3/8" BEARING KIT | |
| • 496T 1.719 GREASE SEAL | |
| • 9320T 32" FENDER W/BACK SMOOTH | |
| • 741 TOP-WIND JACK | |

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



2,990 LB. GVWR WOOD FLOOR TRAILERS

FEATURES:



- 3" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2-3/8" Pipe Top Rail
- 2" x 2" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- 72" W x 49" H Rear Ramp Gate
- Mesh Tongue Box
- LED Lighting



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
6x10GWPTLED	950	2,040	15"	72" x 49"	Treated Wood
6x12GWPTLED	975	2,015	15"	72" x 49"	Treated Wood

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• SPARETIREMOUNT-UTPT	SPARE TIRE CARRIER
• 2051556T	SPARE TIRE & WHEEL		
• 812T	LIGHT PROTECTOR		
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 415T	TAIL LIGHT, ROAD SIDE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 416T	TAIL LIGHT, CURB SIDE
• 200T	2" A-FRAME COUPLER	• 417T	CLEARANCE LIGHT, AMBER
• 639T	CLASS II SAFETY CHAIN	• 438T	3-LIGHT ID BAR
• 3K8874	88 X 74 IDLER AXLE	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• BARRELHINGE-UTIL	BARREL HINGE
• 520T	HUB DUST CAP	• 847T	GATE LATCH-COMPLETE
• 350T	1-3/8" SPINDLE KIT	• 819T	GATE LATCH SPRING & PIN
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9320T	32" FENDER W/BACK SMOOTH		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



2,990 LB. GVWR WOOD FLOOR TRAILERS

FEATURES:



- 3" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 1" x 2" Tube Top Rail
- 1.5" x 1.5" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender
- Treated Wood Floor
- 57" W x 49" H Rear Ramp Gate
- 17" Solid Steel Sides



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
5x8SSG	650	2,340	15"	57" x 49"	Treated Wood
5x10SSG	750	2,240	15"	57" x 49"	Treated Wood

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 798	MESH TONGUE BOX
• 2051556T	SPARE TIRE & WHEEL	• 797	STEEL TONGUE BOX
• 812T	LIGHT PROTECTOR		
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 813T	TAIL LIGHT, ROAD SIDE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 814T	TAIL LIGHT, CURB SIDE
• 200T	2" A-FRAME COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 639T	CLASS II SAFETY CHAIN	• 841T	LICENSE BRACKET
• 3K7258	72 X 58 IDLER AXLE	• BARRELHINGE-UTIL	BARREL HINGE
• 545T	REPLACEMENT WHEEL HUB	• 847T	GATE LATCH-COMPLETE
• 520T	HUB DUST CAP	• 819T	GATE LATCH SPRING & PIN
• 350T	1-3/8" SPINDLE KIT		
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9321T	32" FENDER W/O BACK SMOOTH		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



2,990 LB. GVWR WOOD FLOOR TRAILERS

FEATURES:



- 3" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 1" x 2" Tube Top Rail
- 1.5" x 1.5" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender
- Treated Wood Floor
- 72" W x 49" H Rear Ramp Gate
- 17" Solid Steel Sides



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
6x10SSG	950	2,040	15"	72" x 49"	Treated Wood
6x12SSG	990	2,000	15"	72" x 49"	Treated Wood

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 798	MESH TONGUE BOX
• 2051556T	SPARE TIRE & WHEEL	• 797	STEEL TONGUE BOX
• 812T	LIGHT PROTECTOR		
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 815T	TAIL LIGHT, ROAD SIDE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 816T	TAIL LIGHT, CURB SIDE
• 200T	2" A-FRAME COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 639T	CLASS II SAFETY CHAIN	• 841T	LICENSE BRACKET
• 3K8874	88 X 74 IDLER AXLE	• BARRELHINGE-UTIL	BARREL HINGE
• 545T	REPLACEMENT WHEEL HUB	• 847T	GATE LATCH-COMplete
• 520T	HUB DUST CAP	• 819T	GATE LATCH SPRING & PIN
• 350T	1-3/8" SPINDLE KIT		
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9321T	32" FENDER W/O BACK SMOOTH		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



2,990 LB. GVWR WOOD FLOOR TRAILERS

FEATURES:



- 3" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2-3/8" Pipe Top Rail
- 2" x 2" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- 63" W x 49" H Rear Ramp Gate
- Mesh Tongue Box
- LED Lighting



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
5.5x8SSGPTLED	930	2,060	15"	63" x 49"	Treated Wood
5.5x10SSGPTLED	950	2,040	15"	63" x 49"	Treated Wood
5.5x12SSGPTLED	970	2,020	15"	63" x 49"	Treated Wood

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• SPARETIREMOUNT-UTPT	SPARE TIRE CARRIER
• 2051556T	SPARE TIRE & WHEEL		
• 812T	LIGHT PROTECTOR		
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 415	TAIL LIGHT, ROAD SIDE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 416T	TAIL LIGHT, CURB SIDE
• 200T	2" A-FRAME COUPLER	• 417-2T	CLEARANCE LIGHT, AMBER
• 639T	CLASS II SAFETY CHAIN	• 438T	3-LIGHT ID BAR
• 3K7764	77 X 64 IDLER AXLE	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• BARRELHINGE-UTIL	BARREL HINGE
• 520T	HUB DUST CAP	• 847T	GATE LATCH-COMplete
• 350T	1-3/8" SPINDLE KIT	• 819T	GATE LATCH SPRING & PIN
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9321T	32" FENDER W/BACK SMOOTH		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



7,000 LB. GVWR TANDEM WOOD FLOOR TRAILERS

FEATURES:



- 4" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 2" x 2" x 1/8" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (1) 3,500 lb. Rated Brake Axle
- (1) 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 72" W x 49" H Spring Assist Rear Ramp Gate
- LED Lighting Package



- (1) Brake Axle



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp WxL	Brake Axles
6x12GW1BRK	1,300	5,700	15"	72" x 49"	1
6x14GW1BRK	1,450	5,550	15"	72" x 49"	1
6x16GW1BRK	1,600	5,400	15"	72" x 49"	1
6x18GW1BRK	1,700	5,300	15"	72" x 49"	1
6x20GW1BRK	1,800	5,200	15"	72" x 49"	1

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 799	LANDSCAPE BOX
• 2051556T	SPARE TIRE & WHEEL	• 862	LANDSCAPE BOX W/LID
• 812T	LIGHT PROTECTOR	• 798	MESH TONGUE BOX
• 818T	JACK SANDFOOT	• 797	STEEL TONGUE BOX
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K8874	88 X 74 IDLER AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 3K8874B	88 X 74 BRAKE AXLE	• 438T	3-LIGHT ID BAR
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• SPRINGLATCH-HD	HD GATE LATCH COMPLETE
• 520T	HUB DUST CAP	• 701T	BREAKAWAY KIT COMPLETE
• 350T	1-3/8" SPINDLE KIT	• GATESPRINGASSIST	GATE SPRING ASSIST SET
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9660T	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



7,000 LB. GVWR TANDEM WOOD FLOOR TRAILERS

FEATURES:



- 4" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 2" x 2" x 1/8" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 3,500 lb. Rated Brake Axles
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 72" W x 49" H Spring Assist Rear Ramp Gate
- LED Lighting Package



- (2) Brake Axles



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp WxL	Brake Axles
6x12GW2BRK	1,350	5,650	15"	72" x 49"	2
6x14GW2BRK	1,500	5,500	15"	72" x 49"	2
6x16GW2BRK	1,650	5,350	15"	72" x 49"	2
6x18GW2BRK	1,750	5,250	15"	72" x 49"	2
6x20GW2BRK	1,850	5,150	15"	72" x 49"	2

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 799	LANDSCAPE BOX
• 2051556T	SPARE TIRE & WHEEL	• 862	LANDSCAPE BOX W/LID
• 812T	LIGHT PROTECTOR	• 798	MESH TONGUE BOX
• 818T	JACK SANDFOOT	• 797	STEEL TONGUE BOX
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K8874B	88 X 74 BRAKE AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 438T	3-LIGHT ID BAR
• 520T	HUB DUST CAP	• 841T	LICENSE BRACKET
• 350T	1-3/8" SPINDLE KIT	• SPRINGLATCH-HD	HD GATE LATCH COMPLETE
• 502T	1-3/8" BEARING KIT	• 701T	BREAKAWAY KIT COMPLETE
• 496T	1.719 GREASE SEAL	• GATESPRINGASSIST	GATE SPRING ASSIST SET
• 9660T	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



7,000 LB. GVWR HIGH SIDE MESH TRAILERS

FEATURES:



- 4" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 2" x 2" x 1/8" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (1) 3,500 lb. Rated Brake Axle
- (1) 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 72" W x 49" H Spring Assist Rear Ramp Gate
- LED Lighting Package



- (1) Brake Axle
- 24" Mesh High Sides



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Mesh Side Wall	Gate/Ramp WxL	Brake Axles
6x12GWHS1BRK	1,400	5,600	24"	72" x 49"	1
6x14GWHS1BRK	1,650	5,350	24"	72" x 49"	1
6x16GWHS1BRK	1,700	5,300	24"	72" x 49"	1
6x18GWHS1BRK	1,800	5,200	24"	72" x 49"	1
6x20GWHS1BRK	1,900	5,100	24"	72" x 49"	1

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 799	LANDSCAPE BOX
• 2051556T	SPARE TIRE & WHEEL	• 862	LANDSCAPE BOX W/LID
• 812T	LIGHT PROTECTOR	• 798	MESH TONGUE BOX
• 818T	JACK SANDFOOT	• 797	STEEL TONGUE BOX
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K8874	88 X 74 IDLER AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 3K8874B	88 X 74 BRAKE AXLE	• 438T	3-LIGHT ID BAR
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• SPRINGLATCH-HD	HD GATE LATCH COMPLETE
• 520T	HUB DUST CAP	• 701T	BREAKAWAY KIT COMPLETE
• 350T	1-3/8" SPINDLE KIT	• GATESPRINGASSIST	GATE SPRING ASSIST SET
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9660T	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



7,000 LB. GVWR HIGH SIDE MESH TRAILERS

FEATURES:



- 4" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 2" x 2" x 1/8" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 3,500 lb. Rated Brake Axles
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 72" W x 49" H Spring Assist Rear Ramp Gate
- LED Lighting Package



- (2) Brake Axles
- 24" Mesh High Sides



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Mesh Side Wall	Gate/Ramp WxL	Brake Axles
6x12GWHS2BRK	1,450	5,550	24"	72" x 49"	2
6x14GWHS2BRK	1,700	5,300	24"	72" x 49"	2
6x16GWHS2BRK	1,750	5,250	24"	72" x 49"	2
6x18GWHS2BRK	1,850	5,150	24"	72" x 49"	2
6x20GWHS2BRK	1,950	5,050	24"	72" x 49"	2

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 799	LANDSCAPE BOX
• 2051556T	SPARE TIRE & WHEEL	• 862	LANDSCAPE BOX W/LID
• 812T	LIGHT PROTECTOR	• 798	MESH TONGUE BOX
• 818T	JACK SANDFOOT	• 797	STEEL TONGUE BOX
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K8874B	88 X 74 BRAKE AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 438T	3-LIGHT ID BAR
• 520T	HUB DUST CAP	• 841T	LICENSE BRACKET
• 350T	1-3/8" SPINDLE KIT	• SPRINGLATCH-HD	HD GATE LATCH COMPLETE
• 502T	1-3/8" BEARING KIT	• 701T	BREAKAWAY KIT COMPLETE
• 496T	1.719 GREASE SEAL	• GATESPRINGASSIST	GATE SPRING ASSIST SET
• 9660T	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



7,000 LB. GVWR TANDEM WOOD FLOOR TRAILERS

FEATURES:



- 4" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 2" x 2" x 1/8" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (1) 3,500 lb. Rated Brake Axle
- (1) 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 79" W x 49" H Spring Assist Rear Ramp Gate
- LED Lighting Package



- (1) Brake Axle



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp WxL	Brake Axles
7x12GW1BRK	1,450	5,550	15"	79" x 49"	1
7x14GW1BRK	1,600	5,400	15"	79" x 49"	1
7x16GW1BRK	1,650	5,350	15"	79" x 49"	1
7x18GW1BRK	1,750	5,250	15"	79" x 49"	1
7x20GW1BRK	1,850	5,150	15"	79" x 49"	1

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 870	LANDSCAPE BOX
• 2051556T	SPARE TIRE & WHEEL	• 871	LANDSCAPE BOX W/LID
• 812	LIGHT PROTECTOR	• 798	MESH TONGUE BOX
• 818	JACK SANDFOOT	• 797	STEEL TONGUE BOX
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K9380	93 X 80 IDLER AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 3K9380B	93 X 80 BRAKE AXLE	• 438T	3-LIGHT ID BAR
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• SPRINGLATCH-HD	HD GATE LATCH COMPLETE
• 520T	HUB DUST CAP	• 701T	BREAKAWAY KIT COMPLETE
• 350T	1-3/8" SPINDLE KIT	• GATESPRINGASSIST	GATE SPRING ASSIST SET
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9660T	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



7,000 LB. GVWR TANDEM WOOD FLOOR TRAILERS

FEATURES:



- 4" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 2" x 2" x 1/8" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 3,500 lb. Rated Brake Axles
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 79" W x 49" H Spring Assist Rear Ramp Gate
- LED Lighting Package



- (2) Brake Axles



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp WxL	Brake Axles
7x12GW2BRK	1,500	5,500	15"	79" x 49"	2
7x14GW2BRK	1,650	5,350	15"	79" x 49"	2
7x16GW2BRK	1,700	5,300	15"	79" x 49"	2
7x18GW2BRK	1,800	5,200	15"	79" x 49"	2
7x20GW2BRK	1,900	5,100	15"	79" x 49"	2

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 870	LANDSCAPE BOX
• 2051556T	SPARE TIRE & WHEEL	• 871	LANDSCAPE BOX W/LID
• 812T	LIGHT PROTECTOR	• 798	MESH TONGUE BOX
• 818T	JACK SANDFOOT	• 797	STEEL TONGUE BOX
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K9380B	93 X 80 BRAKE AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 438T	3-LIGHT ID BAR
• 520T	HUB DUST CAP	• 841T	LICENSE BRACKET
• 350T	1-3/8" SPINDLE KIT	• SPRINGLATCH-HD	HD GATE LATCH COMPLETE
• 502T	1-3/8" BEARING KIT	• 701T	BREAKAWAY KIT COMPLETE
• 496T	1.719 GREASE SEAL	• GATESPRINGASSIST	GATE SPRING ASSIST SET
• 9660T	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.

FEATURES:



- 4" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 2" x 2" x 1/8" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (1) 3,500 lb. Rated Brake Axle
- (1) 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 79" W x 49" H Spring Assist Rear Ramp Gate
- LED Lighting Package



- (1) Brake Axle
- 24" Mesh High Sides



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Mesh Side Wall	Gate/Ramp WxL	Brake Axles
7x12GWHS1BRK	1,525	5,475	24"	79" x 49"	1
7x14GWHS1BRK	1,650	5,350	24"	79" x 49"	1
7x16GWHS1BRK	1,725	5,275	24"	79" x 49"	1
7x18GWHS1BRK	1,825	5,175	24"	79" x 49"	1
7x20GWHS1BRK	2,050	4,950	24"	79" x 49"	1

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 870	LANDSCAPE BOX
• 2051556T	SPARE TIRE & WHEEL	• 871	LANDSCAPE BOX W/LID
• 812T	LIGHT PROTECTOR	• 798	MESH TONGUE BOX
• 818T	JACK SANDFOOT	• 797	STEEL TONGUE BOX
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K9380	93 X 80 IDLER AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 3K9380B	93 X 80 BRAKE AXLE	• 438T	3-LIGHT ID BAR
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• SPRINGLATCH-HD	HD GATE LATCH COMPLETE
• 520T	HUB DUST CAP	• 701T	BREAKAWAY KIT COMPLETE
• 350T	1-3/8" SPINDLE KIT	• GATESPRINGASSIST	GATE SPRING ASSIST SET
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9660T	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



7,000 LB. GVWR HIGH SIDE MESH TRAILERS

FEATURES:



- 4" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 2" x 2" x 1/8" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 3,500 lb. Rated Brake Axles
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 79" W x 49" H Spring Assist Rear Ramp Gate
- LED Lighting Package



- (2) Brake Axles
- 24" Mesh High Sides



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Mesh Side Wall	Gate/Ramp WxL	Brake Axles
7x12GWHS2BRK	1,575	5,425	24"	79" x 49"	2
7x14GWHS2BRK	1,750	5,250	24"	79" x 49"	2
7x16GWHS2BRK	1,800	5,200	24"	79" x 49"	2
7x18GWHS2BRK	1,875	5,125	24"	79" x 49"	2
7x20GWHS2BRK	2,125	4,875	24"	79" x 49"	2

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 870	LANDSCAPE BOX
• 2051556T	SPARE TIRE & WHEEL	• 871	LANDSCAPE BOX W/LID
• 812T	LIGHT PROTECTOR	• 798	MESH TONGUE BOX
• 818T	JACK SANDFOOT	• 797	STEEL TONGUE BOX
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K9380B	93 X 80 BRAKE AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 438T	3-LIGHT ID BAR
• 520T	HUB DUST CAP	• 841T	LICENSE BRACKET
• 350T	1-3/8" SPINDLE KIT	• SPRINGLATCH-HD	HD GATE LATCH COMPLETE
• 502T	1-3/8" BEARING KIT	• 701T	BREAKAWAY KIT COMPLETE
• 496T	1.719 GREASE SEAL	• GATESPRINGASSIST	GATE SPRING ASSIST SET
• 9660T	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



7,000 LB. GVWR CAR HAULER TRAILERS


FEATURES:



- 4" Channel A-Frame Tongue
- 4" Channel Main Frame
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (1) 3,500 lb. Rated EZ Lube Brake Axle
- (1) 3,500 lb. Rated EZ Lube Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Diamond Plate Fender with Back
- Open Steel Floor
- Electric Breakaway Kit w/ Charger
- LED Lighting Package



- 64" Extended Tongue
- Open Steel Floor
- 1 Brake Axle



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Deck Style	Ramp	No. Brake Axles
7x15SFO1BRK	1,350	5,650	Open Center Steel Diamond Plate	18"x 60" Slide-In Ramps	1
7x18SFO1BRK	1,425	5,575	Open Center Steel Diamond Plate	18"x 60" Slide-In Ramps	1

OPTIONS/ ACCESSORIES

- 628 SPARE TIRE CARRIER
- 2051556T SPARE TIRE & WHEEL
- 812T LIGHT PROTECTOR
- 818T JACK SANDFOOT

REPLACEMENT PARTS

- | | |
|--|---------------------------------|
| • 2051556T TIRE & WHEEL | • 741 TOP-WIND JACK |
| • 256T 2-5/16" A-FRAME COUPLER | • 415T TAIL LIGHT, ROAD SIDE |
| • 640T CLASS III SAFETY CHAIN | • 416T TAIL LIGHT, CURB SIDE |
| • 3K9380EZ 93 X 80 EZ LUBE AXLE | • 417-2T CLEARANCE LIGHT, AMBER |
| • 3K9380EZB 93 X 80 EZ LUBE BRAKE AXLE | • 438T 3-LIGHT ID BAR |
| • 605T 1,750 LB. DRUM LEFT & RIGHT 5-LUG | • 841T LICENSE BRACKET |
| • 545T REPLACEMENT WHEEL HUB | • 701T BREAKAWAY KIT COMPLETE |
| • 851T EZ-LUBE HUB DUST CAP | |
| • 350T 1-3/8" SPINDLE KIT | |
| • 502T 1-3/8" BEARING KIT | |
| • 496T 1.719 GREASE SEAL | |
| • FENDER9660-DIAPLT 66" FENDER W/BACK | |

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



7,000 LB. GVWR CAR HAULER TRAILERS


FEATURES:



- 4" Channel A-Frame Tongue
- 4" Channel Main Frame
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 3,500 lb. Rated EZ Lube Brake Axles
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Diamond Plate Fender with Back
- Open Steel Floor
- Electric Breakaway Kit w/ Charger
- LED Lighting Package



- 64" Extended Tongue
- Open Steel Floor
- 2 Brake Axle



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Deck Style	Ramp	No. Brake Axles
7x15SFO2BRK	1,400	5,600	Open Center Steel Diamond Plate	18"x 60" Slide-In Ramps	2
7x18SFO2BRK	1,475	5,525	Open Center Steel Diamond Plate	18"x 60" Slide-In Ramps	2

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER
• 2051556T	SPARE TIRE & WHEEL
• 812T	LIGHT PROTECTOR
• 818T	JACK SANDFOOT

REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K9380EZB	93 X 80 EZ LUBE BRAKE AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 851T	EZ-LUBE HUB DUST CAP	• 438T	3-LIGHT ID BAR
• 350T	1-3/8" SPINDLE KIT	• 841T	LICENSE BRACKET
• 502T	1-3/8" BEARING KIT	• 701T	BREAKAWAY KIT COMPLETE
• 496T	1.719 GREASE SEAL		
• FENDER9660-DIAPLT	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



7,000 LB. GVWR CAR HAULER TRAILERS


FEATURES:



- 4" Channel A-Frame Tongue
- 4" Channel Main Frame
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (1) 3,500 lb. Rated EZ Lube Brake Axle
- (1) 3,500 lb. Rated EZ Lube Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Diamond Plate Fender with Back
- Steel Floor
- Electric Breakaway Kit w/ Charger
- LED Lighting Package



- 64" Extended Tongue
- Solid Steel Floor
- 1 Brake Axle



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Deck Style	Ramp	No. Brake Axles
7x15SF1BRK	1,600	5,400	Full Steel Diamond Plate	18"x 60" Slide-In Ramps	1
7x18SF1BRK	1,750	5,250	Full Steel Diamond Plate	18"x 60" Slide-In Ramps	1

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER
• 2051556T	SPARE TIRE & WHEEL
• 812T	LIGHT PROTECTOR
• 818T	JACK SANDFOOT

REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K9380EZ	93 X 80 EZ LUBE AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 3K9380EZB	93 X 80 EZ LUBE BRAKE AXLE	• 438T	3-LIGHT ID BAR
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• 701T	BREAKAWAY KIT COMPLETE
• 851T	EZ-LUBE HUB DUST CAP		
• 350T	1-3/8" SPINDLE KIT		
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• FENDER9660-DIAPLT	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



7,000 LB. GVWR CAR HAULER TRAILERS

FEATURES:



- 4" Channel A-Frame Tongue
- 4" Channel Main Frame
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 3,500 lb. Rated EZ Lube Brake Axles
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Diamond Plate Fender with Back
- Steel Floor
- Electric Breakaway Kit w/ Charger
- LED Lighting Package



- 64" Extended Tongue
- Solid Steel Floor
- 2 Brake Axle



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Deck Style	Ramp	No. Brake Axles
7x15SF2BRK	1,650	5,350	Full Steel Diamond Plate	18"x 60" Slide-In Ramps	2
7x18SF2BRK	1,800	5,200	Full Steel Diamond Plate	18"x 60" Slide-In Ramps	2

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER
• 2051556T	SPARE TIRE & WHEEL
• 812T	LIGHT PROTECTOR
• 818T	JACK SANDFOOT

REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K9380EZB	93 X 80 EZ LUBE BRAKE AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 438T	3-LIGHT ID BAR
• 851T	EZ-LUBE HUB DUST CAP	• 841T	LICENSE BRACKET
• 350T	1-3/8" SPINDLE KIT	• 701T	BREAKAWAY KIT COMPLETE
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• FENDER9660-DIAPLT	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



7,000 LB. GVWR CAR HAULER TRAILERS

FEATURES:



- 4" Channel A-Frame Tongue
- 3" x 5" x 1/4" Angle Main Frame
- Front Bumper 2" x 2" x 1/8" Angle Top Rail
- Front Bumper 2" x 2" x 1/8" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (1) 3,500 lb. Rated Idler Axle
- (1) 3,500 lb. Rated Brake Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- (2) Rear Stabilizer Jacks
- LED Lighting Package



- 1 Brake Axle
- Slide-In Ramps



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Main Frame	Gate/Ramp WxL	No. Brake Axles
7x14CH1BRK	1,500	5,500	3" x 5" Angle	16"x 48" Slide-In Ramps	1
7x16CH1BRK	1,600	5,400	3" x 5" Angle	16"x 54" Slide-In Ramps	1
7x18CH1BRK	1,700	5,300	3" x 5" Angle	16"x 54" Slide-In Ramps	1

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER
• 2051556T	SPARE TIRE & WHEEL
• 812T	LIGHT PROTECTOR
• 818T	JACK SANDFOOT
• 820	JACK CASTER WHEEL

REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K9380	93 X 80 IDLER AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 3K9380B	93 X 80 BRAKE AXLE	• 438T	3-LIGHT ID BAR
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• RAMPJACK	REAR STABILIZER JACK
• 520T	HUB DUST CAP	• 701T	BREAKAWAY KIT COMPLETE
• 350T	1-3/8" SPINDLE KIT		
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9660T	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



7,000 LB. GVWR CAR HAULER TRAILERS

FEATURES:



- 4" Channel A-Frame Tongue
- 3" x 5" x 1/4" Angle Main Frame
- Front Bumper 2" x 2" x 1/8" Angle Top Rail
- Front Bumper 2" x 2" x 1/8" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 3,500 lb. Rated Brake Axles
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- (2) Rear Stabilizer Jacks
- LED Lighting Package



- 2 Brake Axles
- Slide-In Ramps



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Main Frame	Gate/Ramp WxL	No. Brake Axles
7x14CH2BRK	1,550	5,450	3" x 5" Angle	16"x 48" Slide-In Ramps	2
7x16CH2BRK	1,650	5,350	3" x 5" Angle	16"x 54" Slide-In Ramps	2
7x18CH2BRK	1,750	5,250	3" x 5" Angle	16"x 54" Slide-In Ramps	2

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER
• 2051556T	SPARE TIRE & WHEEL
• 812T	LIGHT PROTECTOR
• 818T	JACK SANDFOOT
• 820	JACK CASTER WHEEL

REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K9380B	93 X 80 BRAKE AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 438T	3-LIGHT ID BAR
• 520T	HUB DUST CAP	• 841T	LICENSE BRACKET
• 350T	1-3/8" SPINDLE KIT	• RAMPJACK	REAR STABILIZER JACK
• 502T	1-3/8" BEARING KIT	• 701T	BREAKAWAY KIT COMPLETE
• 496T	1.719 GREASE SEAL		
• 9660	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



7,000 LB. GVWR CAR HAULER TRAILERS

FEATURES:



- 5" Channel A-Frame Tongue
- 5" Channel Main Frame
- Front Bumper 3" x 2" x 3/16" Angle Top Rail
- Front Bumper 2" x 2" Tube Uprights
- 2-5/16" A-Frame Coupler w/ Safety Chains
- 5,000 lb. Rated Top Wind Jack
- (1) 3,500 lb. Rated EZ Lube Brake Axle
- (1) 3,500 lb. Rated EZ Lube Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- HD Steel Tread Plate Fenders
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- (2) Rear Stabilizer Jacks
- LED Lighting Package



- 1 Brake Axle
- Slide-In Ramps



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Main Frame	Gate/Ramp WxL	No. Brake Axles
8.5X18CHFTSR1BRK	2,340	4,660	5" Channel	16"x 60" Slide-In Ramps	1
8.5X20CHFTSR1BRK	2,360	4,640	5" Channel	16"x 60" Slide-In Ramps	1

OPTIONS/ ACCESSORIES

- 628 SPARE TIRE CARRIER
- 2051556T SPARE TIRE & WHEEL

REPLACEMENT PARTS

- | | | | |
|------------------|-----------------------------------|--------------------|------------------------------|
| • 2051556T | TIRE & WHEEL | • 5KTOPWINDJACK | TOP-WIND JACK |
| • 256T | 2-5/16" A-FRAME COUPLER | • 880T | 3/4" CLEARANCE LIGHT (RED) |
| • 640T | CLASS III SAFETY CHAIN | • 881T | 3/4" CLEARANCE LIGHT (AMBER) |
| • 3K9380EZ | 93 X 80 EZ LUBE AXLE | • OVALLEDDECKCOVER | TAIL LIGHT |
| • 3K9380EZB | 93 X 80 EZ LUBE BRAKE AXLE | • OVALLEDGROMMET | TAIL LIGHT GROMMET |
| • 605T | 1,750 LB. DRUM LEFT & RIGHT 5-LUG | • OVALLEDPIGTAIL | TAIL LIGHT PLUG |
| • 545T | REPLACEMENT WHEEL HUB | • 834T | LICENSE LIGHT |
| • 857T | EZ-LUBE HUB DUST CAP | • 841T | LICENSE BRACKET |
| • 350T | 1-3/8" SPINDLE KIT | • RAMPJACK | REAR STABILIZER JACK |
| • 502T | 1-3/8" BEARING KIT | • 701T | BREAKAWAY KIT COMPLETE |
| • 496T | 1.719 GREASE SEAL | | |
| • FENDER-BH | BUGGY HAULER FENDER | | |
| • FENDER-BACK-BH | BUGGY HAULER FENDER BACK | | |

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



7,000 LB. GVWR CAR HAULER TRAILERS

FEATURES:



- 5" Channel A-Frame Tongue
- 5" Channel Main Frame
- Front Bumper 3" x 2" x 3/16" Angle Top Rail
- Front Bumper 2" x 2" Tube Uprights
- 2-5/16" A-Frame Coupler w/ Safety Chains
- 5,000 lb. Rated Top Wind Jack
- (1) 3,500 lb. Rated EZ Lube Brake Axle
- (1) 3,500 lb. Rated EZ Lube Idler Axle
- 5-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- HD Steel Tread Plate Fenders
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- (2) Rear Stabilizer Jacks
- LED Lighting Package



- 2 Brake Axles
- Slide-In Ramps



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Main Frame	Gate/Ramp WxL	No. Brake Axles
8.5X18CHFTSR2BRK	2,340 lbs.	4,660	5" Channel	16"x 60" Slide-In Ramps	2
8.5X20CHFTSR2BRK	2,360 lbs.	4,640	5" Channel	16"x 60" Slide-In Ramps	2

OPTIONS/ ACCESSORIES

- 628 SPARE TIRE CARRIER
- 2051556T SPARE TIRE & WHEEL

REPLACEMENT PARTS

- | | | | |
|------------------|-----------------------------------|--------------------|------------------------------|
| • 2051556T | TIRE & WHEEL | • 880T | 3/4" CLEARANCE LIGHT (RED) |
| • 256T | 2-5/16" A-FRAME COUPLER | • 881T | 3/4" CLEARANCE LIGHT (AMBER) |
| • 640T | CLASS III SAFETY CHAIN | • OVALLEDDECKCOVER | TAIL LIGHT |
| • 3K9380EZB | 93 X 80 EZ LUBE BRAKE AXLE | • OVALLEDGROMMET | TAIL LIGHT GROMMET |
| • 605T | 1,750 LB. DRUM LEFT & RIGHT 5-LUG | • OVALLEDPITAIL | TAIL LIGHT PLUG |
| • 545T | REPLACEMENT WHEEL HUB | • 834T | LICENSE LIGHT |
| • 857T | EZ-LUBE HUB DUST CAP | • 841T | LICENSE BRACKET |
| • 350T | 1-3/8" SPINDLE KIT | • RAMPJACK | REAR STABILIZER JACK |
| • 502T | 1-3/8" BEARING KIT | • 701T | BREAKAWAY KIT COMPLETE |
| • 496T | 1.719 GREASE SEAL | | |
| • 5KTOPWINDJACK | TOP-WIND JACK | | |
| • FENDER-BH | BUGGY HAULER FENDER | | |
| • FENDER-BACK-BH | BUGGY HAULER FENDER BACK | | |

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



9,990 LB. GVWR CAR HAULER TRAILERS



- 2 Brake Axles
- Slide-In Ramps



FEATURES:



- 5" Channel A-Frame Tongue
- 5" Channel Main Frame
- Front Bumper 3" x 2" x 3/16" Angle Top Rail
- Front Bumper 2" x 2" Tube Uprights
- 2-5/16" A-Frame Coupler w/ Safety Chains
- 5,000 lb. Rated Top Wind Jack
- (2) 3,500 lb. Rated EZ Lube Brake Axle
- 5-Leaf Springs
- ST225x15 Tire and Wheel Assemblies
- White Mod Wheels
- HD Steel Tread Plate Fenders
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- (2) Rear Stabilizer Jacks
- LED Lighting Package

Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Main Frame	Gate/Ramp WxL	No. Brake Axles
8.5X18CHFTSR10K	2,460 lbs.	7,530	5" Channel	16"x 60" Slide-In Ramps	2
8.5X20CHFTSR10K	2,600 lbs.	7,390	5" Channel	16"x 60" Slide-In Ramps	2

OPTIONS/ ACCESSORIES

- 628 SPARE TIRE CARRIER
- 225x1568PTW SPARE TIRE & WHEEL

REPLACEMENT PARTS

- | | | | |
|------------------|-----------------------------------|-------------------|------------------------------|
| • 225x1568PTW | TIRE & WHEEL | • 880T | 3/4" CLEARANCE LIGHT (RED) |
| • 256T | 2-5/16" A-FRAME COUPLER | • 881T | 3/4" CLEARANCE LIGHT (AMBER) |
| • 640T | CLASS III SAFETY CHAIN | • OVALLEDDECKOVER | TAIL LIGHT |
| • 5K9380EZB | 93 X 80 EZ LUBE BRAKE AXLE | • OVALLEDGROMMET | TAIL LIGHT GROMMET |
| • 605T | 1,750 LB. DRUM LEFT & RIGHT 5-LUG | • OVALLEDPITAIL | TAIL LIGHT PLUG |
| • DUSTCAP5200-EZ | EZ-LUBE HUB DUST CAP | • 834T | LICENSE LIGHT |
| • 350T | 1-3/8" SPINDLE KIT | • 841T | LICENSE BRACKET |
| • 502T | 1-3/8" BEARING KIT | • RAMPJACK | REAR STABILIZER JACK |
| • 496T | 1.719 GREASE SEAL | • 701T | BREAKAWAY KIT COMPLETE |
| • 5KTOPWINDJACK | TOP-WIND JACK | | |
| • FENDER-BH | BUGGY HAULER FENDER | | |
| • FENDER-BACK-BH | BUGGY HAULER FENDER BACK | | |

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



7,000 LB. GVWR

ALL PURPOSE FLAT DECK TRAILERS

FEATURES:



- 5" Channel A-Frame Tongue
- 5" Channel Main Frame
- 2.5" x 2.5" x 1/4" Angle Top Rail
- 2.5" x 2.5" x 1/4" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (1) 3,500 lb. Rated Brake Axle
- (1) 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" X 60" Slide-in Ramps
- (2) Rear Stabilizer Jacks
- LED Lighting Package



- (1) Brake Axle



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp WxL	Brake Axles
7x16APFTSR1BRK	1,700	5,300	15"	16" x 60" Slide-In	1
7x18APFTSR1BRK	1,800	5,200	15"	16" x 60" Slide-In	1
7x20APFTSR1BRK	2,000	5,000	15"	16" x 60" Slide-In	1

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 798	MESH TONGUE BOX
• 2051556T	SPARE TIRE & WHEEL	• 797	STEEL TONGUE BOX
• 812T	LIGHT PROTECTOR		
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K9380	93 X 80 IDLER AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 3K9380B	93 X 80 BRAKE AXLE	• 438T	3-LIGHT ID BAR
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• RAMPJACK	REAR STABILIZER JACK
• 520T	HUB DUST CAP	• 701T	BREAKAWAY KIT COMPLETE
• 350T	1-3/8" SPINDLE KIT		
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9660T	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



7,000 LB. GVWR

ALL PURPOSE DOVE TAIL TRAILERS

FEATURES:



- 5" Channel A-Frame Tongue
- 5" Channel Main Frame
- 2.5" x 2.5" x 1/4" Angle Top Rail
- 2.5" x 2.5" x 1/4" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 3,500 lb. Rated Brake Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" X 60" Slide-in Ramps
- (2) Rear Stabilizer Jacks
- LED Lighting Package



- (2) Brake Axles



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp WxL	Brake Axles
7x16APFTSR2BRK	1,750	5,250	15"	16" x 60" Slide-In	2
7x18APFTSR2BRK	1,850	5,150	15"	16" x 60" Slide-In	2
7x20APFTSR2BRK	2,050	4,950	15"	16" x 60" Slide-In	2

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 798	MESH TONGUE BOX
• 2051556T	SPARE TIRE & WHEEL	• 797	STEEL TONGUE BOX
• 812T	LIGHT PROTECTOR		
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K9380B	93 X 80 BRAKE AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 438T	3-LIGHT ID BAR
• 520T	HUB DUST CAP	• 841T	LICENSE BRACKET
• 350T	1-3/8" SPINDLE KIT	• RAMPJACK	REAR STABILIZER JACK
• 502T	1-3/8" BEARING KIT	• 701T	BREAKAWAY KIT COMPLETE
• 496T	1.719 GREASE SEAL		
• 9660T	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



7,000 LB. GVWR ALL PURPOSE FLAT TAIL TRAILERS



- (1) Brake Axle



FEATURES:



- 5" Channel A-Frame Tongue
- 5" Channel Main Frame
- 2.5" x 2.5" x 1/4" Angle Top Rail
- 2.5" x 2.5" x 1/4" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (1) 3,500 lb. Rated Idler Axle
- (1) 3,500 lb. Rated Brake Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" X 60" Fold-Up Ramps
- LED Lighting Package

Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp WxL	Brake Axles
7x16APFTFR1BRK	1,700	5,300	15"	16" x 60" Fold-Up	1
7x18APFTFR1BRK	1,800	5,200	15"	16" x 60" Fold-Up	1
7x20APFTFR1BRK	2,000	5,000	15"	16" x 60" Fold-Up	1

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 798	MESH TONGUE BOX
• 2051556T	SPARE TIRE & WHEEL	• 797	STEEL TONGUE BOX
• 812T	LIGHT PROTECTOR		
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K9380	93 X 80 IDLER AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 3K9380B	93 X 80 BRAKE AXLE	• 438T	3-LIGHT ID BAR
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• 701T	BREAKAWAY KIT COMPLETE
• 520T	HUB DUST CAP		
• 350T	1-3/8" SPINDLE KIT		
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9660T	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



7,000 LB. GVWR

ALL PURPOSE FLAT DECK TRAILERS

FEATURES:



- 5" Channel A-Frame Tongue
- 5" Channel Main Frame
- 2.5" x 2.5" x 1/4" Angle Top Rail
- 2.5" x 2.5" x 1/4" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 3,500 lb. Rated Brake Axles
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" X 60" Fold-up Ramps
- LED Lighting Package



- (2) Brake Axles



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp WxL	Brake Axles
7x16APFTFR2BRK	1,750	5,250	15"	16" x 60" Fold-Up	2
7x18APFTFR2BRK	1,850	5,150	15"	16" x 60" Fold-Up	2
7x20APFTFR2BRK	2,050	4,950	15"	16" x 60" Fold-Up	2

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 798	MESH TONGUE BOX
• 2051556T	SPARE TIRE & WHEEL	• 797	STEEL TONGUE BOX
• 812T	LIGHT PROTECTOR		
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K9380	93 X 80 IDLER AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 3K9380B	93 X 80 BRAKE AXLE	• 438T	3-LIGHT ID BAR
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 841T	LICENSE BRACKET
• 520T	HUB DUST CAP	• 701T	BREAKAWAY KIT COMPLETE
• 350T	1-3/8" SPINDLE KIT		
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9660T	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



7,000 LB. GVWR

ALL PURPOSE DOVE TAIL TRAILERS

FEATURES:



- 5" Channel A-Frame Tongue
- 5" Channel Main Frame
- 2.5" x 2.5" x 1/4" Angle Top Rail
- 2.5" x 2.5" x 1/4" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (1) 3,500 lb. Rated Brake Axle
- (1) 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" X 60" Slide-in Ramps
- (2) Rear Stabilizer Jacks
- LED Lighting Package



- (1) Brake Axle
- (2) Rear Stabilizer Jacks



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Ramp Type	Brake Axles
7x16APDTSR1BRK	1,700	5,300	15"	16" x 60" Slide-In	1
7x18APDTSR1BRK	1,800	5,200	15"	16" x 60" Slide-In	1
7x20APDTSR1BRK	2,000	5,000	15"	16" x 60" Slide-In	1

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 798	MESH TONGUE BOX
• 2051556T	SPARE TIRE & WHEEL	• 797	STEEL TONGUE BOX
• 812T	LIGHT PROTECTOR		
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K9380	93 X 80 IDLER AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 3K9380B	93 X 80 BRAKE AXLE	• 438T	3-LIGHT ID BAR
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• RAMPJACK	REAR STABILIZER JACK
• 520T	HUB DUST CAP	• 701T	BREAKAWAY KIT COMPLETE
• 350T	1-3/8" SPINDLE KIT		
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9660T	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



7,000 LB. GVWR

ALL PURPOSE DOVE TAIL TRAILERS

FEATURES:



- 5" Channel A-Frame Tongue
- 5" Channel Main Frame
- 2.5" x 2.5" x 1/4" Angle Top Rail
- 2.5" x 2.5" x 1/4" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 3,500 lb. Rated Brake Axles
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" X 60" Slide-in Ramps
- (2) Rear Stabilizer Jacks
- LED Lighting Package



- (2) Brake Axles

- (2) Rear Stabilizer Jacks



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Ramp Type	Brake Axles
7x16APDTSR2BRK	1,750	5,250	15"	16" x 60" Slide-In	2
7x18APDTSR2BRK	1,850	5,150	15"	16" x 60" Slide-In	2
7x20APDTSR2BRK	2,050	4,950	15"	16" x 60" Slide-In	2

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 798	MESH TONGUE BOX
• 2051556T	SPARE TIRE & WHEEL	• 797	STEEL TONGUE BOX
• 812T	LIGHT PROTECTOR		
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K9380B	93 X 80 BRAKE AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 438T	3-LIGHT ID BAR
• 520T	HUB DUST CAP	• 841T	LICENSE BRACKET
• 350T	1-3/8" SPINDLE KIT	• RAMPJACK	REAR STABILIZER JACK
• 502T	1-3/8" BEARING KIT	• 701T	BREAKAWAY KIT COMPLETE
• 496T	1.719 GREASE SEAL		
• 9660T	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



7,000 LB. GVWR

ALL PURPOSE DOVE TAIL TRAILERS

FEATURES:



- 5" Channel A-Frame Tongue
- 5" Channel Main Frame
- 2.5" x 2.5" x 1/4" Angle Top Rail
- 2.5" x 2.5" x 1/4" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (1) 3,500 lb. Rated Brake Axle
- (1) 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" X 60" Fold-up Ramps
- LED Lighting Package



- (1) Brake Axle



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Ramp Type	Brake Axles
7x16APDTR1BRK	1,700	5,300	15"	16" x 60" Fold-Up	1
7x18APDTR1BRK	1,800	5,200	15"	16" x 60" Fold-Up	1
7x20APDTR1BRK	2,000	5,000	15"	16" x 60" Fold-Up	1

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 798	MESH TONGUE BOX
• 2051556T	SPARE TIRE & WHEEL	• 797	STEEL TONGUE BOX
• 812T	LIGHT PROTECTOR		
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K9380	93 X 80 IDLER AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 3K9380B	93 X 80 BRAKE AXLE	• 438T	3-LIGHT ID BAR
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• 701T	BREAKAWAY KIT COMPLETE
• 520T	HUB DUST CAP		
• 350T	1-3/8" SPINDLE KIT		
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9660T	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



7,000 LB. GVWR

ALL PURPOSE DOVE TAIL TRAILERS

FEATURES:



- 5" Channel A-Frame Tongue
- 5" Channel Main Frame
- 2.5" x 2.5" x 1/4" Angle Top Rail
- 2.5" x 2.5" x 1/4" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 3,500 lb. Rated Brake Axles
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" X 60" Fold-up Ramps
- LED Lighting Package



- (2) Brake Axles



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Ramp Type	Brake Axles
7x16APDTR2BRK	1,750	5,250	15"	16" x 60" Fold-Up	2
7x18APDTR2BRK	1,850	5,150	15"	16" x 60" Fold-Up	2
7x20APDTR2BRK	2,050	4,950	15"	16" x 60" Fold-Up	2

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 798	MESH TONGUE BOX
• 2051556T	SPARE TIRE & WHEEL	• 797	STEEL TONGUE BOX
• 812T	LIGHT PROTECTOR		
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K9380B	93 X 80 BRAKE AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 438T	3-LIGHT ID BAR
• 520T	HUB DUST CAP	• 841T	LICENSE BRACKET
• 350T	1-3/8" SPINDLE KIT	• 701T	BREAKAWAY KIT COMPLETE
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9660T	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



9,990 LB. GVWR TANDEM WOOD FLOOR TRAILERS


FEATURES:



- 5" Channel A-Frame Tongue
- 5" Channel Main Frame
- 2-1/2" x 2-1/2" x 1/4" Angle Top Rail
- 2-1/2" x 2-1/2" x 1/4" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 5,200 lb. Rated Brake Axles
- 5-Leaf Springs
- ST225x15 Tire and Wheel Assemblies
- White Mod Wheels
- Diamond Plate Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 78" W X 49" H Split Rear Gate Ramp
- LED Lighting Package



- (2) Brake Axles



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp WxL	Brake Axles
7x16HDLAND	2,200	7,790	15"	78" x 49"	2
7x18HDLAND	2,250	7,740	15"	78" x 49"	2
7x20HDLAND	2,880	7,110	15"	78" x 49"	2

OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 870	LANDSCAPE BOX
• 225X1568PTW	SPARE TIRE & WHEEL	• 871	LANDSCAPE BOX W/LID
• 812T	LIGHT PROTECTOR	• 798	MESH TONGUE BOX
• 818T	JACK SANDFOOT	• 797	STEEL TONGUE BOX
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 225X1568PTW	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN W/CLEVIS HOOK	• 416T	TAIL LIGHT, CURB SIDE
• 5K9380B	93 X 80 BRAKE AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 654T	HUB DUST CAP	• 438T	3-LIGHT ID BAR
• FENDER9660-DIAPLT	66" FENDER W/BACK	• 841T	LICENSE BRACKET
		• SPRINGLATCH-HD	HD GATE LATCH COMPLETE
		• 701T	BREAKAWAY KIT COMPLETE
		• GATESPRINGASSIST	GATE SPRING ASSIST SET

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



9,990 LB. GVWR HEAVY DUTY EQUIPMENT TRAILERS

FEATURES:



- 5" Channel A-Frame Tongue
- 5" Channel Main Frame
- 2.5" x 2.5" x 1/4" Angle Top Rail
- 2.5" x 2.5" x 1/4" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 5,200 lb. Rated Brake Axles
- 5-Leaf Springs
- ST225x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" X 54" Slide-in Ramps
- (2) Rear Stabilizer Jacks
- LED Lighting Package



- (2) Brake Axles



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Deck Style	Brake Axles
7x18HDEQFTSR	2,720	7,270	15"	Flat Bed	2
7x20HDEQFTSR	2,880	7,110	15"	Flat Bed	2

OPTIONS/ ACCESSORIES

• 225X1568BPTW	SPARE TIRE & WHEEL	• 798	MESH TONGUE BOX
• 812T	LIGHT PROTECTOR	• 797	STEEL TONGUE BOX
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 225X1568BPTW	TIRE & WHEEL	• RAMPJACK	REAR STABILIZER JACK
• 256T	2-5/16" A-FRAME COUPLER	• 701T	BREAKAWAY KIT COMPLETE
• SAFETYCHAIN10K-14K	SAFETY CHAIN EXTRA LARGE		
• 5K9380B	93 X 80 BRAKE AXLE		
• 654T	HUB DUST CAP		
• 9660T	66" FENDER W/BACK		
• 741	TOP-WIND JACK		
• 415T	TAIL LIGHT, ROAD SIDE		
• 416T	TAIL LIGHT, CURB SIDE		
• 417-2T	CLEARANCE LIGHT, AMBER		
• 438T	3-LIGHT ID BAR		
• 841T	LICENSE BRACKET		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



9,990 LB. GVWR HEAVY DUTY EQUIPMENT TRAILERS

FEATURES:



- 5" Channel A-Frame Tongue
- 5" Channel Main Frame
- 2.5" x 2.5" x 1/4" Angle Top Rail
- 2.5" x 2.5" x 1/4" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 5,200 lb. Rated Brake Axles
- 5-Leaf Springs
- ST225x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" X 48" Slide-in Ramps
- (2) Rear Stabilizer Jacks
- LED Lighting Package



- (2) Brake Axles



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Deck Style	Brake Axles
7x18HDEQDTSR	2,760	7,230	15"	Dove Tail	2
7x20HDEQDTSR	2,880	7,110	15"	Dove Tail	2

OPTIONS/ ACCESSORIES

• 225X1568PTW	SPARE TIRE & WHEEL	• 798	MESH TONGUE BOX
• 812T	LIGHT PROTECTOR	• 797	STEEL TONGUE BOX
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 225X1568PTW	TIRE & WHEEL	• RAMPJACK	REAR STABILIZER JACK
• 256T	2-5/16" A-FRAME COUPLER	• 701T	BREAKAWAY KIT COMPLETE
• SAFETYCHAIN10K-14K	SAFETY CHAIN EXTRA LARGE		
• 5K9380B	93 X 80 BRAKE AXLE		
• 654T	HUB DUST CAP		
• 9660T	66" FENDER W/BACK		
• 741	TOP-WIND JACK		
• 415T	TAIL LIGHT, ROAD SIDE		
• 416T	TAIL LIGHT, CURB SIDE		
• 417-2T	CLEARANCE LIGHT, AMBER		
• 438T	3-LIGHT ID BAR		
• 841T	LICENSE BRACKET		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



9,990 LB. GVWR HEAVY DUTY EQUIPMENT TRAILERS

FEATURES:



- 5" Channel A-Frame Tongue
- 5" Channel Main Frame
- 2.5" x 2.5" x 1/4" Angle Top Rail
- 2.5" x 2.5" x 1/4" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 5,200 lb. Rated Brake Axles
- 5-Leaf Springs
- ST225x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" X 60" Fold-Up Ramps
- LED Lighting Package



- (2) Brake Axles



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Deck Style	Brake Axles
7x18HDEQFTFR	2,760	7,230	15"	Flat Bed	2
7x20HDEQFTFR	2,880	7,110	15"	Flat Bed	2

OPTIONS/ ACCESSORIES

• 225X1568BPTW	SPARE TIRE & WHEEL	• 798	MESH TONGUE BOX
• 812T	LIGHT PROTECTOR	• 797	STEEL TONGUE BOX
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 225X1568BPTW	TIRE & WHEEL
• 256T	2-5/16" A-FRAME COUPLER
• SAFETYCHAIN10K-14K	SAFETY CHAIN EXTRA LARGE
• 5K9380B	93 X 80 BRAKE AXLE
• 654T	HUB DUST CAP
• 9660T	66" FENDER W/BACK
• 741	TOP-WIND JACK
• 415T	TAIL LIGHT, ROAD SIDE
• 416T	TAIL LIGHT, CURB SIDE
• 417-2T	CLEARANCE LIGHT, AMBER
• 438T	3-LIGHT ID BAR
• 841T	LICENSE BRACKET
• 701T	BREAKAWAY KIT COMPLETE

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



9,990 LB. GVWR HEAVY DUTY EQUIPMENT TRAILERS

FEATURES:



- 5" Channel A-Frame Tongue
- 5" Channel Main Frame
- 2.5" x 2.5" x 1/4" Angle Top Rail
- 2.5" x 2.5" x 1/4" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 5,200 lb. Rated Brake Axles
- 5-Leaf Springs
- ST225x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" X 60" Fold-Up Ramps
- LED Lighting Package



- (2) Brake Axles



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Deck Style	Brake Axles
7x16HDEQDTR	2,560	7,430	15"	Dove Tail	2
7x18HDEQDTR	2,720	7,270	15"	Dove Tail	2
7x20HDEQDTR	2,880	7,110	15"	Dove Tail	2

OPTIONS/ ACCESSORIES

• 225X1568PTW	SPARE TIRE & WHEEL	• 798	MESH TONGUE BOX
• 812T	LIGHT PROTECTOR	• 797	STEEL TONGUE BOX
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

REPLACEMENT PARTS

• 225X1568PTW	TIRE & WHEEL
• 256T	2-5/16" A-FRAME COUPLER
• SAFETYCHAIN10K-14K	SAFETY CHAIN EXTRA LARGE
• 5K9380B	93 X 80 BRAKE AXLE
• 654T	HUB DUST CAP
• 9660T	66" FENDER W/BACK
• 741	TOP-WIND JACK
• 415T	TAIL LIGHT, ROAD SIDE
• 416T	TAIL LIGHT, CURB SIDE
• 417-2T	CLEARANCE LIGHT, AMBER
• 438T	3-LIGHT ID BAR
• 841T	LICENSE BRACKET
• 701T	BREAKAWAY KIT COMPLETE

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



12,000 LB. GVWR HEAVY DUTY EQUIPMENT TRAILERS

FEATURES:



- 6" Channel A-Frame Tongue
- 6" Channel Main Frame
- 2.5" x 2.5" x 1/4" Angle Top Rail
- 2.5" x 2.5" x 1/4" Angle Uprights
- Adjustable 2-5/16" A-Frame Coupler with Safety Chains
- 5,000 lb. Rated Square Tube Drop Leg Jack
- (2) 6,000 lb. Rated Brake Axles
- 5-Leaf Springs
- LT235R16 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" X 60" Fold-up Ramps
- LED Lighting Package



- (2) Brake Axles



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Deck Style	Brake Axles
7x16HDEQDTFR12K	2,760	9,240	16"	2' Dove Tail	2
7x18HDEQDTFR12K	2,920	9,080	16"	2' Dove Tail	2
7x20HDEQDTFR12K	3,080	8,920	16"	2' Dove Tail	2

OPTIONS/ ACCESSORIES

• 2351610P	SPARE TIRE & WHEEL	• 798	MESH TONGUE BOX
• 812T	LIGHT PROTECTOR	• 797	STEEL TONGUE BOX

REPLACEMENT PARTS

• 2351610P	TIRE & WHEEL	• 415T	TAIL LIGHT, ROAD SIDE
• CPL256-ADJ	2-5/16" A-FRAME ADJUSTABLE COUPLER	• 416T	TAIL LIGHT, CURB SIDE
• SAFETYCHAIN10K-14K	SAFETY CHAIN EXTRA LARGE	• 417-2T	CLEARANCE LIGHT, AMBER
• 6K9379B	93 X 79 BRAKE AXLE	• 438T	3-LIGHT ID BAR
• FENDER10X75	10X75 FENDER W/BACK	• 841T	LICENSE BRACKET
• 5KDROPLEGJACK	SQUARE TUBE DROP LEG JACK	• 701T	BREAKAWAY KIT COMPLETE
• 655T	HUB DUST CAP		



14,000 LB. GVWR HEAVY DUTY EQUIPMENT TRAILERS

FEATURES:



- 6" Channel A-Frame Tongue
- 6" Channel Main Frame
- 2.5" x 2.5" x 1/4" Angle Top Rail
- 2.5" x 2.5" x 1/4" Angle Uprights
- Adjustable 2-5/16" A-Frame Coupler with Safety Chains
- 5,000 lb. Rated Square Tube Drop Leg Jack
- (2) 7,000 lb. Rated Brake Axles
- 5-Leaf Springs
- LT235R16 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" X 60" Fold-up Ramps
- LED Lighting Package



- (2) Brake Axles



Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Deck Style	Brake Axles
7x16HDEQDTFR14K	2,830	11,170	16"	2' Dovetail	2
7x18HDEQDTFR14K	2,990	11,010	16"	2' Dovetail	2
7x20HDEQDTFR14K	3,150	10,850	16"	2' Dovetail	2

OPTIONS/ ACCESSORIES

• 2351610P	SPARE TIRE & WHEEL	• 798	MESH TONGUE BOX
• 812T	LIGHT PROTECTOR	• 797	STEEL TONGUE BOX

REPLACEMENT PARTS

• 2351610P	TIRE & WHEEL	• 415T	TAIL LIGHT, ROAD SIDE
• CPL256-ADJ	2-5/16" A-FRAME ADJUSTABLE COUPLER	• 416T	TAIL LIGHT, CURB SIDE
• SAFETYCHAIN10K-14K	SAFETY CHAIN EXTRA LARGE	• 417-2T	CLEARANCE LIGHT, AMBER
• 7K9379EZB	93 X 79 EZ LUBE BRAKE AXLE	• 438T	3-LIGHT ID BAR
• FENDER10X75	10X75 FENDER W/BACK	• 841T	LICENSE BRACKET
• 5KDROPLEGJACK	SQUARE TUBE DROP LEG JACK	• 701T	BREAKAWAY KIT COMPLETE

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



14,000 LB. GVWR TILT DECK TRAILERS

FEATURES:



- 6" Channel A-Frame Tongue
- 4 " x 6" x 3/8" Angle Tilt Deck Frame
- Front Bumper 2.5" x 2.5" x 1/4" Angle Top Rail
- Front Bumper 2.5" x 2.5" x 1/4" Angle Uprights
- 2-5/16" Adjustable A-Frame Coupler w/ Safety Chains
- 5,000 lb. Rated Square Drop Leg Jack
- (2) 7,000 lb. Rated EZ Lube Torsion Brake Axles
- LT235R16 Tire and Wheel Assemblies
- White Mod Wheels
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- (6) Chain Pockets
- (4) Heavy Duty D-Rings
- 11 Degree Tilt Angle
- Adjustable Hydraulic Tilt Dampener Cylinder
- Knife Edge
- LED Lighting Package



- (2) Brake Axles



Specifications

COT Part	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tilt Deck Length	Front Platform Length	Deck Width	Overall Width
7x20HDEQTILT14K	3,420	10,580	16'	4'	81"	102"
7X22HDEQTILT14K	3,600	10,400	16'	6'	81"	102"

OPTIONS/ ACCESSORIES

- 2351610P SPARE TIRE & WHEEL

REPLACEMENT PARTS

- | | | | |
|----------------------|----------------------------|------------------|------------------------|
| • 2351610P | TIRE & WHEEL | • OVALLEDPIGTAIL | TAIL LIGHT PLUG |
| • CPL2516-ADJ-14K | A-FRAME ADJUSTABLE COUPLER | • 880T | CLEARANCE LIGHT, RED |
| • SAFETYCHAIN10K-14K | EXTRA LARGE SAFETY CHAIN | • 881T | CLEARANCE LIGHT, AMBER |
| • 659 | DUST CAPE-7000# EZ LUBE | • 438T | 3-LIGHT ID BAR |
| • 7K9379EZB-TORSION | 93 X 79 EZ LUBE BRAKE AXLE | • 834T | LICENSE LIGHT |
| • 10KSIDEWINDJACK | SIDE WIND JACK | • 701T | BREAKAWAY KIT COMPLETE |
| • OVALLEDECKOVER | TAIL LIGHT | | |
| • OVALLEDGROMMET | TAIL LIGHT GROMMET | | |

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



2,990 LB. GVWR LOBSTER DECK OVER TRAILERS

FEATURES:



- 4" Channel A-Frame Tongue
- 4" Channel Main Frame
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 3,500 lb. Rated EZ Lube Axles
- 3-Leaf Springs
- ST175X13 Tire and Wheel Assemblies
- White Mod Wheels
- 5/4" Treated Wood Floor
- (20) Chain Pockets
- LED Lighting Package



Specifications

COT Part	Empty Weight (lbs.)	Payload Capacity (lbs.)	Length Overall	Width Overall	Deck Length	Deck Width
8x16DO-LOB	1,680	1,310	241"	102"	192"	97"

OPTIONS/ ACCESSORIES

• 175X13T	SPARE TIRE & WHEEL
• 812T	LIGHT PROTECTOR
• 818T	JACK SANDFOOT
• 820	JACK CASTER WHEEL

REPLACEMENT PARTS

• 175X13T	TIRE & WHEEL	• 851T	DUST CAP -EZ LUBE
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN W/CLEVIS HOOK	• 416T	TAIL LIGHT, CURB SIDE
• 3K8470EZ	84 X 70 EZ LUBE AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 741	TOP-WIND JACK	• 438T	3-LIGHT ID BAR
• 545T	REPLACEMENT WHEEL HUB	• 841T	LICENSE BRACKET
• 350T	1-3/8" SPINDLE KIT		
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



5,000 LB. GVWR LOBSTER DECK OVER TRAILERS

FEATURES:



- 4" Channel A-Frame Tongue
- 4" Channel Main Frame
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 3,500 lb. Rated EZ Lube Brake Axles
- 3-Leaf Springs
- ST175X13 Tire and Wheel Assemblies
- White Mod Wheels
- 5/4" Treated Wood Floor
- Electric Breakaway Kit w/Charger
- 2" Rub Rail
- (20) Chain Pockets
- LED Lighting Package



- (2) Brake Axles

Specifications

COT Part	Empty Weight (lbs.)	Payload Capacity (lbs.)	Length Overall	Width Overall	Deck Length	Deck Width
8x20DO-LOB	1,880	3,120	289"	102"	240"	97"

OPTIONS/ ACCESSORIES

• 175X13T	SPARE TIRE & WHEEL
• 812T	LIGHT PROTECTOR
• 818T	JACK SANDFOOT
• 820	JACK CASTER WHEEL

REPLACEMENT PARTS

• 175X13T	TIRE & WHEEL	• 851T	DUST CAP -EZ LUBE
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN W/CLEVIS HOOK	• 416T	TAIL LIGHT, CURB SIDE
• 3K8470EZB	84 X 70 EZ LUBE AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 741	TOP-WIND JACK	• 438T	3-LIGHT ID BAR
• 545T	REPLACEMENT WHEEL HUB	• 841T	LICENSE BRACKET
• 350T	1-3/8" SPINDLE KIT		
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



7,000 LB. GVWR DECK OVER FLAT DECK TRAILERS

FEATURES:



- 4" Channel A-Frame Tongue
- 5" Channel Main Frame
- 2-1/2" x 2-1/2" x 1/4" Angle Top Rail
- 2-1/2" x 2-1/2" x 1/4" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 3,500 lb. Rated Brake Axles
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" x 72" Slide-in Ramps
- LED Lighting Package



- (2) Brake Axles

Specifications

COT Part	Empty Weight (lbs.)	Payload Capacity (lbs.)	Length Overall	Width Overall	Deck Length	Deck Width
8.5x16DO7K	2,500	4,500	241"	102"	192"	97"
8.5x18DO7K	2,660	4,340	265"	102"	216"	97"
8.5x20DO7K	2,800	4,200	289"	102"	240"	97"

OPTIONS/ ACCESSORIES

- 2051556T SPARE TIRE & WHEEL
- 812T LIGHT PROTECTOR
- 818T JACK SANDFOOT
- 820 JACK CASTER WHEEL

REPLACEMENT PARTS

- | | |
|---|---------------------------------|
| • 2051556T TIRE & WHEEL | • 415T TAIL LIGHT, ROAD SIDE |
| • 256T 2-5/16" A-FRAME COUPLER | • 416T TAIL LIGHT, CURB SIDE |
| • 640T CLASS III SAFETY CHAIN W/CLEVIS HOOK | • 417-2T CLEARANCE LIGHT, AMBER |
| • 3K8470EZB 84 X 70 BRAKE AXLE EZ LUBE | • 438T 3-LIGHT ID BAR |
| • 741 TOP-WIND JACK | • 841T LICENSE BRACKET |
| • 851T DUST CAP- EZ LUBE | • 701T BREAKAWAY KIT COMPLETE |
| • 605T 1,750LB. DRUM LEFT + RIGHT - 5 LUG | |
| • 851T DUST CAP EZ LUBE | |
| • 350T 1-3/8" SPINDLE KIT | |
| • 502T 1-3/8" BEARING KIT | |
| • 496T 1.719 GREASE SEAL | |

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



7,000 LB. GVWR DECK OVER DOVE TAIL TRAILERS

FEATURES:



- 4" Channel A-Frame Tongue
- 5" Channel Main Frame
- 2-1/2" x 2-1/2" x 1/4" Angle Top Rail
- 2-1/2" x 2-1/2" x 1/4" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 3,500 lb. Rated Brake Axles
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" x 60" Fold-up Ramps
- LED Lighting Package



- (2) Brake Axles
- Adjustable Couple Not Available on 7K Models.



Specifications

COT Part	Empty Weight (lbs.)	Payload Capacity (lbs.)	Length Overall	Width Overall	Deck Length	Deck Width
8.5x16DODT7K	2,500	4,500	241"	102"	192"	97"
8.5x18DODT7K	2,660	4,340	265"	102"	216"	97"
8.5x20DODT7K	2,800	4,200	289"	102"	240"	97"

OPTIONS/ ACCESSORIES

- 2051556T SPARE TIRE & WHEEL
- 812T LIGHT PROTECTOR
- 818T JACK SANDFOOT
- 820 JACK CASTER WHEEL

REPLACEMENT PARTS

- | | |
|---|---------------------------------|
| • 2051556T TIRE & WHEEL | • 415T TAIL LIGHT, ROAD SIDE |
| • 256T 2-5/16" A-FRAME COUPLER | • 416T TAIL LIGHT, CURB SIDE |
| • 640T CLASS III SAFETY CHAIN W/CLEVIS HOOK | • 417-2T CLEARANCE LIGHT, AMBER |
| • 3K8470EZB 84 X 70 BRAKE AXLE EZ LUBE | • 438T 3-LIGHT ID BAR |
| • 741 TOP-WIND JACK | • 841T LICENSE BRACKET |
| • 605T 1,750LB. DRUM LEFT + RIGHT - 5 LUG | • 701T BREAKAWAY KIT COMPLETE |
| • 851T DUST CAP EZ LUBE | |
| • 350T 1-3/8" SPINDLE KIT | |
| • 502T 1-3/8" BEARING KIT | |
| • 496T 1.719 GREASE SEAL | |

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



9,990 LB. GVWR DECK OVER FLAT DECK TRAILERS

FEATURES:



- 6" Channel A-Frame Tongue
- 6" Channel Main Frame
- 2-1/2" x 2-1/2" x 1/4" Angle Top Rail
- 2-1/2" x 2-1/2" x 1/4" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 5,000 lb. Rated Square Drop Leg Jack
- (2) 5,200 lb. Rated Brake Axles
- 5-Leaf Springs
- ST225x15 Tire and Wheel Assemblies
- White Mod Wheels
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" x 72" Slide-in Ramps
- LED Lighting Package



- (2) Brake Axles

Specifications

COT Part	Empty Weight (lbs.)	Payload Capacity (lbs.)	Length Overall	Width Overall	Deck Length	Deck Width
8.5x16DO10K	2,820	7,170	241"	102"	192"	97"
8.5x18DO10K	2,980	7,010	265"	102"	216"	97"
8.5x20DO10K	3,020	6,970	289"	102"	240"	97"

OPTIONS/ ACCESSORIES

- 225X1568PTW SPARE TIRE & WHEEL
- 812T LIGHT PROTECTOR

REPLACEMENT PARTS

- | | | | |
|-------------------|--------------------------------------|--------|------------------------|
| • 225X1568PTW | TIRE & WHEEL | • 701T | BREAKAWAY KIT COMPLETE |
| • 256T | 2-5/16" A-FRAME COUPLER | • 880T | CLEARANCE LIGHT RED |
| • 640T | CLASS III SAFETY CHAIN W/CLEVIS HOOK | • 881T | CLEARANCE LIGHT AMBER |
| • 5K7558B | 75 X 58 BRAKE AXLE | • 834T | LICENSE LIGHT |
| • 654T | DUST CAP | • 841T | LICENSE BRACKET |
| • 5KDROPLEGJACK | TOP-WIND JACK | • 701T | BREAKAWAY KIT COMPLETE |
| • OVALLEDDECKOVER | TAIL LIGHT | | |
| • OVALLEDGROMMET | TAIL LIGHT GROMMET | | |
| • OVALLEDPIGTAIL | TAIL LIGHT PLUG | | |
| • 417-2T | CLEARANCE LIGHT, AMBER | | |
| • 834T | LICENSE LIGHT | | |

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



9,990 LB. GVWR DECK OVER DOVE TAIL TRAILERS

FEATURES:



- 6" Channel A-Frame Tongue
- 6" Channel Main Frame
- 2-1/2" x 2-1/2" x 1/4" Angle Top Rail
- 2-1/2" x 2-1/2" x 1/4" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 5,000 lb. Rated Square Drop Leg Jack
- (2) 5,200 lb. Rated Brake Axles
- 5-Leaf Springs
- ST225x15 Tire and Wheel Assemblies
- White Mod Wheels
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" x 60" Fold-up Ramps
- LED Lighting Package



- (2) Brake Axles



Specifications

COT Part	Empty Weight (lbs.)	Payload Capacity (lbs.)	Length Overall	Width Overall	Deck Length	Deck Width
8.5x16DODT10K	2,820	7,170	241"	102"	192"	97"
8.5x18DODT10K	2,980	7,010	265"	102"	216"	97"
8.5x20DODT10K	3,020	6,970	289"	102"	240"	97"

OPTIONS/ ACCESSORIES

- 225X1568PTW SPARE TIRE & WHEEL

REPLACEMENT PARTS

- | | | | |
|----------------------|--------------------------|--------|------------------------|
| • 225X1568PTW | TIRE & WHEEL | • 834T | LICENSE LIGH |
| • 256T | 2-5/16" A-FRAME COUPLER | • 701T | BREAKAWAY KIT COMPLETE |
| • SAFETYCHAIN10K-14K | EXTRA LARGE SAFETY CHAIN | • 841T | LICENSE BRACKET |
| • 5K7558B | 75 X 58 BRAKE AXLE | | |
| • 654T | DUST CAP | | |
| • 5KDROPLEGJACK | TOP-WIND JACK | | |
| • OVALLEDDECKOVER | TAIL LIGHT | | |
| • OVALLEDGROMMET | TAIL LIGHT GROMMET | | |
| • OVALLEDPIGTAIL | TAIL LIGHT PLUG | | |
| • 438T | 3-LIGHT ID BAR | | |
| • 880T | CLEARANCE LIGHT RED | | |
| • 881T | CLEARANCE LIGHT AMBER | | |

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



12,000 LB. GVWR DECK OVER DOVE TAIL TRAILERS

FEATURES:



- 12" I-Beam Tongue
- 12" I-Beam Main Frame
- 2-1/2" x 2-1/2" x 1/4" Angle Top Rail
- 2-1/2" x 2-1/2" x 1/4" Angle Uprights
- 2-5/16" Adjustable A-Frame Coupler Safety Chains
- 10,000 lb. Rated Side Wind Drop Leg Jack
- (2) 6,000 lb. Rated Brake Axles
- 5-Leaf Springs
- LT235R16 Tire and Wheel Assemblies
- White Mod Wheels
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" x 60" Fold-up Ramps
- LED Lighting Package



- (2) Brake Axles



Specifications

COT Part	Empty Weight (lbs.)	Payload Capacity (lbs.)	Length Overall	Width Overall	Deck Length	Deck Width
8.5x20DODT12K	3,100	8,900	313"	102"	240"	97"
8.5x24DODT12K	3,300	8,700	361"	102"	288"	97"

OPTIONS/ ACCESSORIES

- 2351610P SPARE TIRE & WHEEL

REPLACEMENT PARTS

- | | | | |
|----------------------|------------------------------------|--------|------------------------|
| • 2351610P | TIRE & WHEEL | • 701T | BREAKAWAY KIT COMPLETE |
| • CPL2516-ADJ | 2-5/16" A-FRAME ADJUSTABLE COUPLER | • 834T | LICENSE LIGHT |
| • SAFETYCHAIN10K-14K | EXTRA LARGE SAFETY CHAIN | • 841T | LICENSE BRACKET |
| • 5K7558B | 75 X 58 BRAKE AXLE | | |
| • 655T | DUST CAP | | |
| • 10KSIDEWINDJACK | SIDE-WIND JACK | | |
| • OVALLEDDECKOVER | TAIL LIGHT | | |
| • OVALLEDGROMMET | TAIL LIGHT GROMMET | | |
| • OVALLEDPIGTAIL | TAIL LIGHT PLUG | | |
| • 438T | 3-LIGHT ID BAR | | |
| • 880T | CLEARANCE LIGHT RED | | |
| • 881T | CLEARANCE LIGHT AMBER | | |

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



14,000 LB. GVWR DECK OVER DOVE TAIL TRAILERS

FEATURES:



- 12" I-Beam Tongue
- 12" I-Beam Main Frame
- 2-1/2" x 2-1/2" x 1/4" Angle Top Rail
- 2-1/2" x 2-1/2" x 1/4" Angle Uprights
- 2-5/16" Adjustable A-Frame Coupler Safety Chains
- 10,000 lb. Rated Side Wind Drop Leg Jack
- (2) 7,000 lb. Rated EZ Lube Brake Axles
- 5-Leaf Springs
- LT235R16 Tire and Wheel Assemblies
- White Mod Wheels
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" x 60" Fold-up Ramps
- LED Lighting Package



- (2) Brake Axles



Specifications

COT Part	Empty Weight (lbs.)	Payload Capacity (lbs.)	Length Overall	Width Overall	Deck Length	Deck Width
8.5x20DODT14K	3,400	10,600	313"	102"	240"	97"
8.5x24DODT14K	3,750	10,250	361"	102"	288"	97"

OPTIONS/ ACCESSORIES

- 2351610P SPARE TIRE & WHEEL


REPLACEMENT PARTS

- | | | | |
|----------------------|------------------------------------|--------|------------------------|
| • 2351610P | TIRE & WHEEL | • 701T | BREAKAWAY KIT COMPLETE |
| • CPL2516-ADJ | 2-5/16" A-FRAME ADJUSTABLE COUPLER | • 834T | LICENSE LIGHT |
| • SAFETYCHAIN10K-14K | EXTRA LARGE SAFETY CHAIN | • 841T | LICENSE BRACKET |
| • 5K7558B | 75 X 58 BRAKE AXLE | | |
| • 659T | DUST CAP-EZ LUBE | | |
| • 10KSIDEWINDJACK | SIDE-WIND JACK | | |
| • OVALLEDDECKOVER | TAIL LIGHT | | |
| • OVALLEDGROMMET | TAIL LIGHT GROMMET | | |
| • OVALLEDPIGTAIL | TAIL LIGHT PLUG | | |
| • 438T | 3-LIGHT ID BAR | | |
| • 880T | CLEARANCE LIGHT RED | | |
| • 881T | CLEARANCE LIGHT AMBER | | |

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



12,000 LB. GVWR GOOSENECK DOVE TAIL TRAILERS



FEATURES:



- 12" I-Beam Gooseneck Frame
- 12" I-Beam Main Frame
- 2-5/16" Gooseneck Coupler with Safety Chains
- (1) 10,000 lb. Rated Side Wind Drop Leg Jack
- (2) 6,000 lb. Rated Brake Axles
- LT235R16 Tire and Wheel Assemblies
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 5' Full Width Wood Dove Tail
- 16" x 60" Fold-up Ramps
- LED Lighting Package

- (2) Brake Axles



Specifications

COT Part	Empty Weight (lbs.)	Payload Capacity (lbs.)	Length Overall	Width Overall	Deck Length	Deck Width
8.5X20GNDODT12K	3,650	8,350	338"	102"	240"	97"
8.5X25GNDODT12K	3,850	8,150	398"	102"	300"	97"

OPTIONS/ ACCESSORIES

- 5' CENTER CONVERTIBLE ANGLE DOVE TAIL WITH (2) FLAT FOLD RAMPS
- 5' FULL WIDTH CONVERTIBLE ANGLE DOVE TAIL WITH FOLD UP RAMPS
- STEP ASSIST WITH HANDLE
- CHAIN BASKET

REPLACEMENT PARTS

• 2351610P	TIRE & WHEEL	• 438T	3-LIGHT ID BAR
• CPLGN	GOOSENECK COUPLER	• 834T	LICENSE LIGHT
• SAFETYCH3/8X39	SAFETY CHAIN W/CLEVIS HOOK	• 841T	LICENSE BRACKET
• 6K7558B	75 X 58 EZ LUBE BRAKE AXLE	• 701T	BREAKAWAY KIT COMPLETE
• 10KSIDEWINDJACK	SIDE WIND JACK		
• 655T	DUST CAP-EZ LUBE		
• OVALLEDDECKOVER	TAIL LIGHT		
• OVALLEDGROMMET	TAIL LIGHT GROMMET		
• OVALLEDPIGTAIL	TAIL LIGHT PLUG		
• 880T	CLEARANCE LIGHT, RED		
• 881T	CLEARANCE LIGHT, AMBER		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



14,000 LB. GVWR GOOSENECK DOVE TAIL TRAILERS



FEATURES:



- 12" I-Beam Gooseneck Frame
- 12" I-Beam Main Frame
- 2-5/16" Gooseneck Coupler with Safety Chains
- (1) 10,000 lb. Rated Side Wind Drop Leg Jack
- (2) 7,000 lb. Rated EZ Lube Brake Axles
- 5-Leaf Springs
- LT235R16 Tire and Wheel Assemblies
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 5' Full Width Wood Dove Tail
- 16" x 60" Fold-up Ramps
- LED Lighting Package

- (2) Brake Axles



Specifications

COT Part	Empty Weight (lbs.)	Payload Capacity (lbs.)	Length Overall	Width Overall	Deck Length	Deck Width
8.5X20GNDODT14K	3,650	10,350	338"	102"	240"	97"
8.5X25GNDODT14K	3,850	10,150	398"	102"	300"	97"

OPTIONS/ ACCESSORIES

- 5' FULL WIDTH ANGLE DOVE TAIL WITH FOLD UP RAMPS
- 5' CENTER CONVERTIBLE ANGLE DOVE TAIL WITH (2) FLAT FOLD RAMPS
- 5' FULL WIDTH CONVERTIBLE ANGLE DOVE TAIL WITH FOLD UP RAMPS
- STEP ASSIST WITH HANDLE
- CHAIN BASKET


REPLACEMENT PARTS

- | | | | |
|---------------------|----------------------------|--------|------------------------|
| • 2351610P | TIRE & WHEEL | • 438T | 3-LIGHT ID BAR |
| • CPLGN | GOOSENECK COUPLER | • 834T | LICENSE LIGHT |
| • SAFETYCH3/8-P7-39 | SAFETY CHAIN W/CLEVIS HOOK | • 841T | LICENSE BRACKET |
| • 7K7558B | 75 X 58 BRAKE AXLE | • 701T | BREAKAWAY KIT COMPLETE |
| • 10KSIDEWINDJACK | SIDE WIND JACK | | |
| • 659T | DUST CAP-EZ LUBE | | |
| • OVALLEDDECKOVER | TAIL LIGHT | | |
| • OVALLEDGROMMET | TAIL LIGHT GROMMET | | |
| • OVALLEDPIGTAIL | TAIL LIGHT PLUG | | |
| • 880T | CLEARANCE LIGHT, RED | | |
| • 881T | CLEARANCE LIGHT, AMBER | | |

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



20,000 LB. GVWR GOOSENECK DOVE TAIL TRAILERS



- (2) Brake Axles
- 20K Model with Rear Ramps



FEATURES:



- 12" I-Beam Gooseneck Frame
- 12" I-Beam Main Frame
- 2-5/16" Gooseneck Coupler with Safety Chains
- (1) 10,000 lb. Rated Side Wind Drop Leg Jack
- (2) 10,000 lb. Rated Brake Axles
- 5-Leaf Springs
- LT235R16 Tire and Wheel Dually Assemblies
- White Mod Wheels
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 5' Full Width Wood Dove Tail
- 16" x 60" Fold-up Ramps
- LED Lighting Package

Specifications

COT Part	Empty Weight (lbs.)	Payload Capacity (lbs.)	Length Overall	Width Overall	Deck Length	Deck Width
8.5X20GNDODT20K	4,650	15,350	338"	102"	240"	97"
8.5X25GNDODT20K	4,850	15,150	398"	102"	300"	97"

OPTIONS/ ACCESSORIES

- 5' CENTER CONVERTIBLE ANGLE DOVE TAIL WITH (2) FLAT FOLD RAMPS
- 5' FULL WIDTH CONVERTIBLE ANGLE DOVE TAIL WITH FOLD UP RAMPS
- STEP ASSIST WITH HANDLE
- CHAIN BASKET

REPLACEMENT PARTS

• 235X16108DWTW	DUALY TIRE & WHEEL	• 438T	3-LIGHT ID BAR
• CPLGN	GOOSENECK COUPLER	• 834T	LICENSE LIGHT
• SAFETYCH3/8-P7-39	SAFETY CHAIN W/CLEVIS HOOK	• 841T	LICENSE BRACKET
• 10K7447SPRUNG	74 X 47 BRAKE AXLE	• 701T	BREAKAWAY KIT COMPLETE
• 10KSIDEWINDJACK	SIDE WIND JACK		
• OVALLEDDECKOVER	TAIL LIGHT		
• OVALLEDGROMMET	TAIL LIGHT GROMMET		
• OVALLEDPIGTAIL	TAIL LIGHT PLUG		
• 881T	CLEARANCE LIGHT, AMBER		
• 880T	CLEARANCE LIGHT, RED		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



5,000 LB. GVWR LOW PROFILE DUMP TRAILER

FEATURES:



- 4" Channel Tongue
- 4" Channel Main Frame
- Integrated Top Rail
- 2-5/16" A-Frame Coupler with Safety Chains
- 5,000 lb. Rated Top Wind Jack
- 5,000 lb. Rated Brake Axle
- 5-Leaf Springs
- ST225X15 Tire and Wheel Assemblies
- White Mod Wheels
- 9" x 32" Jeep Style Steel Fender
- 12 Gauge Steel Floor
- 14 Gauge Steel Walls
- Electric Breakaway Kit with Charger
- Solid Steel Tongue Box
- 3" X 20" Hydraulic Cylinder
- 12v Hydraulic Pump with 20' Remote Control



- 2-Way Spreader / Tail Gate



- Spreader Gate



- Tail Gate

Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Volume Capacity	Hydraulic Operation	Tires
5x8DUMPLP5K	1,375	3,625	2.3 Cubic Yards	Gravity Down	15"

Technical Specs.	Overall Length	Overall Width	Deck Height	Overall Height	Wall Height
5x8DUMPLP5K	143"	79"	26"	44"	18"

OPTIONS/ACCESSORIES

• DUMP-BATTERY	BATTERY	* ACCESSORY ONLY
• DUMP-BATTCHARGER	BATTERY CHARGER	* SIDBRKTKITLG
• TIEDOWN-LD	D-RINGS	SIDE BRACKETS
• SPARETIREMOUNT-DUMP	SPARE TIRE MOUNT	

REPLACEMENT PARTS

• 225X1568PTW	TIRE & WHEEL	• 415T	TAIL LIGHT, ROAD SIDE
• 256T	2-5/16" A-FRAME COUPLER	• 416T	TAIL LIGHT, CURB SIDE
• 640T	CLASS III SAFETY CHAIN	• 417T	CLEARANCE LIGHT, AMBER
• 5K7254B	72 X 54.5 BRAKE AXLE	• 841T	LICENSE BRACKET
• FENDER9X32JEEP	9 x 32" JEEP STYLE FENDER	• 701T	BREAKAWAY KIT COMPLETE



5,000 LB. GVWR LOW PROFILE DUMP TRAILER

FEATURES:



- 4" Channel Tongue
- 4" Channel Main Frame
- Integrated Top Rail
- 2-5/16" A-Frame Coupler with Safety Chains
- 5,000 lb. Rated Top Wind Jack
- 5,000 lb. Rated Brake Axle
- 5-Leaf Springs
- ST225X15 Tire and Wheel Assemblies
- White Mod Wheels
- 9" x 32" Jeep Style Steel Fender
- 12 Gauge Steel Floor
- 14 Gauge Steel Walls
- Electric Breakaway Kit with Charger
- Solid Steel Tongue Box
- 3" X 20" Hydraulic Cylinder
- 12v Hydraulic Pump with 20' Remote Control



- 2-Way Spreader / Tail Gate



- Spreader Gate



- Tail Gate

Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Volume Capacity	Hydraulic Operation	Tires
5x10DUMPLP5K	1,490	3,510	2.8 Cubic Yards	Gravity Down	15"

Technical Specs.	Overall Length	Overall Width	Deck Height	Overall Height	Wall Height
5x10DUMPLP5K	167"	79"	26"	44"	18"

OPTIONS/ACCESSORIES

• DUMP-BATTERY	BATTERY	* ACCESSORY ONLY
• DUMP-BATTCHARGER	BATTERY CHARGER	* SIDBRKTKITLG
• TIEDOWN-LD	D-RINGS	SIDE BRACKETS
• SPARETIREMOUNT-DUMP	SPARE TIRE MOUNT	

REPLACEMENT PARTS

• 225X1568PTW	TIRE & WHEEL	• 415T	TAIL LIGHT, ROAD SIDE
• 256T	2-5/16" A-FRAME COUPLER	• 416T	TAIL LIGHT, CURB SIDE
• 640T	CLASS III SAFETY CHAIN	• 417T	CLEARANCE LIGHT, AMBER
• 5K7254B	72 X 54.5 BRAKE AXLE	• 841T	LICENSE BRACKET
• FENDER9X32JEEP	9 x 32" JEEP STYLE FENDER	• 701T	BREAKAWAY KIT COMPLETE



7,000 LB. GVWR LOW PROFILE DUMP TRAILER

FEATURES:



- 4" Channel Tongue
- 5" Channel Main Frame
- Integrated Top Rail
- 2-5/16" A-Frame Coupler with Safety Chains
- 5,000 lb. Rated Top Wind Jack
- (2)-3,500 lb. Rated Brake Drop Axles
- 3-Leaf Springs
- ST205X15 Tire and Wheel Assemblies
- White Mod Wheels
- 9" x 66" Steel Diamond Plate Fender
- 12 Gauge Steel Floor
- 14 Gauge Steel Walls
- Electric Breakaway Kit with Charger
- Tarp Rail Standard
- (4) Chain Pockets
- Solid Steel Tongue Box
- 3.5" X 30" Hydraulic Cylinder
- 12v Hydraulic Pump with 20' Remote Control



- 2-Way Spreader / Tail Gate



- Spreader Gate



- Tail Gate

Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Volume Capacity	Hydraulic Operation	Tires
5x10DUMPLP7K	2,060	4,940	2.8 Cubic Yards	Gravity Down	15"

Technical Specs.	Overall Length	Overall Width	Deck Height	Overall Height	Wall Height
5x10DUMPLP7K	167"	79"	26"	44"	18"

OPTIONS/ACCESSORIES

• DUMP-BATTERY	BATTERY
• DUMP-BATTCHARGER	BATTERY CHARGER
• TIEDOWN-LD	D-RINGS
• DUMPRAMP	DUMP RAMPS
• DUMPPowerDOWN-5x10	POWER DOWN HYDRAULIC
• DUMPCOMBOGATE5	COMBO GATE
• DUMP-COMBOPKG5	COMBO GATE, SIDE MOUNT RAMP, (4) D-RINGS PKG
• SPARETIREMOUNT-DUMP	SPARE TIRE MOUNT

* ACCESSORY ONLY	
* SIDEBRKTKITLG	SIDE BRACKETS

REPLACEMENT PARTS

• 205X1568PTW	TIRE & WHEEL
• 256T	2-5/16" A-FRAME COUPLER
• 640T	CLASS III SAFETY CHAIN
• 3K7254B-DROP	72 X 54 4" DROP AXLE
• FENDER9660-DIA-NB	9 X 72" FENDER

• 415T	TAIL LIGHT, ROAD SIDE
• 416T	TAIL LIGHT, CURB SIDE
• 417T	CLEARANCE LIGHT, AMBER
• 841T	LICENSE BRACKET
• 701T	BREAKAWAY KIT COMPLETE



9,990 LB. GVWR LOW PROFILE DUMP TRAILER

FEATURES:



- 4" Channel Tongue
- 5" Channel Main Frame
- Integrated Top Rail
- 2-5/16" A-Frame Coupler with Safety Chains
- 5,000 lb. Rated Top Wind Jack
- (2)-5,000 lb. Rated Brake Drop Axles
- 5-Leaf Springs
- ST225X15 Tire and Wheel Assemblies
- White Mod Wheels
- 9" x 66" Steel Diamond Plate Fender
- 12 Gauge Steel Floor
- 14 Gauge Steel Walls
- Electric Breakaway Kit with Charger
- Tarp Rail Standard
- (4) Chain Pockets
- Solid Steel Tongue Box
- 3.5" X 30" Hydraulic Cylinder
- 12v Hydraulic Pump with 20' Remote Control



- 2-Way Spreader / Tail Gate



- Spreader Gate



- Tail Gate

Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Volume Capacity	Hydraulic Operation	Tires
5x10DUMPLP10K	2,140	7,850	2.8 Cubic Yards	Gravity Down	15"

Technical Specs.	Overall Length	Overall Width	Deck Height	Overall Height	Wall Height
5x10DUMPLP10K	167"	79"	26"	44"	18"

OPTIONS/ACCESSORIES

• DUMP-BATTERY	BATTERY	* ACCESSORY ONLY	
• DUMP-BATTCHARGER	BATTERY CHARGER	* SIDBRKTKITLG	SIDE BRACKETS
• TIEDOWN-LD	D-RINGS		
• DUMPRAMP	DUMP RAMPS		
• DUMPPOWERDOWN-5x10	POWER DOWN HYDRAULIC		
• DUMPCOMBOGATE5	COMBO GATE		
• DUMP-COMBOPKG5	COMBO GATE, SIDE MOUNT RAMP, (4) D-RINGS PKG		
• SPARETIREMOUNT-DUMP	SPARE TIRE MOUNT		

REPLACEMENT PARTS

• 205X1568PTW	TIRE & WHEEL	• 413T	TAIL LIGHT, ROAD SIDE
• 256T	2-5/16" A-FRAME COUPLER	• 414T	TAIL LIGHT, CURB SIDE
• SAFETYCHAIN10K-14K	EXTRA LARGE SAFETY CHAIN	• 417T	CLEARANCE LIGHT, AMBER
• 5K7254B-DROP	72 X 54 4" DROP AXLE	• 841T	LICENSE BRACKET
• FENDER9660-DIA-NB	9 X 72" FENDER	• 701T	BREAKAWAY KIT COMPLETE



7,000 LB. GVWR DECK OVER DUMP TRAILER

FEATURES:



- 4" Channel Tongue
- 5" Channel Main Frame
- Integrated Top Rail
- 2-5/16" A-Frame Coupler with Safety Chains
- 5,000 lb. Rated Top Wind Jack
- (2)-5,000 lb. Rated Brake Axles
- 3-Leaf Springs
- ST225X15 Tire and Wheel Assemblies
- White Mod Wheels
- 11 Gauge Steel Floor
- 14 Gauge Steel Walls
- Electric Breakaway Kit with Charger
- Tarp Rail Standard
- Solid Steel Tongue Box
- 3.5" X 30" Hydraulic Cylinder
- 12v Hydraulic Pump with 20' Remote Control



- 2-Way Spreader / Tail Gate



- Spreader Gate



- Tail Gate

Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Volume Capacity	Hydraulic Operation	Tires
6x10DUMPDO7K	1,920	5,080	3.3 Cubic Yards	Gravity Down	15"

Technical Specs.	Overall Length	Overall Width	Deck Height	Overall Height	Wall Height
6x10DUMPDO7K	167"	76"	30"	48"	18"

OPTIONS/ACCESSORIES

- DUMP-BATTERY BATTERY
- DUMP-BATTCHARGER BATTERY CHARGER
- TIEDOWN-LD D-RINGS
- DUMPRAMP DUMP RAMPS
- DUMPPOWERDOWN-6x10 POWER DOWN HYDRAULIC

- * ACCESSORY ONLY
- * 857 DUMP TARP
- * 860 DUMP TARP ROLLER
- SIDEBRKTKITLG SIDE BRACKETS

REPLACEMENT PARTS

- 225X1568PTW TIRE & WHEEL
- 256T 2-5/16" A-FRAME COUPLER
- 604T CLASS III SAFETY CHAIN
- 5K5944B 59 X 44 BRAKE AXLE

- 415T TAIL LIGHT, CURB SIDE
- 416T TAIL LIGHT, ROAD SIDE
- 417T CLEARANCE LIGHT, AMBER
- 438T 3-LIGHT ID BAR
- 841T LICENSE BRACKET
- 701T BREAKAWAY KIT COMPLETE



9,990 LB. GVWR DECK OVER DUMP TRAILER

FEATURES:



- 4" Channel Tongue
- 5" Channel Main Frame
- Integrated Top Rail
- 2-5/16" A-Frame Coupler with Safety Chains
- 5,000 lb. Rated Top Wind Jack
- (2)-5,000 lb. Rated Brake Axles
- 5-Leaf Springs
- ST225X15 Tire and Wheel Assemblies
- White Mod Wheels
- 11 Gauge Steel Floor
- 14 Gauge Steel Walls
- Electric Breakaway Kit with Charger
- Tarp Rail Standard
- Solid Steel Tongue Box
- 3.5" X 30" Hydraulic Cylinder
- 12v Hydraulic Pump with 20' Remote Control



- 2-Way Spreader / Tail Gate



- Spreader Gate



- Tail Gate

Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Volume Capacity	Hydraulic Operation	Tires
6x10DUMPDO10K	2,020	7,970	3.3 Cubic Yards	Gravity Down	15"

Technical Specs.	Overall Length	Overall Width	Deck Height	Overall Height	Wall Height
6x10DUMPDO10K	167"	76"	30"	48"	18"

OPTIONS/ACCESSORIES

• DUMP-BATTERY	BATTERY
• DUMP-BATTCHARGER	BATTERY CHARGER
• TIEDOWN-LD	D-RINGS
• DUMP-RAMP	DUMP RAMPS
• DUMPPowerDOWN-6x10	POWER DOWN HYDRAULIC

* ACCESSORY ONLY	
* 857	DUMP TARP
* 860	DUMP TARP ROLLER
• SIDEBRKTKITLG	SIDE BRACKETS

REPLACEMENT PARTS

• 225X1568PTW	TIRE & WHEEL
• 256T	2-5/16" A-FRAME COUPLER
• SAFETYCHAIN10K-14K	SAFETY CHAIN EXTRA LARGE
• 5K5944B	59 X 44 BRAKE AXLE

• 415T	TAIL LIGHT, CURB SIDE
• 416T	TAIL LIGHT, ROAD SIDE
• 417T	CLEARANCE LIGHT, AMBER
• 438T	3-LIGHT ID BAR
• 841T	LICENSE BRACKET
• 701T	BREAKAWAY KIT COMPLETE

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



9,990 LB. GVWR LOW PROFILE DUMP TRAILER

FEATURES:



- 4" Channel Tongue
- 5" Channel Main Frame
- Integrated Top Rail
- 2-5/16" A-Frame Coupler with Safety Chains
- 5,000 lb. Rated Top Wind Jack
- (2)-5,000 lb. Rated Brake Drop Axles
- 5-Leaf Springs
- ST225X15 Tire and Wheel Assemblies
- White Mod Wheels
- 10" x 75" Steel Fender
- 11 Gauge Steel Floor
- 14 Gauge Steel Walls
- Electric Breakaway Kit with Charger
- Tarp Rail Standard
- (8) Chain Pockets
- Solid Steel Tongue Box
- 3.5" X 30" Hydraulic Cylinder
- 12v Hydraulic Pump with 20' Remote Control



- 2-Way Spreader / Tail Gate



- Spreader Gate



- Tail Gate

Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Volume Capacity	Hydraulic Operation	Tires
6x10DUMPLP10K	2,350	7,640	3.3 Cubic Yards	Gravity Down	15"

Technical Specs.	Overall Length	Overall Width	Deck Height	Overall Height	Wall Height
6x10DUMPLP10K	173"	92"	26"	48"	18"

OPTIONS/ACCESSORIES

• DUMP-BATTERY	BATTERY
• DUMP-BATTCHARGER	BATTERY CHARGER
• TIEDOWN-LD	D-RINGS
• DUMPRAMP	DUMP RAMPS
• DUMPPOWERDOWN-6x10	POWER DOWN HYDRAULIC
• DUMPCOMBOGATE6	COMBO GATE
• DUMP-COMBOPKG6	COMBO GATE, SIDE MOUNT RAMP, (4) D-RINGS PKG
• SPARETIREMOUNT-DUMP	SPARE TIRE MOUNT

* ACCESSORY ONLY	
* 857	DUMP TARP
* 860	DUMP TARP ROLLER
• SIDEBRKTKITLG	SIDE BRACKETS

REPLACEMENT PARTS

• 225X1568PTW	TIRE & WHEEL
• 256T	2-5/16" A-FRAME COUPLER
• SAFETYCHAIN10K-14K	SAFETY CHAIN EXTRA LARGE
• 5K8866B-DROP	85 X 65 4" DROP BRAKE AXLE
• FENDER10X75-NB	10 x 75" FENDER

• 415T	TAIL LIGHT, CURB SIDE
• 416T	TAIL LIGHT, CURB SIDE
• 417T	CLEARANCE LIGHT, AMBER
• 438T	3-LIGHT ID BAR
• 841T	LICENSE BRACKET
• 701T	BREAKAWAY KIT COMPLETE

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



9,990 LB. GVWR LOW PROFILE DUMP TRAILER

FEATURES:



- 5" Channel Wrapped Tongue
- 6" Channel Main Frame
- Integrated Top Rail
- 2-5/16" A-Frame Coupler with Safety Chains
- 5,000 lb. Rated Top Wind Jack
- (2)- 5,000 lb. Rated Brake Drop Axles
- 5-Leaf Springs
- ST225X15 Tire and Wheel Assemblies
- White Mod Wheels
- 10" x 75" Steel Fender
- 11 Gauge Steel Floor
- 14 Gauge Steel Walls
- Electric Breakaway Kit with Charger
- Tarp Rail Standard
- (8) Chain Pockets
- Solid Steel Tongue Box
- 4" X 30" Hydraulic Cylinder
- 12v Hydraulic Pump with 20' Remote Control



- 2-Way Spreader / Tail Gate



- Spreader Gate



- Tail Gate

Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Volume Capacity	Hydraulic Operation	Tires
6x12DUMPLP10K	2,890	7,100	4 .0 Cubic Yards	Gravity Down	15"

Technical Specs.	Overall Length	Overall Width	Deck Height	Overall Height	Wall Height
6x12DUMPLP10K	191"	92"	30"	48"	18"

OPTIONS/ACCESSORIES

• DUMP-BATTERY	BATTERY
• DUMP-BATTCHARGER	BATTERY CHARGER
• TIEDOWN-LD	D-RINGS
• DUMPRAMP	DUMP RAMPS
• DUMPPOWERDOWN-6x12	POWER DOWN HYDRAULIC
• DUMPCOMBOGATE6	COMBO GATE
• DUMP-COMBOPKG6	COMBO GATE, SIDE MOUNT RAMP, (4) D-RINGS PKG
• SPARETIREMOUNT-DUMP	SPARE TIRE MOUNT

* ACCESSORY ONLY	
* 857	DUMP TARP
* 860	DUMP TARP ROLLER
• SIDEBRKTKITLG	SIDE BRACKETS

REPLACEMENT PARTS

• 225X1568PTW	TIRE & WHEEL
• 256T	2-5/16" A-FRAME COUPLER
• SAFETYCHAIN10K-14K	SAFETY CHAIN EXTRA LARGE
• 5K8866B-DROP	85 X 65 4" DROP BRAKE AXLE
• FENDER10X75-NB	10 x 75" FENDER

• 415T	TAIL LIGHT, CURB SIDE
• 416T	TAIL LIGHT, CURB SIDE
• 417T	CLEARANCE LIGHT, AMBER
• 438T	3-LIGHT ID BAR
• 841T	LICENSE BRACKET
• 701T	BREAKAWAY KIT COMPLETE

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



12,000 LB. GVWR LOW PROFILE DUMP TRAILER

FEATURES:



- 5" Channel Wrapped Tongue
- 6" Channel Main Frame
- Integrated Top Rail
- 2-5/16" A-Frame Coupler with Safety Chains
- 5,000 lb. Rated Top Wind Jack
- (2)-6,000 lb. Rated Brake Drop Axles
- 5-Leaf Springs
- LT235XR16 Radial Tire and Wheel Assemblies
- White Mod Wheels
- 10" x 75" Steel Fender
- 11 Gauge Steel Floor
- 14 Gauge Steel Walls
- Electric Breakaway Kit with Charger
- Tarp Rail Standard
- (8) Chain Pockets
- Solid Steel Tongue Box
- 4" X 30" Hydraulic Cylinder
- 12v Hydraulic Pump with 20' Remote Control



- 2-Way Spreader / Tail Gate



- Spreader Gate



- Tail Gate

Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Volume Capacity	Hydraulic Operation	Tires
6x12DUMPLP12K	3,100	8,900	4 .0 Cubic Yards	Gravity Down	16"

Technical Specs.	Overall Length	Overall Width	Deck Height	Overall Height	Wall Height
6x12DUMPLP12K	191"	92"	30"	48"	18"

OPTIONS/ACCESSORIES

• DUMP-BATTERY	BATTERY
• DUMP-BATTCHARGER	BATTERY CHARGER
• TIEDOWN-LD	D-RINGS
• DUMPRAMP	DUMP RAMPS
• DUMPPOWERDOWN-6x12	POWER DOWN HYDRAULIC
• DUMPCOMBOGATE6	COMBO GATE
• DUMP-COMBOPKG6	COMBO GATE, SIDE MOUNT RAMP, (4) D-RINGS PKG
• SPARETIREMOUNT-DUMP	SPARE TIRE MOUNT

* ACCESSORY ONLY	
* 857	DUMP TARP
* 860	DUMP TARP ROLLER
• SIDEBRKTKITLG	SIDE BRACKETS

REPLACEMENT PARTS

• 2351610P	TIRE & WHEEL
• 256T	2-5/16" A-FRAME COUPLER
• SAFETYCHAIN10K-14K	SAFETY CHAIN EXTRA LARGE
• 6K8566B-DROP	85 X 65 4" DROP BRAKE AXLE
• FENDER10X75-NB	10 x 75" FENDER

• 415T	TAIL LIGHT, CURB SIDE
• 416T	TAIL LIGHT, CURB SIDE
• 417T	CLEARANCE LIGHT, AMBER
• 438T	3-LIGHT ID BAR
• 841T	LICENSE BRACKET
• 701T	BREAKAWAY KIT COMPLETE



12,000 LB. GVWR LOW PROFILE DUMP TRAILER

FEATURES:



- 5" Channel Wrapped Tongue
- 6" Channel Main Frame
- Integrated Top Rail
- 2-5/16" A-Frame Coupler with Safety Chains
- 5,000 lb. Rated Top Wind Jack
- (2)-7,000 lb. Rated Brake Drop Axles
- 5-Leaf Springs
- LT235XR16 Radial Tire and Wheel Assemblies
- White Mod Wheels
- 10" x 75" Steel Fender
- 11 Gauge Steel Floor
- 14 Gauge Steel Walls
- Electric Breakaway Kit with Charger
- Tarp Rail Standard
- (8) Chain Pockets
- Solid Steel Tongue Box
- 4" X 30" Hydraulic Cylinder
- 12v Hydraulic Pump with 20' Remote Control



- 2-Way Spreader / Tail Gate



- Spreader Gate



- Tail Gate

Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Volume Capacity	Hydraulic Operation	Tires
7x12DUMPLP12K	3,125	8,875	4.0 Cubic Yards	Gravity Down	16"

Technical Specs.	Overall Length	Overall Width	Deck Height	Overall Height	Wall Height
7x12DUMPLP12K	191"	101.5"	30"	48"	18"

OPTIONS/ACCESSORIES

• DUMP-BATTERY	BATTERY	* ACCESSORY ONLY	
• DUMP-BATTCHARGER	BATTERY CHARGER	* 859	DUMP TARP
• TIEDOWN-LD	D-RINGS	* 860	DUMP TARP ROLLER
• DUMPRAMP	DUMP RAMPS	• SIDBRKTKITLG	SIDE BRACKETS
• DUMPPOWERDOWN-7x12	POWER DOWN HYDRAULIC		
• DUMPCOMBOGATE7	COMBO GATE		
• DUMP-COMBOPKG7	COMBO GATE, SIDE MOUNT RAMP, (4) D-RINGS PKG		
• SPARETIREMOUNT-DUMP	SPARE TIRE MOUNT		

REPLACEMENT PARTS

• 2351610P	TIRE & WHEEL	• 415T	TAIL LIGHT, CURB SIDE
• 256T	2-5/16" A-FRAME COUPLER	• 416T	TAIL LIGHT, CURB SIDE
• SAFETYCHAIN10K-14K	SAFETY CHAIN EXTRA LARGE	• 417T	CLEARANCE LIGHT, AMBER
• 7K9376B-DROP	93 X 76 4" DROP BRAKE AXLE	• 438T	3-LIGHT ID BAR
• FENDER10X75-NB	10 x 75" FENDER	• 841T	LICENSE BRACKET
		• 701T	BREAKAWAY KIT COMPLETE

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



12,000 LB. GVWR LOW PROFILE DUMP TRAILER

FEATURES:



- 5" Channel Wrapped Tongue
- 6" Channel Main Frame
- Integrated Top Rail
- 2-5/16" A-Frame Coupler with Safety Chains
- 5,000 lb. Rated Side Wind Jack
- (2)-7,000 lb. Rated Brake Drop Axles
- 5-Leaf Springs
- LT235XR16 Radial Tire and Wheel Assemblies
- White Mod Wheels
- 10" x 75" Steel Fender
- 10 Gauge Steel Floor
- 14 Gauge Steel Walls
- Electric Breakaway Kit with Charger
- Tarp Rail Standard
- (8) Chain Pockets
- Solid Steel Tongue Box
- (2) 3.5" X 30" Hydraulic Cylinders
- 12v Hydraulic Pump with 20' Remote Control



- 2-Way Spreader / Tail Gate



- Spreader Gate



- Tail Gate

Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Volume Capacity	Hydraulic Operation	Tires
7x14DUMPLP12K	3,150	8,850	5.3 Cubic Yards	Power Down	16"

Technical Specs.	Overall Length	Overall Width	Deck Height	Overall Height	Wall Height
7x14DUMPLP12K	223"	101.5"	30"	48"	18"

OPTIONS/ACCESSORIES

• DUMP-BATTERY	BATTERY
• DUMP-BATTCHARGER	BATTERY CHARGER
• TIEDOWN-LD	D-RINGS
• DUMPRAMP	DUMP RAMPS
• DUMPCOMBOGATE7	COMBO GATE
• DUMP-COMBOPKG7	COMBO GATE, SIDE MOUNT RAMP, (4) D-RINGS PKG
• CPL2516-ADJ-14K	ADJ COUPLER W/ 5K SQUARE TOP WIND JACK
• SPARETIREMOUNT-DUMP	SPARE TIRE MOUNT

* ACCESSORY ONLY

* 859	DUMP TARP
* 860	DUMP TARP ROLLER
• SIDEBRKTKITLG	SIDE BRACKETS

REPLACEMENT PARTS

• 2351610P	TIRE & WHEEL
• 256T	2-5/16" A-FRAME COUPLER
• SAFETYCHAIN10K-14K	SAFETY CHAIN EXTRA LARGE
• 7K9376B-DROP	93 X 76 4" DROP BRAKE AXLE
• FENDER10X75-NB	10 x 75" FENDER

• 415T	TAIL LIGHT, CURB SIDE
• 416T	TAIL LIGHT, CURB SIDE
• 417T	CLEARANCE LIGHT, AMBER
• 438T	3-LIGHT ID BAR
• 841T	LICENSE BRACKET
• 701T	BREAKAWAY KIT COMPLETE



14,000 LB. GVWR LOW PROFILE DUMP TRAILER

FEATURES:



- 5" Channel Wrapped Tongue
- 6" Channel Main Frame
- Integrated Top Rail
- 2-5/16" A-Frame Coupler with Safety Chains
- 5,000 lb. Rated Top Wind Jack
- (2)- 7,000 lb. Rated Brake Drop Axles
- 5-Leaf Springs
- LT235XR16 Radial Tire and Wheel Assemblies
- White Mod Wheels
- 10" x 75" Steel Fender
- 10 Gauge Steel Floor
- 14 Gauge Steel Walls
- Electric Breakaway Kit with Charger
- Tarp Rail Standard
- (8) Chain Pockets
- Solid Steel Tongue Box
- (2) 3.5" X 30" Hydraulic Cylinders
- 12v Hydraulic Pump with 20' Remote Control



- 2-Way Spreader / Tail Gate



- Spreader Gate



- Tail Gate

Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Volume Capacity	Hydraulic Operation	Tires
7x14DUMPLP14K	3,298	10,702	5.3 Cubic Yards	Power Down	ST235X16

Technical Specs.	Overall Length	Overall Width	Deck Height	Overall Height	Wall Height
7x14DUMPLP14K	223"	101.5"	30"	48"	18"

OPTIONS/ACCESSORIES

- DUMP-BATTERY BATTERY
- DUMP-BATTCHARGER BATTERY CHARGER
- TIEDOWN-LD D-RINGS
- DUMPRAMP DUMP RAMPS
- DUMPCOMBOGATE7 COMBO GATE
- DUMP-COMBOPKG7 COMBO GATE, SIDE MOUNT RAMP, (4) D-RINGS PKG
- CPL2516-ADJ-14K ADJ COUPLER W/ 5K SQUARE TOP WIND JACK
- SPARETIREMOUNT-DUMP SPARE TIRE MOUNT

* ACCESSORY ONLY

- * 859 DUMP TARP
- * 860 DUMP TARP ROLLER
- SIDEBRKTKITLG SIDE BRACKETS

REPLACEMENT PARTS

- 2351610P TIRE & WHEEL
- 256T 2-5/16" A-FRAME COUPLER
- SAFETYCHAIN10K-14K SAFETY CHAIN EXTRA LARGE
- 7K9376B-DROP 93 X 76 4" DROP BRAKE AXLE
- FENDER10X75-NB 10 x 75" FENDER
- 415T TAIL LIGHT, CURB SIDE
- 416T TAIL LIGHT, CURB SIDE
- 417T CLEARANCE LIGHT, AMBER
- 438T 3-LIGHT ID BAR
- 841T LICENSE BRACKET
- 701T BREAKAWAY KIT COMPLETE



7,000 LB. GVWR DECK OVER DUMP TRAILER



FEATURES:



- 4" Channel Tongue
- 5" Channel Main Frame
- Integrated Top Rail
- 2-5/16" A-Frame Coupler with Safety Chains
- 5,000 lb. Rated Top Wind Jack
- 5,000 lb. Rated Brake Axles
- 5-Leaf Springs
- ST225X15 Tire and Wheel Assemblies
- White Mod Wheels
- 11 Gauge Steel Floor
- 14 Gauge Steel Walls
- Electric Breakaway Kit with Charger
- Tarp Rail Standard
- Solid Steel Tongue Box
- 3.5" X 30" Hydraulic Cylinder
- 12v Hydraulic Pump with 20' Remote Control

- 24" High Side Walls
- Combination Spreader/Swing Gate
- LED Lighting Package
- Gravity Down

Technical Specs.	6x10
GATE H x L	24.75"x 73"
OVERALL LENGTH	167"
OVERALL WIDTH	76"
OVERALL HEIGHT	54"
SIDE WALL HEIGHT	24"
INTERIOR DECK LENGTH	120"
INTERIOR DECK WIDTH	72"
DECK HEIGHT FROM GROUND	30"

COMBO SPREADER / SWING GATE



Spreader Gate



Swing Gate

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Volume Capacity	Hydraulic Operation
6X10DUMPDO7K-24HS	1,920	5,080	3.3 Cubic Yards	Gravity Down

OPTIONS / ACCESSORIES

• DUMP-BATTERY	BATTERY
• DUMP-BATTCHARGER	BATTERY CHARGER
• TIEDOWN-LD	D-RINGS
• DUMPPOWERDOWN-6x10	POWER DOWN HYDRAULIC
• CPL2516-ADJ	ADJUSTABLE COUPLER

ACCESSORY ONLY

* 857	DUMP TARP
* 860	DUMP TARP ROLLER
• SIDBRKTKITLG	SIDE BRACKETS

REPLACEMENT PARTS

• 225X1568PTW	TIRE & WHEEL
• CPL2516	2-5/16" A-FRAME COUPLER
• SAFETYCHAIN7K	CLASS IV SAFETY CHAIN
• 5K5944B	59 X 44" DROP BRAKE AXLE

• 415T	TAIL LIGHT, ROAD SIDE
• 416T	TAIL LIGHT, CURB SIDE
• 417T	CLEARANCE LIGHT, AMBER
• 438T	3-LIGHT ID BAR
• 841T	LICENSE BRACKET
• 701	BREAKAWAY KIT COMPLETE

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



9,990 LB. GVWR DECK OVER DUMP TRAILER



FEATURES:



- 4" Channel Tongue
- 5" Channel Main Frame
- Integrated Top Rail
- 2-5/16" A-Frame Coupler with Safety Chains
- 5,000 lb. Rated Top Wind Jack
- 5,000 lb. Rated Brake Axles
- 5-Leaf Springs
- ST225X15 Tire and Wheel Assemblies
- White Mod Wheels
- 11 Gauge Steel Floor
- 14 Gauge Steel Walls
- Electric Breakaway Kit with Charger
- Tarp Rail Standard
- Solid Steel Tongue Box
- 3.5" X 30" Hydraulic Cylinder
- 12v Hydraulic Pump with 20' Remote Control

- 24" High Side Walls
- Combination Spreader/Swing Gate
- LED Lighting Package
- Gravity Down

Technical Specs.	6x10
GATE H x L	24.75" x 73"
OVERALL LENGTH	167"
OVERALL WIDTH	76"
OVERALL HEIGHT	54"
SIDE WALL HEIGHT	24"
INTERIOR DECK LENGTH	120"
INTERIOR DECK WIDTH	72"
DECK HEIGHT FROM GROUND	30"

COMBO SPREADER / SWING GATE



Spreader Gate



Swing Gate

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Volume Capacity	Hydraulic Operation
6X10DUMPDO10K-24HS	2,020	7,970	3.3 Cubic Yards	Gravity Down

OPTIONS / ACCESSORIES

• DUMP-BATTERY	BATTERY
• DUMP-BATTCHARGER	BATTERY CHARGER
• TIEDOWN-LD	D-RINGS
• DUMPPOWERDOWN-6x10	POWER DOWN HYDRAULIC
• CPL2516-ADJ	ADJUSTABLE COUPLER

ACCESSORY ONLY	
• 857	DUMP TARP
• 860	DUMP TARP ROLLER
• SIDBRKTKITLG	SIDE BRACKETS

REPLACEMENT PARTS

• 225X1568PTW	TIRE & WHEEL
• CPL2516	2-5/16" A-FRAME COUPLER
• SAFETYCHAIN10K-14K	SAFETY CHAIN
• 5K8566BDROP	85 X 66" DROP BRAKE AXLE

• 415T	TAIL LIGHT, ROAD SIDE
• 416T	TAIL LIGHT, CURB SIDE
• 417T	CLEARANCE LIGHT, AMBER
• 438T	3-LIGHT ID BAR
• 841T	LICENSE BRACKET
• 701	BREAKAWAY KIT COMPLETE

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



7,000 LB. GVWR LOW PROFILE DUMP TRAILER



SHOWN WITH OPTIONAL
SIDE MOUNTED RAMPS

FEATURES:



- 4" Channel Tongue
- 5" Channel Main Frame
- Integrated Top Rail
- 2-5/16" A-Frame Coupler with Safety Chains
- 5,000 lb. Rated Top Wind Jack
- (2)-5,000 lb. Rated Brake Drop Axles
- 5-Leaf Springs
- ST225X15 Tire and Wheel Assemblies
- White Mod Wheels
- 10" x 75" Steel Fender
- 11 Gauge Steel Floor
- 14 Gauge Steel Walls
- Electric Breakaway Kit with Charger
- Tarp Rail Standard
- (8) Chain Pockets
- Solid Steel Tongue Box
- 3.5" X 30" Hydraulic Cylinder
- 12v Hydraulic Pump with 20' Remote Control

- 24" High Side Walls
- Combination Spreader/Swing Gate
- Spare Tire Mount
- LED Lighting Package
- Gravity Down

Technical Specs.	6x10
GATE H x L	24.75" x 73"
OVERALL LENGTH	173"
OVERALL WIDTH	92"
OVERALL HEIGHT	54"
SIDE WALL HEIGHT	24"
INTERIOR DECK LENGTH	120"
INTERIOR DECK WIDTH	72"
DECK HEIGHT FROM GROUND	26"

COMBO SPREADER / SWING GATE



Spreader Gate



Swing Gate

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Volume Capacity	Hydraulic Operation
6X10DUMPLP7K-24HS	2,260	4,740	3.3 Cubic Yards	Gravity Down

OPTIONS / ACCESSORIES

• DUMP-BATTERY	BATTERY
• DUMP-BATTCHARGER	BATTERY CHARGER
• TIEDOWN-LD	D-RINGS
• DUMPRAMP	RAMPS
• DUMPPOWERDOWN-6x10	POWER DOWN HYDRAULIC
• CPL2516-ADJ	ADJUSTABLE COUPLER

ACCESSORY ONLY

* 857	DUMP TARP
* 860	DUMP TARP ROLLER
* SIDBRKTKITLG	SIDE BRACKETS

REPLACEMENT PARTS

• 225X1568PTW	TIRE & WHEEL
• CPL2516	2-5/16" A-FRAME COUPLER
• SAFETYCHAIN10K-14K	SAFETY CHAIN
• 5K8566BDROP	85 X 66" DROP BRAKE AXLE
• FENDER10X75-NB	10 x 75" FENDER

• 415T	TAIL LIGHT, ROAD SIDE
• 416T	TAIL LIGHT, CURB SIDE
• 417T	CLEARANCE LIGHT, AMBER
• 438T	3-LIGHT ID BAR
• 841T	LICENSE BRACKET
• 701	BREAKAWAY KIT COMPLETE

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



9,990 LB. GVWR LOW PROFILE DUMP TRAILER



SHOWN WITH OPTIONAL
SIDE MOUNTED RAMPS

FEATURES:



- 4" Channel Tongue
- 5" Channel Main Frame
- Integrated Top Rail
- 2-5/16" A-Frame Coupler with Safety Chains
- 5,000 lb. Rated Top Wind Jack
- (2) 5,000 lb. Rated Brake Drop Axles
- 5-Leaf Springs
- ST225X15 Tire and Wheel Assemblies
- White Mod Wheels
- 10" x 75" Steel Fender
- 11 Gauge Steel Floor
- 12 Gauge Steel Walls
- Electric Breakaway Kit with Charger
- Tarp Rail Standard
- (8) Chain Pockets
- Solid Steel Tongue Box
- 3.5" X 30" Hydraulic Cylinder
- 12v Hydraulic Pump with 20' Remote Control

- 24" High Side Walls
- Combination Spreader/Swing Gate
- Spare Tire Mount
- LED Lighting Package
- Gravity Down

Technical Specs.	6x10
GATE H x L	24.75"x 73"
OVERALL LENGTH	173"
OVERALL WIDTH	92"
OVERALL HEIGHT	54"
SIDE WALL HEIGHT	24"
INTERIOR DECK LENGTH	120"
INTERIOR DECK WIDTH	72"
DECK HEIGHT FROM GROUND	30"

COMBO SPREADER / SWING GATE



Spreader Gate



Swing Gate

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Volume Capacity	Hydraulic Operation
6X10DUMPLP10K-24HS	2,440	7,550	3.3 Cubic Yards	Gravity Down

OPTIONS / ACCESSORIES

• DUMP-BATTERY	BATTERY
• DUMP-BATTCHARGER	BATTERY CHARGER
• TIEDOWN-LD	D-RINGS
• DUMPRAMP	RAMPS
• DUMPPOWERDOWN-6x10	POWER DOWN HYDRAULIC
• CPL2516-ADJ	ADJUSTABLE COUPLER

ACCESSORY ONLY

• 857	DUMP TARP
• 860	DUMP TARP ROLLER
• SIDBRKTKITLG	SIDE BRACKETS

REPLACEMENT PARTS

• 225X1568PTW	TIRE & WHEEL
• CPL2516	2-5/16" A-FRAME COUPLER
• SAFETYCHAIN10K-14K	SAFETY CHAIN
• 5K8566BDROP	85 X 66" DROP BRAKE AXLE
• FENDER10X75-NB	10 x 75" FENDER

• 415T	TAIL LIGHT, ROAD SIDE
• 416T	TAIL LIGHT, CURB SIDE
• 417T	CLEARANCE LIGHT, AMBER
• 438T	3-LIGHT ID BAR
• 841T	LICENSE BRACKET
• 701	BREAKAWAY KIT COMPLETE

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



9,990 LB. GVWR LOW PROFILE DUMP TRAILER



SHOWN WITH OPTIONAL
SIDE MOUNTED RAMPS

FEATURES:



- 5" Channel Tongue
- 6" Channel Main Frame
- Integrated Top Rail
- 2-5/16" A-Frame Coupler with Safety Chains
- 5,000 lb. Rated Top Wind Jack
- (2) 5,000 lb. Rated Brake Drop Axles
- 5-Leaf Springs
- ST225X15 Tire and Wheel Assemblies
- White Mod Wheels
- 10" x 75" Steel Fender
- 11 Gauge Steel Floor
- 12 Gauge Steel Walls
- Electric Breakaway Kit with Charger
- Tarp Rail Standard
- (8) Chain Pockets
- Solid Steel Tongue Box
- 4" X 30" Hydraulic Cylinder
- 12v Hydraulic Pump with 20' Remote Control

- 24" High Side Walls
- Combination Spreader/Swing Gate
- Spare Tire Mount
- LED Lighting Package
- Gravity Down

Technical Specs.	6x12
GATE H x L	24.75" x 73"
OVERALL LENGTH	191"
OVERALL WIDTH	92"
OVERALL HEIGHT	54"
SIDE WALL HEIGHT	24"
INTERIOR DECK LENGTH	144"
INTERIOR DECK WIDTH	72"
DECK HEIGHT FROM GROUND	30"

COMBO SPREADER / SWING GATE



Spreader Gate



Swing Gate

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Volume Capacity	Hydraulic Operation
6X12DUMPLP10K-24HS	2,990	7,000	4.0 Cubic Yards	Gravity Down

OPTIONS / ACCESSORIES

• DUMP-BATTERY	BATTERY
• DUMP-BATTCHARGER	BATTERY CHARGER
• TIEDOWN-LD	D-RINGS
• DUMPRAMP	RAMPS
• DUMPPOWERDOWN-6x12	POWER DOWN HYDRAULIC
• CPL2516-ADJ	ADJUSTABLE COUPLER

ACCESSORY ONLY

* 857	DUMP TARP
* 860	DUMP TARP ROLLER
* SIDBRKTKITLG	SIDE BRACKETS

REPLACEMENT PARTS

• 225X1568PTW	TIRE & WHEEL
• CPL2516	2-5/16" A-FRAME COUPLER
• SAFETYCHAIN10K-14K	SAFETY CHAIN
• 5K8566BDROP	85 X 66" DROP BRAKE AXLE
• FENDER10X75-NB	10 x 75" FENDER

• 415T	TAIL LIGHT, ROAD SIDE
• 416T	TAIL LIGHT, CURB SIDE
• 417T	CLEARANCE LIGHT, AMBER
• 438T	3-LIGHT ID BAR
• 841T	LICENSE BRACKET
• 701	BREAKAWAY KIT COMPLETE

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



12,000 LB. GVWR LOW PROFILE DUMP TRAILER



SHOWN WITH OPTIONAL
SIDE MOUNTED RAMPS

FEATURES:



- 5" Channel Wrapped Tongue
- 6" Channel Main Frame
- Integrated Top Rail
- 2-5/16" A-Frame Coupler with Safety Chains
- 5,000 lb. Rated Top Wind Jack
- (2) 6,000 lb. Rated Brake Drop Axles
- 5-Leaf Springs
- LT235XR16 Radial Tire and Wheel Assemblies
- White Mod Wheels
- 10" x 75" Steel Fender
- 11 Gauge Steel Floor
- 12 Gauge Steel Walls
- Electric Breakaway Kit with Charger
- Tarp Rail Standard
- (8) Chain Pockets
- Solid Steel Tongue Box
- 4" X 30" Hydraulic Cylinder
- 12v Hydraulic Pump with 20' Remote Control

- 24" High Side Walls
- Combination Spreader/Swing Gate
- Spare Tire Mount
- LED Lighting Package
- Gravity Down

Technical Specs.	6x12
GATE H x L	24.75"x 73"
OVERALL LENGTH	191"
OVERALL WIDTH	92"
OVERALL HEIGHT	54"
SIDE WALL HEIGHT	24"
INTERIOR DECK LENGTH	144"
INTERIOR DECK WIDTH	72"
DECK HEIGHT FROM GROUND	30"

COMBO SPREADER / SWING GATE



Spreader Gate



Swing Gate

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Volume Capacity	Hydraulic Operation
6X12DUMPLP12K-24HS	3,200	8,800	4.0 Cubic Yards	Gravity Down

OPTIONS / ACCESSORIES

• DUMP-BATTERY	BATTERY
• DUMP-BATTCHARGER	BATTERY CHARGER
• TIEDOWN-LD	D-RINGS
• DUMPRAMP	RAMPS
• DUMPPOWERDOWN-6x12	POWER DOWN HYDRAULIC
• CPL2516-ADJ	ADJUSTABLE COUPLER

ACCESSORY ONLY

* 857	DUMP TARP
* 860	DUMP TARP ROLLER
* SIDBRKTKITLG	SIDE BRACKETS

REPLACEMENT PARTS

• 235X16810PTW	TIRE & WHEEL
• CPL2516	2-5/16" A-FRAME COUPLER
• SAFETYCHAIN10K-14K	SAFETY CHAIN
• 6K8566BDROP	85 X 66" DROP BRAKE AXLE
• FENDER10X75-NB	10 x 75" FENDER

• 415T	TAIL LIGHT, ROAD SIDE
• 416T	TAIL LIGHT, CURB SIDE
• 417T	CLEARANCE LIGHT, AMBER
• 438T	3-LIGHT ID BAR
• 841T	LICENSE BRACKET
• 701	BREAKAWAY KIT COMPLETE

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



12,000 LB. GVWR LOW PROFILE DUMP TRAILER



SHOWN WITH OPTIONAL
SIDE MOUNTED RAMPS

FEATURES:



- 5" Channel Wrapped Tongue
- 6" Channel Main Frame
- Integrated Top Rail
- 2-5/16" A-Frame Coupler with Safety Chains
- 5,000 lb. Rated Top Wind Jack
- (2) 7,000 lb. Rated Brake Drop Axles
- 5-Leaf Springs
- LT235XR16 Radial Tire and Wheel Assemblies
- White Mod Wheels
- 10" x 75" Steel Fender
- 11 Gauge Steel Floor
- 12 Gauge Steel Walls
- Electric Breakaway Kit with Charger
- Tarp Rail Standard
- (8) Chain Pockets
- Solid Steel Tongue Box
- 4" X 30" Hydraulic Cylinder
- 12v Hydraulic Pump with 20' Remote Control

- 24" High Side Walls
- Combination Spreader/Swing Gate
- Spare Tire Mount
- LED Lighting Package
- Power Down

Technical Specs.	7x12
GATE H x L	24.75'x 82"
OVERALL LENGTH	191"
OVERALL WIDTH	101.5"
OVERALL HEIGHT	54"
SIDE WALL HEIGHT	24"
INTERIOR DECK LENGTH	144"
INTERIOR DECK WIDTH	81.5"
DECK HEIGHT FROM GROUND	30"

COMBO SPREADER / SWING GATE



Spreader Gate



Swing Gate

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Volume Capacity	Hydraulic Operation
7X12DUMPLP12K-24HS	3,250	8,750	4.0 Cubic Yards	Gravity Down

OPTIONS/ACCESSORIES

• DUMP-BATTERY	BATTERY
• DUMP-BATTCHARGER	BATTERY CHARGER
• TIEDOWN-LD	D-RINGS
• DUMPRAMP	RAMPS
• DUMPPOWERDOWN-7x12	POWER DOWN HYDRAULIC
• CPL2516-ADJ	ADJUSTABLE COUPLER

ACCESSORY ONLY

* 859	DUMP TARP
* 860	DUMP TARP ROLLER
* SIDBRKTKITLG	SIDE BRACKETS

REPLACEMENT PARTS

• 235X16810PTW	TIRE & WHEEL
• CPL2516	2-5/16" A-FRAME COUPLER
• SAFETYCHAIN10K-14K	SAFETY CHAIN
• 7K9376BDROP	93 X 76" DROP BRAKE AXLE
• FENDER10X75-NB	10 x 75" FENDER

• 415T	TAIL LIGHT, ROAD SIDE
• 416T	TAIL LIGHT, CURB SIDE
• 417T	CLEARANCE LIGHT, AMBER
• 438T	3-LIGHT ID BAR
• 841T	LICENSE BRACKET
• 701	BREAKAWAY KIT COMPLETE

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



12,000 LB. GVWR LOW PROFILE DUMP TRAILER



FEATURES:



- 5" Channel Wrapped Tongue
- 6" Channel Main Frame
- Integrated Top Rail
- 2-5/16" A-Frame Coupler with Safety Chains
- 5,000 lb. Rated Top Wind Jack
- (2) 7,000 lb. Rated Brake Drop Axles
- 5-Leaf Springs
- LT235XR16 Radial Tire and Wheel Assemblies
- White Mod Wheels
- 10" x 75" Steel Fender
- 10 Gauge Steel Floor
- 12 Gauge Steel Walls
- Electric Breakaway Kit with Charger
- Tarp Rail Standard
- (8) Chain Pockets
- Solid Steel Tongue Box
- (2) 3.5" X 30" Hydraulic Cylinders
- 12v Hydraulic Pump with 20' Remote Control

- 24" High Side Walls
- Combination Spreader/Swing Gate
- Spare Tire Mount
- LED Lighting Package
- Power Down

TWIN CYLINDER



Technical Specs.	7x14
GATE H x L	24.75"x 82"
OVERALL LENGTH	223"
OVERALL WIDTH	101.5"
OVERALL HEIGHT	54"
SIDE WALL HEIGHT	24"
INTERIOR DECK LENGTH	168"
INTERIOR DECK WIDTH	81.5"
DECK HEIGHT FROM GROUND	30"

COMBO SPREADER / SWING GATE



Spreader Gate



Swing Gate

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Volume Capacity	Hydraulic Operation
7X14DUMPLP12K-24HS	3,300	8,700	5.3 Cubic Yards	Power Down

OPTIONS / ACCESSORIES

• DUMP-BATTERY	BATTERY
• DUMP-BATTCHARGER	BATTERY CHARGER
• TIEDOWN-LD	D-RINGS
• DUMPRAMP	RAMPS
• CPL2516-ADJ	ADJUSTABLE COUPLER

ACCESSORY ONLY

• 859	DUMP TARP
• 860	DUMP TARP ROLLER
• SIDBRKTKITLG	SIDE BRACKETS

REPLACEMENT PARTS

• 235X16810PTW	TIRE & WHEEL
• CPL2516	2-5/16" A-FRAME COUPLER
• SAFETYCHAIN10K-14K	SAFETY CHAIN
• 7K9376BDROP	93 X 76" DROP BRAKE AXLE
• FENDER10X75-NB	10 x 75" FENDER

• 415T	TAIL LIGHT, ROAD SIDE
• 416T	TAIL LIGHT, CURB SIDE
• 417T	CLEARANCE LIGHT, AMBER
• 438T	3-LIGHT ID BAR
• 841T	LICENSE BRACKET
• 701	BREAKAWAY KIT COMPLETE

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



14,000 LB. GVWR LOW PROFILE DUMP TRAILER



FEATURES:



- 5" Channel Wrapped Tongue
- 6" Channel Main Frame
- Integrated Top Rail
- 2-5/16" A-Frame Coupler with Safety Chains
- 5,000 lb. Rated Top Wind Jack
- (2) 7,000 lb. Rated Brake Drop Axles
- 5-Leaf Springs
- LT235XR16 Radial Tire and Wheel Assemblies
- White Mod Wheels
- 10" x 75" Steel Fender
- 10 Gauge Steel Floor
- 12 Gauge Steel Walls
- Electric Breakaway Kit with Charger
- Tarp Rail Standard
- (8) Chain Pockets
- Solid Steel Tongue Box
- (2) 3.5" X 30" Hydraulic Cylinders
- 12v Hydraulic Pump with 20' Remote Control

- 24" High Side Walls
- Combination Spreader/Swing Gate
- Spare Tire Mount
- LED Lighting Package
- Power Down

TWIN CYLINDER



Technical Specs.	7x14
GATE H x L	24.75" x 82"
OVERALL LENGTH	223"
OVERALL WIDTH	101.5"
OVERALL HEIGHT	54"
SIDE WALL HEIGHT	24"
INTERIOR DECK LENGTH	168"
INTERIOR DECK WIDTH	81.5"
DECK HEIGHT FROM GROUND	30"

COMBO SPREADER / SWING GATE



Spreader Gate



Swing Gate

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Volume Capacity	Hydraulic Operation
7X14DUMPLP14K-24HS	3,300	10,700	5.3 Cubic Yards	Power Down

OPTIONS / ACCESSORIES

• DUMP-BATTERY	BATTERY
• DUMP-BATTCHARGER	BATTERY CHARGER
• TIEDOWN-LD	D-RINGS
• DUMPRAMP	RAMPS
• CPL2516-ADJ	ADJUSTABLE COUPLER

ACCESSORY ONLY

* 859	DUMP TARP
* 860	DUMP TARP ROLLER
* SIDEBRKTKITLG	SIDE BRACKETS

REPLACEMENT PARTS

• 235X16810PTW	TIRE & WHEEL
• CPL2516	2-5/16" A-FRAME COUPLER
• SAFETYCHAIN10K-14K	SAFETY CHAIN
• 7K9376BDROP	93 X 76" DROP BRAKE AXLE
• FENDER10X75-NB	10 x 75" FENDER

• 415T	TAIL LIGHT, ROAD SIDE
• 416T	TAIL LIGHT, CURB SIDE
• 417T	CLEARANCE LIGHT, AMBER
• 438T	3-LIGHT ID BAR
• 841T	LICENSE BRACKET
• 701	BREAKAWAY KIT COMPLETE

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



CG SERIES - 2,000 LB. GWR

4' ENCLOSED TRAILERS

FEATURES:



- 2" x 3" Straight Tube Tongue
- 2" x 3" Tube Main Frame
- 1-7/8" Straight Coupler with Safety Chains
- 2,000 lb. Rated Idler Axle
- 2-Leaf Springs
- 4.80x12 Tire and Wheel Assemblies
- White Mod Wheels
- Diamond Plate Fenders



Single Door

INTERIOR:

- 27" Frame On Center
- 24" Wall On Center
- 24" Roof On Center
- 3/4" Plywood Floor
- 1/8" Luan Interior Walls

EXTERIOR:

- 12" Front Stone Guard
- J-Clip Edge Guard Trim
- Rear Trim Package
- LED Lighting Package

ACCESSORIES:

- 628 Spare Tire Mount
- 48012 Tire and Wheel

Specifications

COT Part	Empty Weight (lb.)	Payload Capacity (lb.)	Tire Size	Rear Door Type	Side Door Type
4x6CG	450	1,550	12"	Single Rear Door	NA

COT Part	Overall Length	Overall Width	Overall Height	Interior Height	Interior Width	Interior Length
4x6CG	109"	59"	62"	44"	41.5"	69.5"

Replacement Parts

• 198T	1-7/8" STRAIGHT COUPLER	• 880T	CLEARANCE LIGHT RED
• 140T	1-7/8" COUPLER REPAIR KIT	• 881T	CLEARANCE LIGHT AMBER
• 638T	CLASS I SAFETY CHAIN	• 834T	LICENSE PLATE LIGHT
• 2K5442	54 X 42 IDLER AXLE	• 841T	LICENSE BRACKET
• 48012T	TIRE & WHEEL	• 863T	SIDE WIND JACK
• FENDER7ATBROUND	DIAMOND PLATE FENDER		
• 835T	OVAL LED TAIL LIGHT W/ CHROME BEZEL		



CG SERIES - 2,000 LB. GWVR 4' ENCLOSED TRAILERS

FEATURES:



- 3" Channel A-Frame Tongue
- 2" x 3" Tube Main Frame
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Idler Axle
- 2,000 lb. Rated Top Wind Jack
- 2-Leaf Springs
- 175X13 Tire and Wheel Assemblies
- White Mod Wheels
- Smooth Aluminum Fenders



Single Door

INTERIOR:

- 27" Frame On Center
- 24" Wall On Center
- 24" Roof On Center
- 3/4" Plywood Floor
- 1/8" Luan Interior Walls

EXTERIOR:

- Single Rear Door
- 12" Front Stone Guard
- J-Clip Edge Guard Trim
- Rear Trim Package
- LED Lighting Package

ACCESSORIES:

- 628 Spare Tire Mount
- 175x13T Tire and Wheel

Specifications

COT Part	Empty Weight (lb.)	Payload Capacity (lb.)	Tire Size	Rear Door Type	Side Door Type
4X6CGVEC-13	450	1,550	13"	Single Rear Door	NA

COT Part	Overall Length	Overall Width	Overall Height	Interior Height	Interior Width	Interior Length
4X6CGVEC-13	109"	59"	68"	48"	41.5"	84"

Replacement Parts

• 200T	2" A-FRAME COUPLER	• 880T	CLEARANCE LIGHT RED
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 881T	CLEARANCE LIGHT AMBER
• 638T	CLASS I SAFETY CHAIN	• 834T	LICENSE PLATE LIGHT
• 2K5442	54 X 42 IDLER AXLE	• 841T	LICENSE BRACKET
• 175X13T	TIRE & WHEEL	• 741T	TOP WIND JACK
• FENDER9SMROUND13	ROUND BRUSHED FENDER		
• 835T	OVAL LED TAIL LIGHT W/ CHROME BEZEL		



CG SERIES - 2,990 LB. GWVR

5' ENCLOSED TRAILERS

FEATURES:



- 2" x 3" Tube A-Frame Tongue
- 2" x 3" Tube Main Frame
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated EZ Lube Idler Axle
- 3-Leaf Springs
- 205X15 Tire and Wheel Assemblies
- White Mod Wheels
- Smooth Aluminum Fenders
- Through Tongue



5X8CG Model



5X10CG Model



Single Door



Ramp Door

INTERIOR:

- 24" Frame On Center
- 24" Wall On Center
- 24" Roof On Center
- (1) Interior Dome Light
- 4" Tool Bar
- 3/4" Plywood Floor
- 3/8" Plywood Interior Walls

EXTERIOR:

- Single Rear Door
- Rear Ramp Door
- 24" Front Stone Guard
- J-Clip Edge Guard
- Rear Trim Package
- Side Trim Package
- LED Lighting Package

ACCESSORIES:

- 2051556T Spare Tire
- 628 Spare Tire Mount
- 818T Sand Foot
- 820 Castor Wheel
- 846 Ladder Rack

Specifications

COT Part	Empty Weight (lb.)	Payload Capacity (lb.)	Tire Size	Rear Door Type	Side Door Type
5X8CG	890	2,100	15"	Single	n/a
5X8CGR	890	2,100	15"	Ramp	n/a
5X10CG	930	2,060	15"	Single	Side Door
5X10CGR	930	2,060	15"	Ramp	Side Door

COT Part	Overall Length	Overall Width	Overall Height	Interior Height	Interior Width	Interior Length
5X8CG	144"	79"	84"	61"	57"	95"
5X8CGR	144"	79"	84"	61"	57"	95"
5X10CG	168"	79"	84"	61"	57"	118"
5X10CGR	168"	79"	84"	61"	57"	118"

Replacement Parts

• 200T	2" A-FRAME COUPLER
• 143T	2" A-FRAME COUPLER REPAIR KIT
• 639T	CLASS II SAFETY CHAIN
• 741	TOP WIND TONGUE JACK
• 3K7258EZ	72 X 58 IDLER AXLE
• 504T	3-LEAF EYE TO EYE SPRING
• 2051556T	15" TIRE WITH WHITE MOD WHEEL

• 9291T	FENDER ROUND BRUSHED
• 835T	LED OVAL LIGHT WITH CHROME BEZEL
• 880T	RED CLEARANCE LIGHT
• 881T	AMBER CLEARANCE LIGHT
• 834T	LICENSE PLATE LIGHT
• 841T	LICENSE PLATE BRACKET



CG SERIES - 2,990 LB. GWVR

6' ENCLOSED TRAILERS



Double Door



Ramp Door

FEATURES:



- 2" x 3" Tube A-Frame Tongue
- 2" x 3" Tube Main Frame
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated EZ Lube Idler Axle
- 3-Leaf Springs
- 205X15 Tire and Wheel Assemblies
- White Mod Wheels
- Smooth Aluminum Fenders
- Through Tongue

INTERIOR:

- 24" Frame On Center
- 24" Wall On Center
- 24" Roof On Center
- (2) Interior Dome Lights
- 4" Tool Bar
- (4) D-Ring Tie Downs
- 3/4" Plywood Floor
- 3/8" Plywood Interior Walls

EXTERIOR:

- Curbside Entry Door - 36" W
- Side Flow Cowl Vents
- 24" Front Stone Guard
- J-Clip Edge Guard
- Rear Trim Package
- Side Trim Package
- LED Lighting Package

ACCESSORIES:

- 2051556T Spare Tire
- 628 Spare Tire Mount
- 818T Sand Foot
- 820 Castor Wheel
- 846 Ladder Rack

Specifications

COT Part	Empty Weight (lb.)	Payload Capacity (lb.)	Tire Size	Rear Door Type	Side Door Type
6X10CG	960	2,030	15"	Double	Side Door
6X10CGR	960	2,030	15"	Ramp	Side Door
6X12CG	980	2,010	15"	Double	Side Door
6X12CGR	980	2,010	15"	Ramp	Side Door

COT Part	Overall Length	Overall Width	Overall Height	Interior Height	Interior Width	Interior Length
6X10CG	168"	91"	106"	78"	68.5"	118.75"
6X10CGR	168"	91"	106"	78"	68.5"	118.75"
6X12CG	192"	91"	106"	78"	68.5"	142.5"
6X12CGR	192"	91"	106"	78"	68.5"	142.5"

Replacement Parts

• 200T	2" COUPLER
• 143T	2" COUPLER REPAIR KIT
• 639T	CLASS II SAFETY CHAIN
• 741	TOP WIND TONGUE JACK
• 818T	SAND FOOT JACK
• 820	JACK CASTER WHEEL
• 3K8470EZ	84 X 70 EZ LUBE BRAKE AXLE
• 2051556T	15" TIRE WITH WHITE MOD WHEEL
• 504T	3-LEAF EYE TO EYE SPRING

• 9291T	FENDER ROUND BRUSHED
• 880T	RED CLEARANCE LIGHT
• 881T	AMBER CLEARANCE LIGHT
• 882T	ROADSIDE FENDER LIGHT
• 883T	CURBSIDE FENDER LIGHT
• 834T	LICENSE PLATE LIGHT
• 841T	LICENSE BRACKET
• 835T	OVAL LED TAIL LIGHT W/ CHROME BEZEL



CG SERIES - 2,990 LB. GVWR

7' ENCLOSED TRAILERS



Double Door



Ramp Door

FEATURES:



- 2" x 4" Tube A-Frame Tongue
- 2" x 4" Tube Main Frame
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated EZ Lube Drop Axle
- 3-Leaf Springs
- 205X15 Tire and Wheel Assemblies
- White Mod Wheels
- Diamond Plate Fenders
- Through Tongue

INTERIOR:

- 24" Frame On Center
- 24" Wall On Center
- 24" Roof On Center
- (2) Interior Dome Lights
- 4" Tool Bar
- (4) D-Ring Tie Downs
- 3/4" Plywood Floor
- 3/8" Plywood Interior Walls

EXTERIOR:

- Curbside Entry Door - 36" W
- Side Flow Cowl Vents
- 24" Front Stone Guard
- J-Clip Edge Guard
- Rear Trim Package
- Side Trim Package
- LED Lighting Package
- ATV Transition Flap (Rear Ramp Models)

ACCESSORIES:

- 2051556T Spare Tire
- 628 Spare Tire Mount
- 818T Sand Foot
- 846 Ladder Rack

Specifications

COT Part	Empty Weight (lb.)	Payload Capacity (lb.)	Tire Size	Rear Door Type	Side Door Type
7x12CG1AXLE	999	1,991	15"	Double	Side Door
7x12CGR1AXLE	999	1,991	15"	Ramp	Side Door

COT Part	Overall Length	Overall Width	Overall Height	Interior Height	Interior Width	Interior Length
7x12CG1AXLE	192"	102"	106"	78"	78"	142.5"
7x12CGR1AXLE	192"	102"	106"	78"	78"	142.5"

Replacement Parts

• 200T	2" A-FRAME COUPLER	• FENDER9"ROUND-L	FENDER DIAMOND PLATE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 880T	RED CLEARANCE LIGHT
• 639T	CLASS II SAFETY CHAIN	• 881T	AMBER CLEARANCE LIGHT
• 741	TOP WIND TONGUE JACK	• 882T	ROADSIDE FENDER LIGHT
• 3K9374EZDROP	93 X 74 EZ LUBE 4" DROP AXLE	• 883T	CURBSIDE FENDER LIGHT
• 504T	3-LEAF EYE TO EYE SPRING	• 834T	LICENSE PLATE LIGHT
• 2051556T	15" TIRE WITH WHITE MOD WHEEL	• 841T	LICENSE BRACKET
		• 835T	OVAL LED TAIL LIGHT W/ CHROME BEZEL



CG SERIES - 7,000 LB. GWVR

6' ENCLOSED TRAILERS

FEATURES:



- 2" x 4" Tube A-Frame Tongue
- 2" x 4" Tube Main Frame
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 3,500 lb. Rated EZ Lube Drop Brake Axles
- 3-Leaf Springs
- 205X15 Tire and Wheel Assemblies
- White Mod Wheels
- Smooth Aluminum Fenders
- Electric Breakaway Kit w/Charger
- Through Tongue



Double Door



Ramp Door

INTERIOR:

- 24" Frame On Center
- 24" Wall On Center
- 24" Roof On Center
- (2) Interior Dome Lights
- 4" Tool Bar
- (4) D-Ring Tie Downs
- 3/4" Plywood Floor
- 3/8" Plywood Interior Walls

EXTERIOR:

- Curbside Entry Door - 32" W
- Side Flow Cowl Vents
- 24" Front Stone Guard
- J-Clip Edge Guard
- Rear Trim Package
- Side Trim Package
- LED Lighting Package
- ATV Transition Flap (Rear Ramp Models)

ACCESSORIES:

- 628 Spare Tire Mount
- 2051556T Spare Tire
- 818T Sand Foot
- 846 Ladder Rack

Specifications

COT Part	Empty Weight (lb.)	Payload Capacity (lb.)	Tire Size	Rear Door Type	Side Door Type
6X12CG7K	2,200	4,800	15"	Double	Side Door
6X12CGR7K	2,200	4,800	15"	Ramp	Side Door

COT Part	Overall Length	Overall Width	Overall Height	Interior Height	Interior Width	Interior Length
6X12CG7K	192"	91"	106"	78"	68.5"	142.5"
6X12CGR7K	192"	91"	106"	78"	68.5"	142.5"

Replacement Parts

• 256T	2-5/16" COUPLER	• FENDERTANDEMMSM-L	9X72 TANDEM SMOOTH FENDER
• 640T	CLASS III SAFETY CHAIN	• 880T	RED CLEARANCE LIGHT
• 741	TOP WIND TONGUE JACK	• 881T	AMBER CLEARANCE LIGHT
• 3K8470ZBDROP	84 X 70 EZ LUBE 4" DROP BRAKE AXLE	• 882T	ROADSIDE FENDER LIGHT
• 701T	BREAKAWAY KIT COMPLETE	• 883T	CURBSIDE FENDER LIGHT
• 504T	3-LEAF EYE TO EYE SPRING	• 834T	LICENSE PLATE LIGHT
• 2051556T	15" TIRE WITH WHITE MOD WHEEL	• 841T	LICENSE BRACKET
		• 835T	OVAL LED TAIL LIGHT W/ CHROME BEZEL



CG SERIES - 7,000 LB. GWVR

7' ENCLOSED TRAILERS

FEATURES:



- 2" x 4" Tube A-Frame Tongue
- 2" x 4" Tube Main Frame
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 3,500 lb. Rated EZ Lube Drop Brake Axles
- 3-Leaf Springs
- 205X15 Tire and Wheel Assemblies
- White Mod Wheels
- Smooth Aluminum Fenders
- Electric Breakaway Kit w/Charger
- Through Tongue



Double Door



Ramp Door

INTERIOR:

- 24" Frame On Center
- 24" Wall On Center
- 24" Roof On Center
- (2) Interior Dome Lights
- 4" Tool Bar
- (4) D-Ring Tie Downs
- 3/4" Plywood Floor
- 3/8" Plywood Interior Walls

EXTERIOR:

- Curbside Entry Door - 36" W
- Side Flow Cowl Vents
- 24" Front Stone Guard
- J-Clip Edge Guard
- Rear Trim Package
- Side Trim Package
- LED Lighting Package
- ATV Transition Flap (Rear Ramp Models)

ACCESSORIES:

- 628 Spare Tire Mount
- 2051556T Spare Tire
- 846 Ladder Rack
- 818T Sand Foot

Specifications

COT Part	Empty Weight (lb.)	Payload Capacity (lb.)	Tire Size	Rear Door Type	Side Door Type
7X12CG	2,325	4,675	15"	Double	Side Door
7X12CGR	2,325	4,675	15"	Ramp	Side Door

COT Part	Overall Length	Overall Width	Overall Height	Interior Height	Interior Width	Interior Length
7X12CG	192"	102"	106"	78"	78"	142.5"
7X12CGR	192"	102"	106"	78"	78"	142.5"

Replacement Parts

• 256T	2-5/16" COUPLER	• FENDERTANDEM-SM-L	9X72 TANDEM SMOOTH FENDER
• 640T	CLASS III SAFETY CHAIN	• 880T	RED CLEARANCE LIGHT
• 741	TOP-WIND JACK	• 881T	AMBER CLEARANCE LIGHT
• 3K9374EZBDROP	93 X 74 EZ LUBE 4" DROP BRAKE AXLE	• 882T	ROADSIDE FENDER LIGHT
• 701T	BREAKAWAY KIT COMPLETE	• 883T	CURBSIDE FENDER LIGHT
• 504T	3-LEAF EYE TO EYE SPRING	• 834T	LICENSE PLATE LIGHT
• 2051556T	15" TIRE WITH WHITE MOD WHEEL	• 841T	LICENSE BRACKET
		• 835T	OVAL LED TAIL LIGHT W/ CHROME BEZEL

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



CG SERIES - 7,000 LB. GWR

7' ENCLOSED TRAILERS

FEATURES:



- 2" x 6" Tube A-Frame Tongue
- 2" x 6" Tube Main Frame
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 3,500 lb. Rated EZ Lube Drop Brake Axles
- 3-Leaf Springs
- 205X15 Tire and Wheel Assemblies
- White Mod Wheels
- Smooth Aluminum Fenders
- Electric Breakaway Kit w/Charger
- Triple Through Tongue



Double Door



Ramp Door

INTERIOR:

- 24" Frame On Center
- 24" Wall On Center
- 24" Roof On Center
- (2) Interior Dome Lights
- 4" Tool Bar
- (4) D-Ring Tie Downs
- 3/4" Plywood Floor
- 3/8" Plywood Interior Walls

EXTERIOR:

- Curbside Entry Door - 36" W
- Side Flow Cowl Vents
- 24" Front Stone Guard
- J-Clip Edge Guard
- Rear Trim Package
- Side Trim Package
- LED Lighting Package
- ATV Transition Flap (Rear Ramp Models)

ACCESSORIES:

- 628 Spare Tire Mount
- 2051556T Spare Tire
- 846 Ladder Rack
- 818T Sand Foot

Specifications

COT Part	Empty Weight (lb.)	Payload Capacity (lb.)	Tire Size	Rear Door Type	Side Door Type
7X14CG	2,425	4,575	15"	Double	Side Door
7X14CGR	2,475	4,525	15"	Ramp	Side Door
7X16CG	2,490	4,510	15"	Double	Side Door
7X16CGR	2,490	4,510	15"	Ramp	Side Door

COT Part	Overall Length	Overall Width	Overall Height	Interior Height	Interior Width	Interior Length
7X14CG	216"	102"	106"	78"	78"	166.5"
7X14CGR	216"	102"	106"	78"	78"	166.5"
7X16CG	246"	102"	106"	78"	78"	190"
7X16CGR	246"	102"	106"	78"	78"	190"

Replacement Parts

• 256T	2-5/16" COUPLER	• FENDERTANDEM-SM-L	9X72 TANDEM SMOOTH FENDER
• 640T	CLASS III SAFETY CHAIN	• 880T	RED CLEARANCE LIGHT
• 741	TOP-WIND JACK	• 881T	AMBER CLEARANCE LIGHT
• 818T	SAND FOOT JACK	• 882T	ROADSIDE FENDER LIGHT
• 820	JACK CASTER WHEEL	• 883T	CURBSIDE FENDER LIGHT
• 3K9374EZBDROP	93 X 74 EZ LUBE 4" DROP BRAKE AXLE	• 834T	LICENSE PLATE LIGHT
• 701T	BREAKAWAY KIT COMPLETE	• 841T	LICENSE BRACKET
• 2051556T	15" TIRE WITH WHITE MOD WHEEL	• 835T	OVAL LED TAIL LIGHT W/ CHROME BEZEL

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



CG SERIES - 9,990 LB. GVWR

8.5' ENCLOSED TRAILERS



FEATURES:



- 2" x 6" Tube A-Frame Tongue
- 2" x 6" Tube Main Frame
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 5,200 lb. Rated EZ Lube Drop Brake Axles
- 5-Leaf Springs
- 225X15 Tire and Wheel Assemblies
- White Mod Wheels
- Smooth Aluminum Fenders
- Electric Breakaway Kit w/Charger
- Triple Through Tongue



Double Door



Ramp Door

INTERIOR:

- 16" Frame On Center
- 16" Wall On Center
- 24" Roof On Center
- (2) Interior Dome Lights
- 4" Tool Bar
- (4) 5K D-Ring Tie Downs
- 3/4" Plywood Floor
- 3/8" Plywood Interior Walls

EXTERIOR:

- Curbside Entry Door - 36" W
- Side Flow Cowl Vents
- 24" Front Stone Guard
- J-Clip Edge Guard
- Rear Trim Package
- Side Trim Package
- LED Lighting Package
- ATV Transition Flap (Rear Ramp Models)
- Side Door Step (20' and 24' Models Only)

ACCESSORIES:

- 628 Spare Tire Mount
- 225X1568PTW Spare Tire
- 846 Ladder Rack
- 818T Sand Foot

Specifications

COT Part	Empty Weight (lb.)	Payload Capacity (lb.)	Tire Size	Rear Door Type	Side Door Type
8.5X16CG10K	2,800	7,190	15"	Double	Side Door
8.5X16CGR10K	2,800	7,190	15"	Ramp	Side Door
8.5X20CG10K	3,000	6,990	15"	Double	Side Door
8.5X20CGR10K	3,000	6,990	15"	Ramp	Side Door
8.5X24CG10K	3,660	6,330	15"	Double	Side Door
8.5X24CGR10K	3,660	6,330	15"	Ramp	Side Door

COT Part	Overall Length	Overall Width	Overall Height	Interior Height	Interior Width	Interior Length
8.5X16CG10K	246"	102"	106"	78"	96"/82"	190"
8.5X16CGR10K	246"	102"	106"	78"	96"/82"	190"
8.5X20CG10K	292"	102"	106"	78"	96"/82"	238"
8.5X20CGR10K	292"	102"	106"	78"	96"/82"	238"
8.5X24CG10K	342"	102"	106"	78"	96"/82"	286"
8.5X24CGR10K	342"	102"	106"	78"	96"/82"	286"

Replacement Parts

• 256T	2-5/16" COUPLER	• FENDER8.5WIDE-L	FENDER
• 640T	CLASS III SAFETY CHAIN	• 880T	RED CLEARANCE LIGHT
• 741	TOP-WIND JACK	• 881T	AMBER CLEARANCE LIGHT
• 818T	SAND FOOT JACK	• 882T	ROADSIDE FENDER LIGHT
• 820	JACK CASTER WHEEL	• 883T	CURBSIDE FENDER LIGHT
• 5K9376EZBDROP	EZ LUBE DROP BRAKE AXLE	• 834T	LICENSE PLATE LIGHT
• 701T	BREAKAWAY KIT COMPLETE	• 841T	LICENSE BRACKET
• 225X1568PTW	TIRE & WHEEL ASSEMBLIES	• 835T	OVAL LED TAIL LIGHT W/ CHROME BEZEL

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



CCBN SERIES - 2,990 LB. GWR

5' WIDE BULL NOSE ENCLOSED TRAILERS



Single Door

FEATURES:



- 2" x 3" Tube A-Frame Tongue
- 2" x 3" Tube Main Frame
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack with Sand Foot
- 3,500 lb. Rated Idler 4" Drop Axle
- 3-Leaf Springs
- 205X15 Tire and Wheel Assemblies
- White Mod Wheels
- Diamond Plate Fenders
- Through Tongue

INTERIOR:

- 24" Frame On Center
- 16" Wall On Center
- 24" Roof On Center
- Luan Center Strip in Roof
- (1) Interior Dome Lights
- 4" Tool Bar
- 3/4" Plywood Floor
- 3/8" Plywood Interior Walls

EXTERIOR:

- Curbside Entry Door - 32" W
- Curbside Entry Door - 36" W (12' Models)
- Side Flow Cowl Vents
- 24" Front Stone Guard
- 12" Vertical Stone Guard
- J-Clip Edge Guard
- Rear Trim Package
- Side Trim Package
- LED Lighting Package

ACCESSORIES:

- 2051556T Spare Tire
- 846 Ladder Rack

Specifications

COT Part	Empty Weight (lb.)	Payload Capacity (lb.)	Tire Size	Rear Door Type	Side Door Type
5X10CGBN	910	2,080	15"	Single	Side Door
5X10CGRBN	910	2,080	15"	Single	Side Door
5X12CGBN	930	2,060	15"	Single	Side Door
5X12CGRBN	930	2,060	15"	Single	Side Door

COT Part	Overall Length	Overall Width	Overall Height	Interior Height	Interior Width	Interior Length
5X10CGBN	142"	78"	77.5"	60"	57"	118"
5X10CGRBN	142"	78"	77.5"	60"	57"	118"
5X12CGBN	166"	78"	77.5"	60"	57"	142"
5X12CGRBN	166"	78"	77.5"	60"	57"	142"

Replacement Parts

• 200T	2" A-FRAME COUPLER	• FENDER9"ROUND-L	FENDER DIAMOND PLATE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 835T	OVAL LIGHT WITH CHROME BRACKET
• 639T	CLASS II SAFETY CHAIN	• 880T	RED CLEARANCE LIGHT
• 741	TOP WIND TONGUE JACK	• 881T	AMBER CLEARANCE LIGHT
• 818T	SAND FOOT JACK	• 834T	LICENSE PLATE LIGHT
• 3K7258EZDROP	EZ LUBE 4" DROP AXLE	• 841T	LICENSE BRACKET
• 629T	2-LEAF EYE TO EYE SPRING		
• 2051556T	15" TIRE WITH WHITE MOD WHEEL		



CGBN SERIES - 2,990 LB. GWVR

6' WIDE BULL NOSE ENCLOSED TRAILERS



Double Door



Ramp Door

FEATURES:



- 2" x 3" Tube A-Frame Tongue
- 2" x 3" Tube Main Frame
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack with Sand Foot
- 3,500 lb. Rated Idler 4" Drop Axle
- 3-Leaf Springs
- 205X15 Tire and Wheel Assemblies
- White Mod Wheels
- Diamond Plate Fenders
- Through Tongue

INTERIOR:

- 24" Frame On Center
- 16" Wall On Center
- 24" Roof On Center
- Luan Center Strip in Roof
- (2) Interior Dome Lights
- 4" Tool Bar
- (4) D-Ring Tie Downs
- 3/4" Plywood Floor
- 3/8" Plywood Interior Walls

EXTERIOR:

- Curbside Entry Door - 36" W
- Side Flow Cowl Vents
- 24" Front Stone Guard
- 12" Vertical Stone Guard
- J-Clip Edge Guard
- Rear Trim Package
- Side Trim Package
- LED Lighting Package
- ATV Transition Flap (Rear Ramp Models)

ACCESSORIES:

- 2051556T Spare Tire
- 846 Ladder Rack

Specifications

COT Part	Empty Weight (lb.)	Payload Capacity (lb.)	Tire Size	Rear Door Type	Side Door Type
6X12CGBN	960	2,030	15"	Double	Side Door
6X12CGRBN	960	2,030	15"	Ramp	Side Door
6X14CGBN	980	2,010	15"	Double	Side Door
6X14CGRBN	980	2,010	15"	Ramp	Side Door

COT Part	Overall Length	Overall Width	Overall Height	Interior Height	Interior Width	Interior Length
6X12CGBN	180"	90"	91.5"	74"	68.5"	142"
6X12CGRBN	180"	90"	91.5"	74"	68.5"	142"
6X14CGBN	194"	90"	91.5"	74"	68.5"	165.5"
6X14CGRBN	194"	90"	91.5"	74"	68.5"	165.5"

Replacement Parts

• 200T	2" A-FRAME COUPLER	• FENDER9"ROUND-L	FENDER DIAMOND PLATE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 835T	OVAL LIGHT WITH CHROME BRACKET
• 639T	CLASS II SAFETY CHAIN	• 880T	RED CLEARANCE LIGHT
• 741	TOP WIND TONGUE JACK	• 881T	AMBER CLEARANCE LIGHT
• 818T	SAND FOOT JACK	• 882T	ROADSIDE FENDER LIGHT
• 3K8470EZDROP	84 X 70 EZ LUBE 4" DROP BRAKE AXLE	• 883T	CURBSIDE FENDER LIGHT
• 629T	2-LEAF EYE TO EYE SPRING	• 834T	LICENSE PLATE LIGHT
• 2051556T	15" TIRE WITH WHITE MOD WHEEL	• 841T	LICENSE BRACKET



CCBN SERIES - 7,000 LB. GWR

6' WIDE BULL NOSE ENCLOSED TRAILERS

FEATURES:



- 2" x 4" Tube A-Frame Tongue
- 2" x 4" Tube Main Frame
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack with Sand Foot
- (2) 3,500 lb. Rated EZ Lube Brake 4" Drop Axles
- Electric Breakaway Kit w/ Charger
- (2) Brake Axles
- 3-Leaf Springs
- 205X15 Tire and Wheel Assemblies
- White Mod Wheels
- Diamond Plate Fenders
- Through Tongue



Double Door



Ramp Door

INTERIOR:

- 24" Frame On Center
- 16" Wall On Center
- 24" Roof On Center
- Luan Center Strip in Roof
- (2) Interior Dome Lights
- 4" Tool Bar
- (4) D-Ring Tie Downs
- 3/4" Plywood Floor
- 3/8" Plywood Interior Walls

EXTERIOR:

- Curbside Entry Door - 32" W (12' Models)
- Curbside Entry Door - 36" W (14' Models)
- Side Flow Cowl Vents
- 24" Front Stone Guard
- 12" Vertical Stone Guard
- J-Clip Edge Guard
- Rear Trim Package
- Side Trim Package
- LED Lighting Package
- ATV Transition Flap (Rear Ramp Models)

ACCESSORIES:

- 2051556T Spare Tire
- 846 Ladder Rack

Specifications

COT Part	Empty Weight (lb.)	Payload Capacity (lb.)	Tire Size	Rear Door Type	ATV Flap	Side Door Type
6X12CCBN7K	2,150	4,850	15"	Double	N/A	Side Door
6X12CGRBN7K	2,200	4,800	15"	Ramp	ATV Transition Flap	Side Door
6X14CCBN7K	2,200	4,800	15"	Double	N/A	Side Door
6X14CGRBN7K	2,350	4,650	15"	Ramp	ATV Transition Flap	Side Door

COT Part	Overall Length	Overall Width	Overall Height	Interior Height	Interior Width	Interior Length
6X12CCBN7K	180"	90"	91.5"	74"	68.5"	142"
6X12CGRBN7K	180"	90"	91.5"	74"	68.5"	142"
6X14CCBN7K	194"	90"	91.5"	74"	68.5"	165.5"
6X14CGRBN7K	194"	90"	91.5"	74"	68.5"	165.5"

Replacement Parts

• 256T	2-5/16" A-FRAME COUPLER	• 835T	OVAL LIGHT WITH CHROME BRACKET
• 640T	CLASS III SAFETY CHAIN	• 880T	RED CLEARANCE LIGHT
• 741	TOP WIND TONGUE JACK	• 881T	AMBER CLEARANCE LIGHT
• 818T	SAND FOOT JACK	• 882T	ROADSIDE FENDER LIGHT
• 3K8470EZBDROP	84 X 70 EZ LUBE 4" DROP BRAKE AXLE	• 883T	CURBSIDE FENDER LIGHT
• 504T	3-LEAF EYE TO EYE SPRING	• 834T	LICENSE PLATE LIGHT
• 2051556T	15" TIRE WITH WHITE MOD WHEEL	• 841T	LICENSE BRACKET
• FENDERS9" TANDRND-L	FENDERTANDEM DIAMOND PLATE	• 701T	BREAKAWAY KIT COMPLETE

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



CGBN SERIES - 7,000 LB. GWVR

7' WIDE BULL NOSE ENCLOSED TRAILERS

FEATURES:



- 2" x 6" Tube A-Frame Tongue
- 2" x 6" Tube Main Frame
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack with Sand Foot
- (2) 3,500 lb. Rated EZ Lube Brake 4" Drop Axles
- Electric Breakaway Kit w/ Charger
- (2) Brake Axles
- 3-Leaf Springs
- 205X15 Tire and Wheel Assemblies
- White Mod Wheels
- Diamond Plate Fenders
- Triple Through Tongue



Double Door



Ramp Door

INTERIOR:

- 24" Frame On Center
- 16" Wall On Center
- 24" Roof On Center
- Luan Center Strip in Roof
- (2) Interior Dome Lights
- 4" Tool Bar
- (4) D-Ring Tie Downs
- 3/4" Plywood Floor
- 3/8" Plywood Interior Walls

EXTERIOR:

- Curbside Entry Door - 36" W
- Side Flow Cowl Vents
- 24" Front Stone Guard
- 12" Vertical Stone Guard
- J-Clip Edge Guard
- Rear Trim Package
- Side Trim Package
- LED Lighting Package
- ATV Transition Flap (Rear Ramp Models)

ACCESSORIES:

- 2051556T Spare Tire
- 846 Ladder Rack

Specifications

COT Part	Empty Weight (lb.)	Payload Capacity (lb.)	Tire Size	Rear Door Type	ATV Flap	Side Door Type
7X14CGBN7K	2,325	4,675	15"	Double	n/a	Side Door
7X14CGRBN7K	2,375	4,625	15"	Ramp	ATV Transition Flap	Side Door
7X16CGBN7K	2,425	4,575	15"	Double	n/a	Side Door
7X16CGRBN7K	2,475	4,525	15"	Ramp	ATV Transition Flap	Side Door
7X18CGBN7K	2,525	4,475	15"	Double	n/a	Side Door
7X18CGRBN7K	2,575	4,425	15"	Ramp	ATV Transition Flap	Side Door

COT Part	Overall Length	Overall Width	Overall Height	Interior Height	Interior Width	Interior Length
7X14CGBN7K	194"	102"	91.5"	74"	79"	165.5"
7X14CGRBN7K	194"	102"	91.5"	74"	79"	165.5"
7X16CGBN7K	238"	102"	91.5"	74"	79"	190"
7X16CGRBN7K	238"	102"	91.5"	74"	79"	190"
7X18CGBN7K	262"	102"	91.5"	74"	79"	214"
7X18CGRBN7K	262"	102"	91.5"	74"	79"	214"

Replacement Parts

• 256T	2-5/16" A-FRAME COUPLER	• 835T	OVAL LIGHT WITH CHROME BRACKET
• 640T	CLASS III SAFETY CHAIN	• 880T	RED CLEARANCE LIGHT
• 741	TOP WIND TONGUE JACK	• 881T	AMBER CLEARANCE LIGHT
• 3K9374EZBDROP	93 X 74 EZ LUBE 4" DROP BRAKE AXLE	• 882T	ROADSIDE FENDER LIGHT
• 818T	SAND FOOT JACK	• 883T	CURBSIDE FENDER LIGHT
• 504T	3-LEAF EYE TO EYE SPRING	• 834T	LICENSE PLATE LIGHT
• 2051556T	15" TIRE WITH WHITE MOD WHEEL	• 841T	LICENSE BRACKET
• FENDER9" TANDRND-L	FENDERTANDEM DIAMOND PLATE	• 701T	BREAKAWAY KIT COMPLETE

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



CCBN SERIES - 2,990 LB. GWVR

7' WIDE BULL NOSE ENCLOSED TRAILERS



Double Door



Ramp Door

FEATURES:

- 2" x 4" Tube A-Frame Tongue
- 2" x 4" Tube Main Frame
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack with Sand Foot
- 3,500 lb. Rated Idler 4" Drop Axle
- 3-Leaf Springs
- 205X15 Tire and Wheel Assemblies
- White Mod Wheels
- Diamond Plate Fenders
- Through Tongue

INTERIOR:

- 24" Frame On Center
- 16" Wall On Center
- 24" Roof On Center
- Luan Center Strip in Roof
- (2) Interior Dome Lights
- 4" Tool Bar
- (4) D-Ring Tie Downs
- 3/4" Plywood Floor
- 3/8" Plywood Interior Walls

EXTERIOR:

- Curbside Entry Door - 32" W (12' Models)
- Curbside Entry Door - 36" W (14' Models)
- Side Flow Cowl Vents
- 24" Front Stone Guard
- 12" Vertical Stone Guard
- J-Clip Edge Guard
- Rear Trim Package
- Side Trim Package
- LED Lighting Package
- ATV Transition Flap (Rear Ramp Models)

ACCESSORIES:

- 2051556T Spare Tire
- 846 Ladder Rack

Specifications

COT Part	Empty Weight (lb.)	Payload Capacity (lb.)	Tire Size	Rear Door Type	ATV Flap	Side Door Type
7X12CGBN3K	960	2,030	15"	Double	n/a	Side Door
7X12CGRBN3K	960	2,030	15"	Ramp	ATV Transition Flap	Side Door
7X14CGBN3K	980	2,010	15"	Double	n/a	Side Door
7X14CGRBN3K	980	2,010	15"	Ramp	ATV Transition Flap	Side Door

COT Part	Overall Length	Overall Width	Overall Height	Interior Height	Interior Width	Interior Length
7X12CGBN3K	180"	100"	91.5"	74"	79"	142"
7X12CGRBN3K	180"	100"	91.5"	74"	79"	142"
7X14CGBN3K	194"	100"	91.5"	74"	79"	165.5"
7X14CGRBN3K	194"	100"	91.5"	74"	79"	165.5"

Replacement Parts

• 200T	2" A-FRAME COUPLER	• FENDER9"ROUND-L	FENDER DIAMOND PLATE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 835T	OVAL LIGHT WITH CHROME BRACKET
• 639T	SAFETY CHAIN, CLASS 2	• 880T	RED CLEARANCE LIGHT
• 741	TOP WIND TONGUE JACK	• 881T	AMBER CLEARANCE LIGHT
• 818T	SAND FOOT JACK	• 882T	ROADSIDE FENDER LIGHT
• 3K9374EZDROP	93 X 74 EZ LUBE 4" DROP BRAKE AXLE	• 883T	CURBSIDE FENDER LIGHT
• 504T	3-LEAF EYE TO EYE SPRING	• 834T	LICENSE PLATE LIGHT
• 2051556T	15" TIRE WITH WHITE MOD WHEEL	• 841T	LICENSE BRACKET



CGBN SERIES - 7,000 LB. GWVR

8.5' WIDE BULL NOSE ENCLOSED TRAILERS

FEATURES:



- 2" x 6" Tube A-Frame Tongue
- 2" x 6" Tube Main Frame
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack with Sand Foot
- (2) 3,500 lb. Rated EZ Lube Brake 4" Drop Axles
- Electric Breakaway Kit w/ Charger
- (2) Brake Axles
- 3-Leaf Springs
- 205X15 Tire and Wheel Assemblies
- White Mod Wheels
- Smooth Fenders
- Triple Through Tongue



Double Door



Ramp Door

- 24" Frame On Center
- 16" Wall On Center
- 24" Roof On Center
- Luan Center Strip in Roof
- (2) Interior Dome Lights
- 4" Tool Bar
- (4) 5K D-Ring Tie Downs
- 3/4" Plywood Floor
- 3/8" Plywood Interior Walls
- Curbside Entry Door - 32" W (18' Models)
- Curbside Entry Door - 36" W (20' Models) Set Back 30"
- Side Flow Cowl Vents
- 24" Front Stone Guard
- 12" Vertical Stone Guard
- J-Clip Edge Guard
- Rear Trim Package
- Side Trim Package
- LED Lighting Package
- ATV Transition Flap (Rear Ramp Models)
- 2051556T Spare Tire
- 846 Ladder Rack

Specifications

COT Part	Empty Weight (lb.)	Payload Capacity (lb.)	Tire Size	Rear Door Type	ATV Flap	Side Door Type
8.5x18CGBN7K	2,850	4,150	15"	Double	N/A	Side Door
8.5x18CGRBN7K	2,900	4,100	15"	Ramp	ATV Transition Flap	Side Door
8.5x20CGBN7K	2,950	4,050	15"	Double	N/A	Side Door
8.5x20CGRBN7K	2,950	4,050	15"	Ramp	ATV Transition Flap	Side Door

COT Part	Overall Length	Overall Width	Overall Height	Interior Height	Interior Width	Interior Length
8.5x18CGBN7K	262"	102"	91.5"	80"	96" / 82"	214"
8.5x18CGRBN7K	262"	102"	91.5"	80"	96" / 82"	214"
8.5x20CGBN7K	286"	102"	91.5"	80"	96" / 82"	238"
8.5x20CGRBN7K	286"	102"	91.5"	80"	96" / 82"	238"

Replacement Parts

• 256T	2-5/16" A-FRAME COUPLER	• 835T	OVAL LIGHT WITH CHROME BRACKET
• 640T	CLASS III SAFETY CHAIN	• 880T	RED CLEARANCE LIGHT
• 741	TOP WIND TONGUE JACK	• 881T	AMBER CLEARANCE LIGHT
• 818T	SAND FOOT JACK	• 834T	LICENSE PLATE LIGHT
• 3K9374EZBDROP	93 X 74 EZ LUBE 4" DROP BRAKE AXLE	• 841T	LICENSE BRACKET
• 504T	3-LEAF EYE TO EYE SPRING	• 701T	BREAKAWAY KIT COMPLETE
• 2051556T	15" TIRE WITH WHITE MOD WHEEL		
• FENDER8.5WIDE-L	FENDER SMOOTH		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



CCBN SERIES - 9,990 LB. GWR

8.5' ENCLOSED TRAILERS



FEATURES:



- 2" x 6" Tube A-Frame Tongue
- 2" x 6" Tube Main Frame
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack with Sand Foot
- (2) 5,200 lb. Rated EZ Lube Brake 4" Drop Axles
- Electric Breakaway Kit w/ Charger
- (2) Brake Axles
- 5-Leaf Springs
- 225X15 Tire and Wheel Assemblies
- White Mod Wheels
- Smooth Fenders
- Triple Through Tongue



Double Door



Ramp Door

INTERIOR:

- 16" Frame On Center
- 16" Wall On Center
- 24" Roof On Center
- Luan Center Strip in Roof
- (2) Interior Dome Lights
- 4" Tool Bar
- (4) 5K D-Ring Tie Downs
- 3/4" Plywood Floor
- 3/8" Plywood Interior Walls

EXTERIOR:

- Curbside Entry Door - 36" W; Set Back 30"
- Side Flow Cowl Vents
- 24" Front Stone Guard
- 12" Vertical Stone Guard
- J-Clip Edge Guard
- Rear Trim Package
- Side Trim Package
- LED Lighting Package
- Side Door Step

ACCESSORIES:

- 225x15 Spare Tire
- 846 Ladder Rack

Specifications

COT Part	Empty Weight (lb.)	Payload Capacity (lb.)	Tire Size	Rear Door Type	ATV Flap	Side Door Type
8.5X18CCBN10K	2,850	7,140	15"	Double	n/a	Side Door
8.5X18CGRBN10K	2,850	7,140	15"	Ramp	ATV Transition Flap	Side Door
8.5X20CCBN10K	2,950	7,040	15"	Double	n/a	Side Door
8.5X20CGRBN10K	2,950	7,040	15"	Ramp	ATV Transition Flap	Side Door
8.5X24CCBN10K	3,150	6,840	15"	Double	n/a	Side Door
8.5X24CGRBN10K	3,350	6,640	15"	Ramp	ATV Transition Flap	Side Door

COT Part	Overall Length	Overall Width	Overall Height	Interior Height	Interior Width	Interior Length
8.5X18CCBN10K	262"	102"	91.5"	80"	96" / 82"	214"
8.5X18CGRBN10K	262"	102"	91.5"	80"	96" / 82"	214"
8.5X20CCBN10K	286"	102"	91.5"	80"	96" / 82"	238"
8.5X20CGRBN10K	286"	102"	91.5"	80"	96" / 82"	238"
8.5X24CCBN10K	334"	102"	91.5"	80"	96" / 82"	286"
8.5X24CGRBN10K	334"	102"	91.5"	80"	96" / 82"	286"

Replacement Parts

• 256T	2-5/16" A-FRAME COUPLER	• 835T	OVAL LIGHT WITH CHROME BRACKET
• SAFETYCHAIN10K-14K	SAFETY CHAIN EXTRA LONG	• 880T	RED CLEARANCE LIGHT
• 741	TOP WIND TONGUE JACK	• 881T	AMBER CLEARANCE LIGHT
• 818T	SAND FOOT JACK	• 834T	LICENSE PLATE LIGHT
• 5K9374EZBDROP	93 X 74 EZ LUBE 4" DROP BRAKE AXLE	• 841T	LICENSE BRACKET
• 353T	5-LEAF EYE TO EYE SPRING	• 701T	BREAKAWAY KIT COMPLETE
• 225X1556PTW	15" TIRE WITH WHITE MOD WHEEL		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



CGCM SERIES - 2,990 LB. GWVR

5' ENCLOSED TRAILERS



Single Door



Ramp Door

FEATURES:



- 2" x 3" Tube A-Frame Tongue
- 2" x 3" Tube Main Frame
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated EZ Lube Drop Axle
- 3-Leaf Springs
- 205X15 Tire and Wheel Assemblies
- White Mod Wheels
- Diamond Plate Fenders
- Through Tongue

INTERIOR:

- 24" Frame On Center
- 16" Wall On Center
- 24" Roof On Center
- Luan Strip in Roof
- (1) Interior Dome Light
- 4" Tool Bar
- 3/4" Plywood Floor
- 3/8" Plywood Interior Walls

EXTERIOR:

- Curbside Entry Door - 32" W (10' Models)
- Side Flow Cowl Vents
- 16" Front Stone Guard
- J-Clip Edge Guard
- Rear Trim Package
- Side Trim Package
- LED Lighting Package
- ATV Transition Flap (Rear Ramp Models)

ACCESSORIES:

- 628 Spare Tire Mount
- 2051556 Spare Tire
- 846 Ladder Rack
- 818T Sand Foot

Specifications

COT Part	Empty Weight (lb.)	Payload Capacity (lb.)	Tire Size	Rear Door Type	ATV Flap	Side Door Type
5X8CGCM	807	2,183	15"	Single	n/a	n/a
5X8CGRCM	866	2,124	15"	Ramp	ATV Transition Flap	n/a
5X10CGCM	940	2,050	15"	Single	n/a	Side Door
5X10CGRCM	990	2,000	15"	Ramp	ATV Transition Flap	Side Door

COT Part	Overall Length	Overall Width	Overall Height	Interior Height	Interior Width	Interior Length
5X8CGCM	144"	79"	84"	60"	57"	92"
5X8CGRCM	144"	79"	84"	60"	57"	92"
5X10CGCM	168"	79"	84"	60"	57"	116"
5X10CGRCM	168"	79"	84"	60"	57"	116"

Replacement Parts

• 200T	2" A-FRAME COUPLER	• FENDER9ROUND-L	FENDER ROUND DIAMOND PLATE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 835T	OVAL LIGHT WITH CHROME BRACKET
• 639T	CLASS II SAFETY CHAIN	• 880T	RED CLEARANCE LIGHT
• 741	TOP WIND TONGUE JACK	• 881T	AMBER CLEARANCE LIGHT
• 3K7258EZDROP	DROP AXLE	• 834T	LICENSE PLATE LIGHT
• 504T	3-LEAF EYE TO EYE SPRING	• 841T	LICENSE BRACKET
• 2051556T	15" TIRE WITH WHITE MOD WHEEL		



CGCM SERIES - 2,990 LB. GWVR

6' ENCLOSED TRAILERS



Double Door

Ramp Door

FEATURES:



- 2" x 3" Tube A-Frame Tongue
- 2" x 3" Tube Main Frame
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated EZ Lube Drop Axle
- 3-Leaf Springs
- 205X15 Tire and Wheel Assemblies
- White Mod Wheels
- Diamond Plate Fenders
- Through Tongue

INTERIOR:

- 24" Frame On Center
- 16" Wall On Center
- 24" Roof On Center
- Luan Strip in Roof
- (2) Interior Dome Lights
- 4" Tool Bar
- (4) D-Ring Tie Downs
- 3/4" Plywood Floor
- 3/8" Plywood Interior Walls

EXTERIOR:

- Curbside Entry Door - 36" W
- Side Flow Cowl Vents
- 24" Front Stone Guard
- J-Clip Edge Guard
- Rear Trim Package
- Side Trim Package
- LED Lighting Package
- ATV Transition Flap (Rear Ramp Models)

ACCESSORIES:

- 628 Spare Tire Mount
- 2051556T Spare Tire
- 846 Ladder Rack
- 818T Sand Foot

Specifications

COT Part	Empty Weight (lb.)	Payload Capacity (lb.)	Tire Size	Rear Door Type	ATV Flap	Side Door Type
6X10CGCM	1,080	1,910	15"	Double	n/a	Side Door
6X10CGRCM	1,130	1,860	15"	Ramp	ATV Transition Flap	Side Door
6X12CGCM	1,207	1,783	15"	Double	n/a	Side Door
6X12CGRCM	1,285	1,705	15"	Ramp	ATV Transition Flap	Side Door

COT Part	Overall Length	Overall Width	Overall Height	Interior Height	Interior Width	Interior Length
6X10CGCM	168"	91"	97"	74"	68.5"	116"
6X10CGRCM	168"	91"	97"	74"	68.5"	116"
6X12CGCM	192"	91"	97"	74"	68.5"	140"
6X12CGRCM	192"	91"	97"	74"	68.5"	140"

Replacement Parts

• 200T	2" A-FRAME COUPLER	• 835T	OVAL LIGHT WITH CHROME BRACKET
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 880T	RED CLEARANCE LIGHT
• 639T	CLASS II SAFETY CHAIN	• 881T	AMBER CLEARANCE LIGHT
• 741	TOP WIND TONGUE JACK	• 882T	ROADSIDE FENDER LIGHT
• 3K8470EZDROP	3K8470EZDROP	• 883T	CURBSIDE FENDER LIGHT
• 504T	3-LEAF EYE TO EYE SPRING	• 834T	LICENSE PLATE LIGHT
• 2051556T	15" TIRE WITH WHITE MOD WHEEL	• 841T	LICENSE BRACKET
• FENDER9ROUND-L	ROUND DIAMOND PLATE FENDER		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



CGCM SERIES - 7,000 LB. GWR

6' ENCLOSED TRAILERS

FEATURES:



- 2" x 4" Tube A-Frame Tongue
- 2" x 4" Tube Main Frame
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 3,500 lb. Rated EZ Lube Drop Brake Axles
- Electric Breakaway Kit w/ Charger
- 3-Leaf Springs
- 205X15 Tire and Wheel Assemblies
- White Mod Wheels
- Diamond Plate Fenders
- Through Tongue



Double Door



Ramp Door

INTERIOR:

- 24" Frame On Center
- 16" Wall On Center
- 24" Roof On Center
- Luan Strip in Roof
- (2) Interior Dome Lights
- 4" Tool Bar
- (4) D-Ring Tie Downs
- 3/4" Plywood Floor
- 3/8" Plywood Interior Walls

EXTERIOR:

- Curbside Entry Door - 32" W
- Side Flow Cowl Vents
- 24" Front Stone Guard
- J-Clip Edge Guard
- Rear Trim Package
- Side Trim Package
- LED Lighting Package
- ATV Transition Flap (Rear Ramp Models)

ACCESSORIES:

- 628 Spare Tire Mount
- 2051556T Spare Tire
- 846 Ladder Rack
- 818T Sand Foot

Specifications

COT Part	Empty Weight (lb.)	Payload Capacity (lb.)	Tire Size	Rear Door Type	ATV Flap	Side Door Type
6X12CGCM7K	1,820	5,180	15"	Double	n/a	Side Door
6X12CGRCM7K	1,880	5,120	15"	Ramp	ATV Transition Flap	Side Door

COT Part	Overall Length	Overall Width	Overall Height	Interior Height	Interior Width	Interior Length
6X12CGCM7K	192"	91"	97"	74"	68.5"	140"
6X12CGRCM7K	192"	91"	97"	74"	68.5"	140"

Replacement Parts


• 256T	2-5/16" A-FRAME COUPLER	• 835T	OVAL LIGHT WITH CHROME BRACKET
• 640T	SAFETY CHAIN, CLASS 3	• 880T	RED CLEARANCE LIGHT
• 741	TOP WIND TONGUE JACK	• 881T	AMBER CLEARANCE LIGHT
• 3K8470EZBDROP	DROP AXLE	• 882T	ROADSIDE FENDER LIGHT
• 504T	3-LEAF EYE TO EYE SPRING	• 883T	CURBSIDE FENDER LIGHT
• 2051556T	15" TIRE WITH WHITE MOD WHEEL	• 834T	LICENSE PLATE LIGHT
• FENDER9TANDRND-L	ROUND DIAMOND PLATE FENDER	• 841T	LICENSE BRACKET
		• 701T	BREAKAWAY KIT COMPLETE



CGCM SERIES - 2,990 LB. GWR

7' ENCLOSED TRAILERS

FEATURES:



- 2" x 4" Tube A-Frame Tongue
- 2" x 4" Tube Main Frame
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated EZ Lube Drop Axle
- 3-Leaf Springs
- 205X15 Tire and Wheel Assemblies
- White Mod Wheels
- Diamond Plate Fenders
- Through Tongue



Double Door



Ramp Door

INTERIOR:

- 24" Frame On Center
- 16" Wall On Center
- 24" Roof On Center
- Luan Strip in Roof
- (2) Interior Dome Lights
- 4" Tool Bar
- (4) D-Ring Tie Downs
- 3/4" Plywood Floor
- 3/8" Plywood Interior Walls

EXTERIOR:

- Curbside Entry Door - 36" W
- Side Flow Cowl Vents
- 24" Front Stone Guard
- J-Clip Edge Guard
- Rear Trim Package
- Side Trim Package
- LED Lighting Package
- ATV Transition Flap (Rear Ramp Models)

ACCESSORIES:

- 628 Spare Tire Mount
- 2051556T Spare Tire
- 846 Ladder Rack
- 818T Sand Foot

Specifications

COT Part	Empty Weight (lb.)	Payload Capacity (lb.)	Tire Size	Rear Door Type	ATV Flap	Side Door Type
7X12CGCM3K	1,350	1,640	15"	Double	n/a	Side Door
7X12CGRCM3K	1,410	1,580	15"	Ramp	ATV Transition Flap	Side Door

COT Part	Overall Length	Overall Width	Overall Height	Interior Height	Interior Width	Interior Length
7X12CGCM3K	192"	102"	106"	74"	79"	140"
7X12CGRCM3K	192"	102"	106"	74"	79"	140"

Replacement Parts

• 200T	2" A-FRAME COUPLER	• 835T	OVAL LIGHT WITH CHROME BRACKET
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 880T	RED CLEARANCE LIGHT
• 639T	CLASS II SAFETY CHAIN	• 881T	AMBER CLEARANCE LIGHT
• 741	TOP WIND TONGUE JACK	• 882T	ROADSIDE FENDER LIGHT
• 3K9374EZDROP	93X74 DROP AXLE	• 883T	CURBSIDE FENDER LIGHT
• 504T	3-LEAF EYE TO EYE SPRING	• 834T	LICENSE PLATE LIGHT
• 2051556T	15" TIRE WITH WHITE MOD WHEEL	• 841T	LICENSE BRACKET
• FENDER9ROUND-L	ROUND DIAMOND PLATE FENDER		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



CGCM SERIES - 7,000 LB. GWVR

7' ENCLOSED TRAILERS



Double Door



Ramp Door

FEATURES:



- **2" x 6" Tube A-Frame Tongue***
* 7X12CGCM & 7X12CGRCM INCLUDES A 2" X 4" TUBE A-FRAME TONGUE ONLY
- **2" x 6" Tube Main Frame***
* 7X12CGCM & 7X12CGRCM INCLUDES A 2" X 4" TUBE MAIN FRAME ONLY
- **2-5/16" A-Frame Coupler with Safety Chains**
- **2,000 lb. Rated Top Wind Jack**
- **(2) 3,500 lb. Rated EZ Lube Drop Brake Axles**
- **Electric Breakaway Kit w/ Charger**
- **3-Leaf Springs**
- **205X15 Tire and Wheel Assemblies**
- **White Mod Wheels**
- **Diamond Plate Fenders**
- **Triple Through Tongue***
* 7X12CGCM & 7X12CGRCM INCLUDES A THROUGH TONGUE ONLY

INTERIOR:

- 24" Frame On Center
- 16" Wall On Center
- 24" Roof On Center
- Luan Strip in Roof
- (2) Interior Dome Lights
- 4" Tool Bar
- (4) D-Ring Tie Downs
- 3/4" Plywood Floor
- 3/8" Plywood Interior Walls

EXTERIOR:

- Curbside Entry Door - 36" W
- Side Flow Cowl Vents
- 24" Front Stone Guard
- J-Clip Edge Guard
- Rear Trim Package
- Side Trim Package
- LED Lighting Package
- ATV Transition Flap (Rear Ramp Models)

ACCESSORIES:

- 2051556T Spare Tire
- 846 Ladder Rack
- 818T Sand Foot

Specifications

COT Part	Empty Weight (lb.)	Payload Capacity (lb.)	Tire Size	Rear Door Type	ATV Flap	Side Door Type
7X12CGCM7K	1,925	5,075	15"	Double	n/a	Side Door
7X12CGRCM7K	1,990	5,010	15"	Ramp	ATV Transition Flap	Side Door
7X14CGCM7K	2,065	4,935	15"	Double	n/a	Side Door
7X14CGRCM7K	2,130	4,870	15"	Ramp	ATV Transition Flap	Side Door
7X16CGCM7K	2,205	4,795	15"	Double	n/a	Side Door
7X16CGRCM7K	2,270	4,730	15"	Ramp	ATV Transition Flap	Side Door

COT Part	Overall Length	Overall Width	Overall Height	Interior Height	Interior Width	Interior Length
7X12CGCM7K	192"	102"	97"	74"	79"	140"
7X12CGRCM7K	192"	102"	97"	74"	79"	140"
7X14CGCM7K	216"	102"	97"	74"	79"	164"
7X14CGRCM7K	216"	102"	97"	74"	79"	164"
7X16CGCM7K	246"	102"	97"	74"	79"	188"
7X16CGRCM7K	246"	102"	97"	74"	79"	188"

Replacement Parts

• 256T	2-5/16" A-FRAME COUPLER	• 835T	OVAL LIGHT WITH CHROME BRACKET
• 640T	CLASS III SAFETY CHAIN	• 880T	RED CLEARANCE LIGHT
• 741	TOP WIND TONGUE JACK	• 881T	AMBER CLEARANCE LIGHT
• 3K9374EZB-DROP	DROP AXLE	• 882T	ROADSIDE FENDER LIGHT
• 504T	3-LEAF EYE TO EYE SPRING	• 883T	CURBSIDE FENDER LIGHT
• 2051556T	15" TIRE WITH WHITE MOD WHEEL	• 834T	LICENSE PLATE LIGHT
• FENDER9TANDRND-L	TANDEM DIAMOND PLATE FENDER	• 841T	LICENSE BRACKET

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



CGCM SERIES - 7,000 LB. GWR

8.5' ENCLOSED TRAILERS



Double Door



Ramp Door

FEATURES:



- 2" x 6" Tube A-Frame Tongue
- 2" x 6" Tube Main Frame
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 3,500 lb. Rated EZ Lube Drop Brake Axles
- Electric Breakaway Kit w/ Charger
- 3-Leaf Springs
- 205X15 Tire and Wheel Assemblies
- White Mod Wheels
- Smooth Aluminum Fenders
- 72" Inner Fender Well
- Triple Through Tongue

INTERIOR:

- 24" Frame On Center
- 16" Wall On Center
- 24" Roof On Center
- Luan Strip in Roof
- (2) Interior Dome Lights
- 4" Tool Bar
- (4) HD D-Ring Tie Downs
- 3/4" Plywood Floor
- 3/8" Plywood Interior Walls

EXTERIOR:

- Curbside Entry Door - 36" W
- Side Flow Cowl Vents
- 24" Front Stone Guard
- J-Clip Edge Guard
- Rear Trim Package
- Side Trim Package
- LED Lighting Package
- ATV Transition Flap (Rear Ramp Models)

ACCESSORIES:

- 2051556T Spare Tire
- 846 Ladder Rack
- 818T Sand Foot

Specifications

COT Part	Empty Weight (lb.)	Payload Capacity (lb.)	Tire Size	Rear Door Type	ATV Flap	Side Door Type
8.5X16CGCM7K	3,065	3,935	15"	Double	n/a	Side Door
8.5X16CGRCM7K	3,125	3,875	15"	Ramp	ATV Transition Flap	Side Door
8.5X20CGCM7K	3,270	3,730	15"	Double	n/a	Side Door
8.5X20CGRCM7K	3,330	3,670	15"	Ramp	ATV Transition Flap	Side Door

COT Part	Overall Length	Overall Width	Overall Height	Interior Height	Interior Width	Interior Length
8.5X16CGCM7K	246"	102"	97"	80"	96" / 82"	187"
8.5X16CGRCM7K	246"	102"	97"	80"	96" / 82"	187"
8.5X20CGCM7K	292"	102"	97"	80"	96" / 82"	235"
8.5X20CGRCM7K	292"	102"	97"	80"	96" / 82"	235"

Replacement Parts

• 256T	2-5/16" A-FRAME COUPLER	• 835T	OVAL LIGHT WITH CHROME BRACKET
• 640T	CLASS III SAFETY CHAIN	• 880T	RED CLEARANCE LIGHT
• 741	TOP WIND TONGUE JACK	• 881T	AMBER CLEARANCE LIGHT
• 3K9374EZB-DROP	DROP AXLE	• 834T	LICENSE PLATE LIGHT
• 504T	3-LEAF EYE TO EYE SPRING	• 841T	LICENSE BRACKET
• 2051556T	15" TIRE WITH WHITE MOD WHEEL	• 701T	BREAKAWAY KIT COMPLETE
• FENDER8.5WIDE-L	SMOOTH FENDER		



CGCM SERIES - 9,990 LB. GWVR

8.5' ENCLOSED TRAILERS



Double Door



Ramp Door

FEATURES:



- 2" x 6" Tube A-Frame Tongue
- 2" x 6" Tube Main Frame
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 5,200 lb. Rated EZ Lube Drop Brake Axles
- Electric Breakaway Kit w/ Charger
- 5-Leaf Springs
- 225X15 Tire and Wheel Assemblies
- White Mod Wheels
- Smooth Aluminum Fenders
- 72" Inner Fender Well
- Triple Through Tongue

INTERIOR:

- 16" Frame On Center
- 16" Wall On Center
- 24" Roof On Center
- Luan Strip in Roof
- (2) Interior Dome Lights
- 4" Tool Bar
- (4) HD D-Ring Tie Downs
- 3/4" Plywood Floor
- 3/8" Plywood Interior Walls

EXTERIOR:

- Curbside Entry Door - 36" W; Set Back 30"
- Side Flow Cowl Vents
- 24" Front Stone Guard
- J-Clip Edge Guard
- Rear Trim Package
- Side Trim Package
- LED Lighting Package
- Beavertail Standard 24' Models

ACCESSORIES:

- 225168PTW Spare Tire
- 846 Ladder Rack
- 818T Sand Foot

Specifications

COT Part	Empty Weight (lb.)	Payload Capacity (lb.)	Tire Size	Rear Door Type	ATV Flap	Side Door Type
8.5X16CGCM10K	3,065	6,925	15"	Double	n/a	Side Door
8.5X16CGRCM10K	3,130	6,860	15"	Ramp	ATV Transition Flap	Side Door
8.5X20CGCM10K	3,335	6,655	15"	Double	n/a	Side Door
8.5X20CGRCM10K	3,400	6,590	15"	Ramp	ATV Transition Flap	Side Door
8.5X24CGCM10K	3,605	6,385	15"	Double	n/a	Side Door
8.5X24CGRCM10K	3,670	6,320	15"	Ramp	ATV Transition Flap	Side Door

COT Part	Overall Length	Overall Width	Overall Height	Interior Height	Interior Width	Interior Length
8.5X16CGCM10K	246"	102"	97"	80"	96" / 82"	187"
8.5X16CGRCM10K	246"	102"	97"	80"	96" / 82"	187"
8.5X20CGCM10K	292"	102"	97"	80"	96" / 82"	235"
8.5X20CGRCM10K	292"	102"	97"	80"	96" / 82"	235"
8.5X24CGCM10K	342"	102"	97"	80"	96" / 82"	283"
8.5X24CGRCM10K	342"	102"	97"	80"	96" / 82"	283"

Replacement Parts

• 256T	2-5/16" A-FRAME COUPLER	• 835T	OVAL LIGHT WITH CHROME BRACKET
• SAFETYCHAIN10K-14K	SAFETY CHAIN EXTRA LARGE	• 880T	RED CLEARANCE LIGHT
• 741	TOP WIND TONGUE JACK	• 881T	AMBER CLEARANCE LIGHT
• 5K9374EZB-DROP	DROP AXLE	• 834T	LICENSE PLATE LIGHT
• 353T	3-LEAF EYE TO EYE SPRING	• 841T	LICENSE BRACKET
• 225X1568PTW	15" TIRE WITH WHITE MOD WHEEL	• 701T	BREAKAWAY KIT COMPLETE
• FENDER8.5WIDE-L	SMOOTH FENDER		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



CGEC SERIES - 2,400 LB. GWVR

5' ENCLOSED ECONOMY TRAILERS

FEATURES:



- 2" x 3" Tube A-Frame Tongue
- 2" x 3" Tube Main Frame
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- 205X15 Tire and Wheel Assemblies
- White Mod Wheels
- Smooth Aluminum Fenders
- Through Tongue



Single Door



Ramp Door

INTERIOR:

- 24" Frame On Center
- 24" Wall On Center
- 24" Roof On Center
- 3/4" Plywood Floor
- 1/8" Luan Interior Walls

EXTERIOR:

- 16" Front Stone Guard
- LED Lighting Package

ACCESSORIES:

- 628 Spare Tire Mount
- 2051556T Spare Tire
- 846 Ladder Rack
- 818T Sand Foot

Specifications

COT Part	Empty Weight (lb.)	Payload Capacity (lb.)	Tire Size	Rear Door Type	Side Door Type
5X8CGEC	890	1,510	15"	Single	n/a
5X8CGREC	890	1,510	15"	Ramp	n/a
5X10CGEC	930	1,470	15"	Single	n/a
5X10CGREC	930	1,470	15"	Ramp	n/a

COT Part	Overall Length	Overall Width	Overall Height	Interior Height	Interior Width	Interior Length
5X8CGEC	144"	79"	76"	54.75"	57"	95"
5X8CGREC	144"	79"	76"	54.75"	57"	95"
5X10CGEC	168"	79"	76"	54.75"	57"	95"
5X10CGREC	168"	79"	76"	54.75"	57"	95"

Replacement Parts

• 200T	2" A-FRAME COUPLER	• 835T	OVAL LIGHT WITH CHROME BRACKET
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 880T	RED CLEARANCE LIGHT
• 639T	SAFETY CHAIN, CLASS 2	• 881T	AMBER CLEARANCE LIGHT
• 741	TOP-WIND TONGUE JACK	• 834T	LICENSE PLATE LIGHT
• 3K7258EZ	IDLER AXLE	• 841T	LICENSE BRACKET
• 504T	3-LEAF EYE TO EYE SPRING		
• 2051556T	15" TIRE WITH WHITE MOD WHEEL		
• 9291T	FENDER ROUND BRUSHED		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



CGEC SERIES - 2,990 LB. GWR

6' ENCLOSED ECONOMY TRAILERS

FEATURES:



- 2" x 3" Tube A-Frame Tongue
- 2" x 3" Tube Main Frame
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- 205X15 Tire and Wheel Assemblies
- White Mod Wheels
- Smooth Aluminum Fenders
- Through Tongue



Double Door



Ramp Door

INTERIOR:

- 24" Frame On Center
- 24" Wall On Center
- 24" Roof On Center
- 3/4" Plywood Floor
- 1/8" Luan Interior Walls

EXTERIOR:

- 16" Front Stone Guard
- LED Lighting Package

ACCESSORIES:

- 2051556T Spare Tire
- 818T Sand Foot

Specifications

COT Part	Empty Weight (lb.)	Payload Capacity (lb.)	Tire Size	Rear Door Type	Side Door Type
6X10CGEC	960	2,030	15"	Double	n/a
6X10CGREC	960	2,030	15"	Ramp	n/a
6X12CGEC	980	2,010	15"	Double	n/a
6X12CGREC	980	2,010	15"	Ramp	n/a

COT Part	Overall Length	Overall Width	Overall Height	Interior Height	Interior Width	Interior Length
6X10CGEC	168"	91"	90"	68"	68.5"	118.75"
6X10CGREC	168"	91"	90"	68"	68.5"	118.75"
6X12CGEC	192"	91"	90"	68"	68.5"	118.75"
6X12CGREC	192"	91"	90"	68"	68.5"	118.75"

Replacement Parts

• 200T	2" A-FRAME COUPLER	• 835T	OVAL LIGHT WITH CHROME BRACKET
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 880T	RED CLEARANCE LIGHT
• 639T	SAFETY CHAIN, CLASS 2	• 881T	AMBER CLEARANCE LIGHT
• 741	TOP-WIND TONGUE JACK	• 882T	ROADSIDE FENDER LIGHT
• 3K7258EZ	IDLER AXLE	• 883T	CURBSIDE FENDER LIGHT
• 504T	3-LEAF EYE TO EYE SPRING	• 834T	LICENSE PLATE LIGHT
• 2051556T	15" TIRE WITH WHITE MOD WHEEL	• 841T	LICENSE BRACKET
• 9291T	FENDER ROUND BRUSHED		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



CGEC SERIES - 7,000 LB. GWR

7' ENCLOSED ECONOMY TRAILERS



Double Door



Ramp Door

FEATURES:



- **2" x 6" Tube A-Frame Tongue**
* 7X12CGEC & 7X12CGREC INCLUDES A 2" X 4" TUBE A-FRAME TONGUE
- **2" x 6" Tube Main Frame**
* 7X12CGEC & 7X12CGREC INCLUDES A 2" X 4" TUBE A-FRAME TONGUE
- **2-5/16" A-Frame Coupler with Safety Chains**
- **2,000 lb. Rated Top Wind Jack**
- **(2) 3,500 lb. Rated EZ Lube Brake Axles**
- **Electric Breakaway Kit w/ Charger**
- **3-Leaf Springs**
- **205X15 Tire and Wheel Assemblies**
- **White MOD Wheels**
- **Smooth Aluminum Fenders**
* 7X12CGEC & 7X12CGREC INCLUDES A THROUGH TONGUE ONLY

INTERIOR:

- 24" Frame On Center
- 24" Wall On Center
- 24" Roof On Center
- 3/4" Plywood Floor
- 1/8" Luan Interior Walls

EXTERIOR:

- Curbside Entry Door - 36" W
- 16" Front Stone Guard
- LED Lighting Package

ACCESSORIES:

- 2051556T Spare Tire
- 818T Sand Foot

Specifications

COT Part	Empty Weight (lb.)	Payload Capacity (lb.)	Tire Size	Rear Door Type	Side Door Type
7X12CGEC	2,325	4,675	15"	Double	Side Door
7X12CGREC	2,375	4,625	15"	Ramp	Side Door
7X14CGEC	2,425	4,575	15"	Double	Side Door
7X14CGREC	2,475	4,525	15"	Ramp	Side Door
7X16CGEC	2,525	4,475	15"	Double	Side Door
7X16CGREC	2,575	4,425	15"	Ramp	Side Door

COT Part	Overall Length	Overall Width	Overall Height	Interior Height	Interior Width	Interior Length
7X12CGEC	192"	102"	106"	78"	78"	142.5"
7X12CGREC	192"	102"	106"	78"	78"	142.5"
7X14CGEC	216"	102"	106"	78"	78"	166.5"
7X14CGREC	216"	102"	106"	78"	78"	166.5"
7X16CGEC	246"	102"	106"	78"	78"	190"
7X16CGREC	246"	102"	106"	78"	78"	190"

Replacement Parts

• 256T	2-5/16" A-FRAME COUPLER	• 835T	OVAL LIGHT WITH CHROME BRACKET
• 640T	SAFETY CHAIN, CLASS 3	• 880T	RED CLEARANCE LIGHT
• 741	TOP-WIND TONGUE JACK	• 881T	AMBER CLEARANCE LIGHT
• 3K9374EZB	93X74 EZ BRAKE AXLE	• 882T	ROADSIDE FENDER LIGHT
• 504T	3-LEAF EYE TO EYE SPRING	• 883T	CURBSIDE FENDER LIGHT
• 2051556T	15" TIRE WITH WHITE MOD WHEEL	• 834T	LICENSE PLATE LIGHT
• 9291T	FENDER ROUND BRUSHED	• 841T	LICENSE BRACKET
		• 701T	BREAKAWAY KIT COMPLETE

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



CGEC SERIES - 7,000 LB. GWV

8.5' ENCLOSED ECONOMY TRAILERS



FEATURES:



- 2" x 6" Tube A-Frame Tongue
- 2" x 6" Tube Main Frame
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 3,500 lb. Rated EZ Lube Brake Axles
- Electric Breakaway Kit w/ Charger
- 3-Leaf Springs
- 205X15 Tire and Wheel Assemblies
- White MOD Wheels
- Smooth Aluminum Fenders
- 9.5" Fender Well
- Triple Through Tongue



Double Door



Ramp Door

INTERIOR:

- 24" Frame On Center
- 24" Wall On Center
- 24" Roof On Center
- 3/4" Plywood Floor
- 1/8" Luan Interior Walls

EXTERIOR:

- Curbside Entry Door - 36" W
- 16" Front Stone Guard
- LED Lighting Package

ACCESSORIES:

- 2051556T Spare Tire
- 818T Sand Foot

Specifications

COT Part	Empty Weight (lb.)	Payload Capacity (lb.)	Tire Size	Rear Door Type	Side Door Type
8.5X16CGEC7K	2,800	4,200	15"	Double	Side Door
8.5X16CGREC7K	2,850	4,150	15"	Ramp	Side Door
8.5X20CGEC7K	3,000	4,000	15"	Double	Side Door
8.5X20CGREC7K	3,050	3,950	15"	Ramp	Side Door


COT Part	Overall Length	Overall Width	Overall Height	Interior Height	Interior Width	Interior Length
8.5X16CGEC7K	246"	102"	106"	78"	96" / 82"	190"
8.5X16CGREC7K	246"	102"	106"	78"	96" / 82"	190"
8.5X20CGEC7K	292"	102"	106"	78"	96" / 82"	190"
8.5X20CGREC7K	292"	102"	106"	78"	96" / 82"	190"

Replacement Parts


• 256T	2-5/16" A-FRAME COUPLER	• 835T	OVAL LIGHT WITH CHROME BRACKET
• 640T	SAFETY CHAIN, CLASS 3	• 880T	RED CLEARANCE LIGHT
• 741	TOP-WIND TONGUE JACK	• 881T	AMBER CLEARANCE LIGHT
• 3K9374EZB	93X74 EZ BRAKE AXLE	• 834T	LICENSE PLATE LIGHT
• 504T	3-LEAF EYE TO EYE SPRING	• 841T	LICENSE BRACKET
• 2051556T	15" TIRE WITH WHITE MOD WHEEL	• 701T	BREAKAWAY KIT COMPLETE
• FENDER8.5WIDE	FENDER SMOOTH		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.

HITCHPACKER




- HITCHPACKER WITH 3.5" TOP RAIL
- USE THE VEHICLES 2" RECEIVER TUBE TO CARRY EXTRA CARGO



COT#22X60LHP

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
22X60LHP	22X60 HITCHPACKER	22" X 60" Storage Area, 500 Lb. Capacity	4-Color Box	1	1

HITCH ADAPTOR




- ADAPTS 1-1/2" RECEIVER TUBE TO 2"



COT#550

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
550	HITCH ADAPTER	Adapts 1-1/2" Receiver Tube To 2"	Bulk	1	1

CARRY HAULER



- 3-POINT HITCH CONNECTION, 2,500 LB. CAPACITY
- USE WITH 3-POINT TRACTOR
- FULL BODY DUMP



COT#803

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
803	CARRY HAULER	3-Point Hitch Connection, 2,500 Lb. Capacity	Bulk	1	1

LADDER RACK

- ALUMINUM CONSTRUCTION
- 1 RACK PER BOX
- DOES NOT FIT 8.5' WIDE TRAILERS



COT#803

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
846	LADDER RACK	Cargo Trailers 5', 6', 7', 8' Wide	Label	1 Rack Per Box	1

WEEDEATER RACK

- EASILY BOLTS TO TRAILER TOP RAIL
- 2 UPRIGHTS WITH 3 POSITION RACKS
- INCLUDES RETAINER PINS WITH R-CLIPS



COT#801

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
801	UTILITY TRAILER WEEDEATER RACK	Fits Angle and 2-3/8" Round Pipe Top Rail	4-Color Box	1	1

TONGUE BOX

- FITS MOST A-FRAME TONGUES
- WELD-ON OR BOLT-ON MOUNTING




COT#798



COT#797

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
798	MESH TONGUE BOX WITH LOCKABLE LID	Angle Steel With Mesh Sides, Top, And Floor	Bulk	1	1
797	STEEL TONGUE BOX WITH LOCKABLE LID	Solid Steel	Bulk	1	1

TONGUE BOX



- FITS MOST A-FRAME TONGUES
- WELD-ON OR BOLT-ON MOUNTING




COT#790T




COT#791T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
790T	STEEL MESH TONGUE BOX WITH LOCKABLE LID	Angle Steel With Mesh Sides, Top, And Floor	Bulk	1	1
791T	ALUMINUM TONGUE BOX WITH LOCKABLE LID	Aluminum With Mesh Sides, Top, And Floor	Bulk	1	1

LANDSCAPE BOX



- ANGLE STEEL WITH MESH SIDES
- WELD-ON OR BOLT-ON MOUNTING




COT#800




COT#799




COT#870



COT#861



COT#862



COT#871

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
800	MESH LANDSCAPE BOX	Fits Most 5' Wide Utility Trailers	Bulk	1	1
861	MESH LANDSCAPE BOX WITH LOCKABLE LID	Fits Most 5' Wide Utility Trailers	Bulk	1	1
799	MESH LANDSCAPE BOX	Fits Most 6' Wide Utility Trailers	Bulk	1	1
862	MESH LANDSCAPE BOX WITH LOCKABLE LID	Fits Most 6' Wide Utility Trailers	Bulk	1	1
870	MESH LANDSCAPE BOX	Fits Most 7' Wide Utility Trailers	Bulk	1	1
871	MESH LANDSCAPE BOX WITH LOCKABLE LID	Fits Most 7' Wide Utility Trailers	Bulk	1	1

STEEL FOLD-UP RAMP

- ANGLE STEEL FRAME WITH MESH FLOOR
- SAFETY STRAPS INCLUDED
- 400 LB. CAPACITY
- HANDLE FOR EASY CARRY



GOT#802

GOT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
802	STEEL FOLD UP RAMP	General Use Steel Ramp	4-Color Box	1	1

SPARE TIRE CARRIER

- FITS VARIOUS 5-BOLT HOLE PATTERNS
- MOUNTS ON TONGUE, FRAME, OR 2-3/8" PIPE TOP RAIL
- FITS 4" x 4.5" BOLT PATTERNS



GOT#628

GOT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
628	SPARE TIRE CARRIER	Fits Most Tongue And Trailer Frames	4-Color Box	1	1

SPARE TIRE CARRIER

- USE FOR 4.5" AND 5" BOLT PATTERNS
- INTERIOR WALL MOUNT



GOT#855


GOT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
855	INTERIOR SPARE TIRE CARRIER	Fits Enclosed Trailers W/ 3/8" Walls	Bulk	1	1

DUMP TARP


- FITTED DESIGN
- UNIVERSAL ROLLER ASSEMBLY FITS 6' & 7' WIDTHS
- WEATHER & ABRASIVE RESISTANT



COT#860



COT#856



COT#857



COT#859

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
860	DUMP TARP UNIVERSAL ROLLER ASSEMBLY	Universal Roller Assembly Fits 6' And 7' Widths	Bulk	1	1
856	DUMP TARP- FITS 5' X 10'	Fits 5' Wide Dump Trailers Up To 10' In Length	Bulk	1	1
857	DUMP TARP- FITS 6' X 12'	Fits 6' Wide Dump Trailers Up To 12' In Length	Bulk	1	1
859	DUMP TARP FITS -7' X 14'	Fits 7' Wide Dump Trailers Up To 14' In Length	Bulk	1	1

LIGHT PROTECTOR

- EASY TO INSTALL WITHOUT DRILLING
- BOLTS TO TRAILER FRAME USING TAIL LIGHT MOUNTING HARDWARE
- WORKS WITH MOST SQUARE TAIL LIGHTS



COT#812

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
812T	TAIL LIGHT PROTECTION COVER	Fits Both Roadside And Curbside Tail Lights	4-Color Box	1	4

TRAILER TRANSPORTER


- STEEL CONSTRUCTION
- PNEUMATIC TIRES



COT#809

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
809	TRAILER TRANSPORTER	Easy Maneuvering Of A Trailer, 600 Lb. Capacity	4-Color Box	1	1

MOTORCYCLE CHOCK




- FITS MOST WOOD FLOOR TRAILERS
- TUBULAR STEEL
- CHROME FINISH



COT#849T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
849T	MOTORCYCLE CHOCK	Chrome Motorcycle Chock	4-Color Box	1	1

GOOSENECK PLATE




- FITS INTO TRUCK BED
- TRUCK BED MUST BE OUTFITTED TO ACCEPT PLATE



COT#805T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
805T	GOOSENECK PLATE	2-5/16" Trailer Ball, Requires Structure In Bed	Bulk	1	1

12V BATTERY MAINTAINER



- REVERSE HOOK-UP PROTECTION
- CHARGING STATUS LED LIGHTS
- MOUNTING HARDWARE INCLUDED




COT#DUMP-BATTCHARGER

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
DUMP-BATTCHARGER	12V BATTERY CHARGER	Automatic Battery Charger/Maintainer	4-Color Box	1	1

HOG TRAP


- 3 GRAVITY ROOT DOORS
- ANGLE FRAME
- GALVANIZED LIVESTOCK PANELS
- FULLY ASSEMBLED



COT#HOGTRAP

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
HOGTRAP	HOG TRAP CAGE	Multi Hog Trap	Bulk	1	1


BREAKAWAY KITS



COT#701T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
701T	BREAKAWAY KIT WITH CHARGER & SWITCH	Breakaway Kit - Includes Breakaway Battery, Battery Box, Switch, Cable, Pin, Charger, And Mounting Hardware	4-Color Box	1	2

BREAKAWAY PARTS



COT#139T




COT#707T




COT#711T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
139T	BREAKAWAY SWITCH, CABLE, PIN KIT	Replacement Switch, Cable, Pin For Breakaway Kit	Clam Shell	1	6
707T	BREAKAWAY CABLE AND PIN ONLY	Replacement Cable & Pin For Breakaway Kit	Clam Shell	1	10
711T	BREAKAWAY BATTERY	Replacement Battery For Breakaway Kit	4-Color Box	1	4


CLEARANCE LIGHTS



COT#817-2T



COT#817T



COT#845T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
817-2T	CLEARANCE LIGHT	Surface Mount Clearance/Marker Light, Amber	Clam Shell	1	10
817T	CLEARANCE LIGHT	Stud Mount Clearance/Marker Light, Amber	Clam Shell	1	6
845T	REPLACEMENT LENS	Replacement Lens For 817T, 817-2T	Clam Shell	1	10

TAIL LIGHTS



COT#813T

COT#814T




COT#815T


COT#816T




COT#829T



COT#827T



COT#844T



COT#893T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
813T	TAIL LIGHT	Under 80" Wide Tail Light, Roadside	Clam Shell	1	4
814T	TAIL LIGHT	Under 80" Wide Tail Light, Curbside	Clam Shell	1	4
815T	TAIL LIGHT	80" And Over Wide Tail Light, Roadside	Clam Shell	1	4
816T	TAIL LIGHT	80" And Over Wide Tail Light, Curbside	Clam Shell	1	4
829T	REPLACEMENT LENS	Replacement Tail Lens For 813T, 814T, 815T, 816T	Clam Shell	1	4
827T	REPLACEMENT LENS	Replacement Side Marker Lens For 813T, 814T - Red	Clam Shell	1	10
844T	REPLACEMENT LENS	Replacement Side Marker Lens For 815T, 816T - Red	Clam Shell	1	10
893T	REPLACEMENT LENS	Replacement Lens Kit For 813T, 814T, 817-2T	Clam Shell	1	6

SEALED CLEARANCE LIGHTS



COT#830T



COT#831T




COT#832T



COT#833T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
830T	SEALED CLEARANCE LIGHT KIT	2-Bulb Sealed Clearance/Marker Light Kit, Amber	Clam Shell	1	10
831T	SEALED CLEARANCE LIGHT	2-Bulb Sealed Clearance/Marker Light, Red	Clam Shell	1	10
832T	SEALED CLEARANCE LIGHT KIT	2-Bulb Sealed Clearance/Marker Light Kit, Red	Clam Shell	1	10
833T	SEALED CLEARANCE LIGHT	2-Bulb Sealed Clearance/Marker Light, Amber	Clam Shell	1	10

3-LIGHT ID BAR LIGHTS



COT#438T




COT#838T



COT#839T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
438T	LED REAR IDENTIFICATION BAR LIGHT	LED Rear Identification Bar Light, Red	Clam Shell	1	4
838T	REAR IDENTIFICATION BAR LIGHT	Rear Identification Bar Light, Red	Clam Shell	1	4
839T	REPLACEMENT LENS	Replacement Lenses, For 838T	Clam Shell	1	10

LED TAIL LIGHT



COT#413T



COT#414T



COT#415T



COT#416T



COT#835T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
413T	LED ROADSIDE TAIL LIGHT	LED Under 80" Wide Tail Light, Roadside	Clam Shell	1	4
414T	LED CURBSIDE TAIL LIGHT	LED Under 80" Wide Tail Light, Curbside	Clam Shell	1	4
415T	LED ROADSIDE TAIL LIGHT	LED Over 80" Wide Tail Light, Roadside	Clam Shell	1	4
416T	LED CURBSIDE TAIL LIGHT	LED Over 80" Wide Tail Light, Curbside	Clam Shell	1	4
835T	LED OVAL TAIL LIGHT	LED Oval Stop/Turn/Tail Light With Chrome Bezel	Clam Shell	1	4

LED CLEARANCE LIGHTS




COT#880T



COT#881T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
880T	LED CLEARANCE LIGHT	LED 3/4" Clearance/Marker Light, Red	Clam Shell	1	10
881T	LED CLEARANCE LIGHT	LED 3/4" Clearance/Marker Light, Amber	Clam Shell	1	10

LED FENDER CLEARANCE LIGHTS




COT#882T



COT#883T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
882T	LED FENDER CLEARANCE LIGHT	Roadside Fender Light, Amber/Red, Gen 3	Clam Shell	1	6
883T	LED FENDER CLEARANCE LIGHT	Curbside Fender Light, Amber/Red, Gen 3	Clam Shell	1	6
417-2T	LED CLEARANCE LIGHT	Surface Mount Clearance/Marker Light, Amber	Clam Shell	1	10
417T	LED CLEARANCE LIGHT	Stud Mount Clearance/Marker Light, Amber	Clam Shell	1	6

LICENSE LIGHTS




COT#834T



COT#841T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
834T	LICENSE LIGHT	License Plate Light	Clam Shell	1	10
841T	LICENSE PLATE BRACKET	Plastic License Plate Bracket	Clam Shell	1	10


WIRE ADAPTOR



COT#751T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
751T	7-4 Way Adaptor	Adapts the Tow Vehicle 7-Way Connector to 4-Way Pin Connector	Clam Shell	1	6


TRAILER HARNESS



COT#894T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
894T	174" Trailer Harness	Replacement Trailer Harness/4-Way Connector Repair	Clam Shell	1	6


SINGLE AXLE FENDERS



COT#610T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
610T	ALUMINUM TREAD PLATE SINGLE AXLE FENDER	Fits Most 14" And 15" Tires	4-Color Label	1	1

SINGLE AXLE FENDERS



COT#614T




COT#615T



COT#616T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
614T	GALVANIZED SINGLE AXLE FENDER	Fits Most 14" And 15" Tires	4-Color Label	1	1
615T	GALVANIZED SINGLE AXLE FENDER	Fits Most 12" And 13" Tires	4-Color Label	1	1
616T	GALVANIZED SINGLE AXLE FENDER	Fits Most 12" And 13" Tires	4-Color Label	1	1



SINGLE AXLE FENDERS



COT#611T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
611T	PLASTIC SINGLE AXLE FENDER	Fits Most 12" And 13" Tires	4-Color Label	1	1

SINGLE AXLE FENDERS



COT#9291T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
9291T	SMOOTH ALUMINUM SINGLE AXLE FENDER	Fits Most 14" And 15" Tires	4-Color Label	1	1

SINGLE AXLE FENDERS



COT#609T



COT#7240T



COT#9321T



COT#357T



COT#9320T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
609T	STEEL SINGLE AXLE FENDER	Fits Most 12" And 13" Tires	4-Color Label	1	1
7240T	STEEL JEEP STYLE SINGLE AXLE FENDER	Fits Most 12" And 13" Tires	4-Color Label	1	1
9321T	STEEL SINGLE AXLE FENDER	Fits Most 14" And 15" Tires	4-Color Label	1	1
357T	STEEL SINGLE AXLE FENDER WITH BACK	Fits Most 13" Tires	4-Color Label	1	1
9320T	STEEL SINGLE AXLE FENDER WITH BACK	Fits Most 14" And 15" Tires	4-Color Label	1	1

TANDEM AXLE FENDERS



COT#613T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
613T	ALUMINUM TREAD PLATE TANDEM AXLE FENDER	Fits Most 14" And 15" Tires	4-Color Label	1	1

TANDEM AXLE FENDERS




COT#9661T



COT#9660

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
9661T	STEEL TANDEM AXLE FENDER	Fits Most 14" And 15" Tires	4-Color Label	1	1
9660T	STEEL TEARDROP TANDEM AXLE FENDER WITH BACK	Fits Most 14" And 15" Tires	4-Color Label	1	1

TIRES & WHEELS



COT#48012T



COT#175X13T



COT#20514T



COT# 2051556T



COT#205X15SILVER




COT# 225X1568PTW



COT# 235X16810PTW

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
48012T	12" TIRE WITH WHITE MOD WHEEL	5 Lug Studs On 4-1/2" Centers, 990 Lb. Load Capacity	Bulk	1	1
175X13T	13" TIRE WITH WHITE MOD WHEEL	5 Lug Studs On 4-1/2" Centers, 1,100 Lb. Load Capacity	Bulk	1	1
20514T	14" TIRE WITH WHITE SPOKE WHEEL	5 Lug Studs On 4-1/2" Centers, 1,760 Lb. Load Capacity	Bulk	1	1
2051556T	15" TIRE WITH WHITE MOD WHEEL	5 Lug Studs On 4-1/2" Centers, 1,820 Lb. Load Capacity	Bulk	1	1
205X15SILVER	15" TIRE WITH SILVER WHEEL	5 Lug Studs On 4-1/2" Centers, 1,820 Lb. Load Capacity	Bulk	1	1
225X1568PTW	15" TIRE WITH WHITE MOD WHEEL	6 Lug Studs On 5-1/2" Centers, 2,540 Lb. Load Capacity	Bulk	1	1
235X16810PTW	16" TIRE WITH WHITE MOD WHEEL	8 Lug Studs On 6-1/2" Centers, 3,500 Lb. Load Capacity	Bulk	1	1

FASTENERS



COT#512



COT#522



COT#509

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
512T	1/2" LUG BOLTS	Replacement Implement Hub Lugs: 1/2" X 20 Threads Per Inch	Clam Shell	5	10
522T	HUB STUDS, PRESS IN	Fits Most 2,000 Lb. And 3,500 Lb. Hubs; Press In Or Drive In	Clam Shell	5	10
509T	1/2" LUG NUTS	Replacement Lug Nuts: 1/2" X 20 Threads Per Inch; 13/16" Wrench Size	Clam Shell	5	10

2K IDLER AXLES



COT#2K5442



COT#5848T



COT#2K6047



COT#6048




COT#6858T




COT#2K7158

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
2K5442	2,000 LB. RATED IDLER AXLE	54" Hub Facing - 42" Spring Seat Spacing - 5 Lug/4.5" Bolt Pattern	Bulk	1	1
5848T	2,000 LB. RATED IDLER AXLE	58" Hub Facing - 48" Spring Seat Spacing - 5 Lug/4.5" Bolt Pattern	Bulk	1	1
2K6047	2,000 LB. RATED IDLER AXLE	60" Hub Facing - 47.25" Spring Seat Spacing - 5 Lug/4.5" Bolt Pattern	Bulk	1	1
6048	2,000 LB. RATED IDLER AXLE BEAM	60" Hub Facing - 48" Spring Seat Spacing BEAM ONLY	Bulk	1	1
6858T	2,000 LB. RATED IDLER AXLE	71" Hub Facing - 58.5" Spring Seat Spacing - 5 Lug/4.5" Bolt Pattern	Bulk	1	1
2K7158	2,000 LB. RATED IDLER AXLE	71" Hub Facing - 58.5" Spring Seat Spacing - 5 Lug/4.5" Bolt Pattern	Bulk	1	1


SINGLE AXLE EYE TO SLIPPER




TANDEM AXLE EYE TO EYE



SINGLE AXLE EYE TO EYE



3K IDLER AXLES



COT#3K7258T



COT#3K7764



COT#3K8470



COT#3K8874




COT#8874T



COT#3K9380

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
3K7258	3,500 LB. RATED IDLER AXLE	72" Hub Facing - 58.5" Spring Seat Spacing - 5 Lug/4.5" Bolt Pattern	Bulk	1	1
3K7764	3,500 LB. RATED IDLER AXLE	77" Hub Facing - 64" Spring Seat Spacing - 5 Lug/4.5" Bolt Pattern	Bulk	1	1
3K8470	3,500 LB. RATED IDLER AXLE	84" Hub Facing - 70" Spring Seat Spacing - 5 Lug/4.5" Bolt Pattern	Bulk	1	1
3K8874	3,500 LB. RATED IDLER AXLE	88" Hub Facing - 74.5" Spring Seat Spacing - 5 Lug/4.5" Bolt Pattern	Bulk	1	1
8874T	3,500 LB. RATED IDLER AXLE	88" Hub Facing - 74.5" Spring Seat Spacing - 5 Lug/4.5" Bolt Pattern	Bulk	1	1
3K9380	3,500 LB. RATED IDLER AXLE	93" Hub Facing - 80" Spring Seat Spacing - 5 Lug/4.5" Bolt Pattern	Bulk	1	1

3K EZ LUBE IDLER AXLES



COT#3K8470EZ



COT#8470ET



COT#8874ET




COT#3K8874EZ



COT#3K9380EZ

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
3K8470EZ	3,5000 LB. RATED EZ LUBE IDLER AXLE	84" Hub Facing - 70" Spring Seat Spacing - 5 Lug/4.5" Bolt Pattern	Bulk	1	1
8470ET	3,5000 LB. RATED EZ LUBE IDLER AXLE	84" Hub Facing - 70" Spring Seat Spacing - 5 Lug/4.5" Bolt Pattern	Bulk	1	1
8874ET	3,5000 LB. RATED EZ LUBE IDLER AXLE	88" Hub Facing - 74.5" Spring Seat Spacing - 5 Lug/4.5" Bolt Pattern	Bulk	1	1
3K8874EZ	3,5000 LB. RATED EZ LUBE IDLER AXLE	88" Hub Facing - 74.5" Spring Seat Spacing - 5 Lug/4.5" Bolt Pattern	Bulk	1	1
3K9380EZ	3,5000 LB. RATED EZ LUBE IDLER AXLE	93" Hub Facing - 80" Spring Seat Spacing - 5 Lug/4.5" Bolt Pattern	Bulk	1	1


3K DROP AXLES



COT#3K7862

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
3K7862	3,500 LB. RATED DROP AXLE	78" Hub Facing - 62" Spring Seat Spacing - 5 Lug/4.5" Bolt Pattern	Bulk	1	1

3K EZ LUBE DROP AXLES



COT#3K8470EZDROP / 3K9376EZDROP

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
3K8470EZDROP	3,500 LB. RATED EZ LUBE DROP AXLE	84" Hub Facing - 70" Spring Seat Spacing - 5 Lug/4.5" Bolt Pattern 4" Drop	Bulk	1	1
3K9376EZDROP	3,500 LB. RATED EZ LUBE DROP AXLE	93" Hub Facing - 76" Spring Seat Spacing - 5 Lug/4.5" Bolt Pattern	Bulk	1	1

3K BRAKE AXLES




COT#3K8874B / COT#3K9380B

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
3K7258B	3,500 LB. RATED BRAKE AXLE	72" Hub Facing - 58" Spring Seat Spacing - 5 Lug/4.5" Bolt Pattern	Bulk	1	1
3K7764B	3,500 LB. RATED BRAKE AXLE	77" Hub Facing - 64" Spring Seat Spacing - 5 Lug/4.5" Bolt Pattern	Bulk	1	1
3K8874B	3,500 LB. RATED BRAKE AXLE	88" Hub Facing - 74.5" Spring Seat Spacing - 5 Lug/4.5" Bolt Pattern	Bulk	1	1
8874B	3,500 LB. RATED BRAKE AXLE	88" Hub Facing - 74.5" Spring Seat Spacing - 5 Lug/4.5" Bolt Pattern	Bulk	1	1
3K9380B	3,500 LB. RATED BRAKE AXLE	93" Hub Facing - 80" Spring Seat Spacing - 5 Lug/4.5" Bolt Pattern	Bulk	1	1

3K EZ LUBE AXLES




COT#3K9380EZB

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
3K9380EZB	3,500 LB. RATED EZ LUBE BRAKE AXLE	93" Hub Facing - 80" Spring Seat Spacing - 5 Lug/4.5" Bolt Pattern	Bulk	1	1


3K EZ LUBE DROP BRAKE AXLES




COT#3K8470EZBDROP / COT#3K9374EZBDROP

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
3K8470EZBDROP	3,500 LB. RATED EZ LUBE BRAKE DROP AXLE	84" Hub Facing - 70" Spring Seat Spacing - 5 Lug/4.5" Bolt Pattern	Bulk	1	1
3K9374EZBDROP	3,500 LB. RATED EZ LUBE BRAKE DROP AXLE	93" Hub Facing - 74" Spring Seat Spacing - 5 Lug/4.5" Bolt Pattern	Bulk	1	1

EYE TO EYE SPRINGS



COT#629T




COT#353T



COT#504T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
629T	2-LEAF EYE TO EYE SPRING, RATED 1,000 LB. PER SPRING	20.25" Eye To Eye Length - Maximum Capacity 1,000 Lbs. Per Spring	4-Color Label	1	1
353T	5-LEAF EYE TO EYE SPRING, RATED 2,500 LB. PER SPRING	25.25" Eye To Eye Length - Maximum Capacity 2,500 Lbs. Per Spring	4-Color Label	1	1
504T	3-LEAF EYE TO EYE SPRING, RATED 1,750 LB. PER SPRING	25.25" Eye To Eye Length - Maximum Capacity 1,750 Lbs. Per Spring	4-Color Label	1	1


EYE TO SLIPPER SPRINGS



COT#351T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
351T	2-LEAF SLIPPER SPRING, RATED 1,000 LB. PER SPRING	24.25" Overall Length - Maximum Capacity 1,000 Lbs. Per Spring	4-Color Label	1	1


TANDEM EQUALIZER



COT#510T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
510T	EYE TO EYE TANDEM EQUALIZER	Use As An Equalizer Between Tandem Axle Springs	4-Color Label	1	1


SPRING BUSHINGS



COT#521T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
521T	SPRING BUSHINGS	Fits Most 1-3/4" Width Springs And Equalizers	Clam Shell	4	10

HANGER KITS




COT#607T



COT#644T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
607T	HANGER KIT FOR EYE-TO-SLIPPER SPRING SUSPENSION	Fits Eye To Slipper Spring Suspensions For One Axle, Includes (1) Medium Hanger, (2) Slipper Hanger, (2) Bolts, (2) Nuts	Clam Shell	2	4
644T	HANGER KIT FOR EYE-TO-EYE SPRING SUSPENSION	Fits Eye To Eye Spring Suspensions For One Axle, Includes (1) Medium Hanger, (2) Small Hanger, (4) Shackle Links, (6) Bolts, (6) Nuts	Clam Shell	2	4

HANGERS



COT#507T



COT#506T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
507T	LARGE TANDEM SPRING HANGER	Fits Most Tandem 3,500 Lb. And 5,200 Lb. Rated Axles	Clam Shell	1	4
506T	MEDIUM SPRING HANGER	Fits Most 3,500 Lbs. Rated Axles	Clam Shell	1	6

SPRING SEATS



COT#645T




COT#646T




COT#647T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
645T	2,000 LB. RATED SPRING SEAT	Fits Most 2,000 Lb. Rated Axles; 1-7/8" Round Tube	Clam Shell	2	10
646T	3,500 LB. RATED SPRING SEAT	Fits Most 3,500 Lb. Rated Axles; 2-3/8" Round Tube	Clam Shell	2	6
647T	5,000 LB. RATED SPRING SEAT	Fits Most 5,200 Lb. Rated Axles; 3" Round Tube	Clam Shell	2	6

SHACKLE LINKS



COT#124T



COT#125T



COT#508T



COT#651T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
124T	2-1/2" SHACKLE LINKS	2-1/2" Shackle Link Connects Double-Eye Leaf Spring To The Rear Hanger Or Equalizer.	Clam Shell	4	10
125T	3-1/8" SHACKLE LINKS	3-1/8" Shackle Link Connects Double-Eye Leaf Spring To The Rear Hanger Or Equalizer.	Clam Shell	4	10
508T	2-1/2" SHACKLE LINKS	2-1/2" Shackle Link Connects Double-Eye Leaf Spring To The Rear Hanger Or Equalizer.	Clam Shell	2	10
651T	3-1/8" SHACKLE LINKS	3-1/8" Shackle Link Connects Double-Eye Leaf Spring To The Rear Hanger Or Equalizer.	Clam Shell	2	10

SHACKLE BOLTS





COT#123T




COT#505T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
123T	SHACKLE BOLT KIT	Used To Mount Double-Eye Spring Inside Front Or Rear Hanger. Includes (4) Shackle Bolts, (4) Shackle Nuts	Clam Shell	4	10
505T	SHACKLE BOLT KIT	Used To Mount Double-Eye Spring Inside Front Or Rear Hanger. Includes (2) Shackle Bolts, (2) Shackle Nuts	Clam Shell	2	10


TIE PLATES



COT#650T




COT#513T



COT#648T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
650T	5,200 LB. RATED LARGE TIE PLATE	Fits Most 5,000 Lb. And Greater Rated Axles	Clam Shell	2	6
513T	3,500 LB. RATED MEDIUM TIE PLATE	Fits Most 3,500 Lb. Rated Axle; 2- 3/8" Diameter Axle Tube	Clam Shell	2	6
648T	2,000 LB. RATED SMALL TIE PLATE	Fits Most 2,000 Lb. Rated Axles; 1-7/8" Round Tube	Clam Shell	2	6

1/2" U-BOLT KITS



COT#514T



COT#515T



COT#517T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
514T	1/2" U-BOLT KIT	Fits Most 2-3/8" Round Axle Tubes - Includes (2) 1/2-13 Round Shoulder U-Bolts, (4) 1/2" Flat Washers, (4) 1/2" Nylock Nuts	Clam Shell	2	6
515T	1/2" U-BOLT KIT	Fits Most 3" X 3" Square Axle Tubes- Includes (2) 1/2-13 Square Shoulder U-Bolts, (4) 1/2" Flat Washers, (4) 1/2" Nylock Nuts	Clam Shell	2	6
517T	1/2" U-BOLT KIT	Fits Most 2" X 2" Square Axle Tubes- Includes (2) 1/2-13, Square Shoulder U-Bolts, (4) 1/2" Flat Washers, (4) 1/2" Nylock Nuts	Clam Shell	4	6

3/8" U-BOLT KITS



COT#516T



COT#652T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
516T	3/8" U-BOLT KIT	Fits Most 2" X 2" Square Axle Tubes - Includes (2) 3/8-16 Square Shoulder U-Bolts, (4) 3/8" Flat Washers, (4) 3/8" Nylock Nuts	Clam Shell	2	6
652T	3/8" U-BOLT KIT	Fits Most 1-7/8" Round Axle Tubes - Includes (2) 3/8-16 Round Shoulder U-Bolts, (4) 3/8" Flat Washers, (4) 3/8" Nylock Nuts	Clam Shell	2	6

9/16" U-BOLT KIT



COT#653

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
653	9/16" U-BOLT KIT	Fits Most 3" Round Axle Tubes - Includes (2) 9/16-18 Round Shoulder U-Bolts, (4) 9/16" Nylock Nuts	Buk	1	1

HUB KITS



COT#150



COT#155T



COT#545T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
150T	1,250 LB. 4-BOLT HUB KIT	4 Bolt Hub Kit - Includes (1) 4 Bolt Hub, (4) 1/2" Lug Nuts, (1) Dust Cap, For 1-1/16" Spindle	Clam Shell	1	4
155T	1,250 LB. 5-BOLT HUB KIT	5 Bolt Hub Kit - Includes (1) 5 Bolt Hub, (5) 1/2" Lug Nuts, (1) Dust Cap, For 1-1/8" Spindle	Clam Shell	1	4
545T	1,750 LB. 5-BOLT HUB KIT	5 Bolt Hub Kit - Includes (1) 5 Bolt Hub, (5) 1/2" Lug Nuts, (1) Dust Cap, For 1-3/8" Spindle	Clam Shell	1	4

SPINDLES



COT#151T



COT#350T



COT#643T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
151T	1-1/16" SPINDLE	Use As A Replacement Spindle, Maximum 1,250 Lb. Capacity	Clam Shell	1	4
350T	1-3/8" SPINDLE KIT	Use As A Replacement Spindle, Maximum 1,750 Lb. Capacity	Clam Shell	1	4
643T	CASTLE NUT KIT	Replacement Castle Nut Kit For 1-1/16" Spindle	Clam Shell	1	10

BEARING KITS



COT#501T



COT#500T



COT#502T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
501T	1" BEARING KIT	Fits Most 1,250 Lb. Rated Hub Assemblies With 1" Spindle Diameter	Clam Shell	1	10
500T	1-1/16" BEARING KIT	Fits Most 1,250 Lb. Rated Hub Assemblies With 1-1/16" Spindle Diameter	Clam Shell	1	10
502T	1-3/8" BEARING KIT	Fits Most 1,750 Lb. Rated Hub Assemblies With 1-3/8" Inner Spindle Diameter	Clam Shell	1	6

BEARING PROTECTORS



COT#498T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
498T	1.98" BEARING PROTECTOR WITH CAP	Bearing Protectors Fit Hubs With 1.980" Inner Diameter	Clam Shell	2	6

SEALS



COT#494T




COT#495T



COT#496T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
494T	GREASE SEAL - 1.25 "	Grease Seal Fits Trailer Hubs With 1.25 Inner Diameter	Clam Shell	2	10
495T	GREASE SEAL - 1.50 "	Grease Seal Fits Trailer Hubs With 1.50 Inner Diameter	Clam Shell	2	10
496T	GREASE SEAL - 1.719"	Grease Seal Fits Trailer Hubs With 1.719 Inner Diameter	Clam Shell	2	6

DUST CAPS



COT#120T



COT#520T



COT#851T



COT#121T



COT#654T




COT#122T



COT#655T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
120T	1.988" DUST CAP	Dust Cap Fits Most 4 And 5 Lug Trailer Hubs With 1.988" Inner Diameter	Clam Shell	2	6
520T	1.988" DUST CAP	Dust Cap Fits Most 4 And 5 Lug Trailer Hubs With 1.988" Inner Diameter	Clam Shell	1	6
851T	2" EZ LUBE DUST CAP	Fits Most 2,000 Lb. And 3,500 Lb. Rated Axles Hubs	Clam Shell	1	6
121T	2.567" DUST CAP	Dust Cap Fits Most 6 Lug Trailer Hubs With 2.567" Inner Diameter	Clam Shell	2	6
654T	2.567" DUST CAP	Dust Cap Fits Most 6 Lug Trailer Hubs With 2.567" Inner Diameter	Clam Shell	1	6
122T	2.722" DUST CAP	Dust Cap Fits Most 8 Lug Trailer Hubs With 2.722" Inner Diameter	Clam Shell	2	6
655T	2.722" DUST CAP	Dust Cap Fits Most 8 Lug Trailer Hubs With 2.722" Inner Diameter	Clam Shell	1	6


COUPLER LOCK



COT#752T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
752T	MASTER COUPLER LOCK	Locks Coupler Lever Into Place and Provides Security Against Theft	Clam Shell	1	.25

HITCH MOUNTS



COT#755T



COT#756T



COT#757T



COT#758T



COT#759T



COT#760T




COT#761T



COT#762T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
755T	2-5/16" BALL, 1" SHANK	Replacement Trailer Ball Fits 2-5/16" Couplers	Bulk	1	4
756T	2" BALL, 1" SHANK	Replacement Trailer Ball Fits 2" Couplers	Bulk	1	4
757T	2" BALL, 3/4" SHANK	Replacement Trailer Ball Fits 2" Couplers	Bulk	1	6
758T	1-7/8" BALL, 3/4" SHANK	Replacement Trailer Ball Fits 1-7/8" Couplers	Bulk	1	6
759T	BALL MOUNT 2" DROP, 1" HOLE, 2" BALL	Replacement Ball Fits 2" Receiver Tubes	Bulk	1	1
760T	BALL MOUNT 2" DROP, 1" HOLE, NO BALL	Replacement Ball Fits 2" Receiver Tubes	Bulk	1	1
761T	BALL MOUNT, 4" DROP, 2.75" RISE, 1" HOLE, 2" BALL	Replacement Ball Fits 2" Receiver Tubes	Bulk	1	1
762T	TRI BALL MOUNT	Replacement Ball Fits 1-7/8"/2" / 2-5/16" Hitch Balls	Bulk	1	1

COUPLERS



COT#198T



COT#199T



COT#200T



COT#256T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
198T	1-7/8" STRAIGHT COUPLER, 2" CHANNEL	Use With Only 1-7/8" Trailer Balls	4-Color Label	1	1
199T	2" STRAIGHT COUPLER, 2" CHANNEL	Use With Only 2" Trailer Balls	4-Color Label	1	1
200T	2" A-FRAME COUPLER	Use Only With 2" Trailer Balls - Maximum Capacity 5,000 Lb.	4-Color Label	1	1
256T	2-5/16" A-FRAME COUPLER	Use Only With 2-5/16" Trailer Balls - Maximum Capacity 13,000 Lb.	4-Color Label	1	1

COUPLER REPAIR KITS



COT#140T



COT#143T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
140T	1-7/8" COUPLER REPAIR KIT	Repairs The Latching Mechanism On 1-7/8" Couplers	Clam Shell	1	6
143T	2" COUPLER REPAIR KIT	Repairs The Latching Mechanism On 2" Couplers	Clam Shell	1	6

TONGUE JACKS



COT#741



COT#863



COT#820



COT#818T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
741	TOP WIND TONGUE JACK	2,000 Lb. Rated Top Wing Tongue Jack	Bulk	1	1
863	BOLT-ON SWING UP JACK	2,000 Lb. Rated Bolt On Swing Up Jack	4-Color Box	1	1
820	CASTER WHEEL	Caster Wheel, Fits Most 2,000 Lb. Rated Top Wind Tongue Jacks	Bulk	1	1
818T	SAND FOOT	Sand Foot, Fits Most 2,000 Lb. Rated Top Wind Tongue Jacks	Clam Shell	1	6

STABILIZER JACKS




COT#848



COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
848	SCISSOR JACK	5,000 Lb. Rated Scissor Jack	Bulk	1	1


RETAINER PIN & CLIP



COT#753T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
753T	RETAINER PIN AND CLIP	Hitch Pin and Clip Secures Ball Mount to Receiver Tube	Clam Shell	1	6

SAFETY CHAINS



COT#638T




COT#639T



COT#640T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
638T	SAFETY CHAIN, CLASS 1	Replacement Safety Chain For Class I, 2,000 Lb Capacity; Two Per Trailer Are Required.	Clam Shell	2	6
639T	SAFETY CHAIN, CLASS 2	Replacement Safety Chain For Class II, 3,500 Lb Capacity; Two Per Trailer Are Required.	Clam Shell	1	6
640T	SAFETY CHAIN, CLASS 3	Replacement Safety Chain For Class III, 5,000 Lb Capacity; Two Per Trailer Are Required.	Clam Shell	1	6

S-HOOKS




COT#642T



COT#641T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
642T	3/8" S-HOOK WITH CLIP	Replacement S-Hook With Clip For Safety Chains, 2,000 Lb. Capacity	Clam Shell	2	10
641T	7/16" S-HOOK WITH CLIP	Replacement S-Hook With Clip For Safety Chains, 5,000 Lb. Capacity	Clam Shell	2	6


BRAKE SETS



COT#601T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
601T	10" ELECTRIC BRAKE SET	Replacement 10" Brake Kit For One 3,500 Lb. Rated Axle	4-Color Box	1	1



BRAKE DRUMS



COT#605T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
605T	10" BRAKE DRUM, 5-LUG	Replacement 10" Drum Kit For One 3,500 Lb. Rated Axle	4-Color Box	1	1


BRAKE PARTS



COT#617

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
617	BRAKE MAGNET	Replacement Brake Magnet For 10" Brakes	Clam Shell	1	4

GATE LATCHES




COT#819T



COT#847T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
819T	REAR GATE SPRING REPAIR KIT	Gate Latch Repair Kit Contains Pin, Spring, Roll Pin	Clam Shell	1	6
847T	COMPLETE KIT - REAR GATE LATCH	Replacement Gate Latch Kit	Clam Shell	1	6

CHAIN POCKETS




COT#145T



COT#807T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
145T	WELD-ON STAKE POCKET	Stake Or Chain Pocket, Weld On	Clam Shell	1	6
807T	BOLT-ON STAKE POCKET	Stake Or Chain Pocket, Bolt On	Clam Shell	1	6



CORNER CONNECTOR



COT#806T

COT Part No.	Description	Feature	Package Style	Inner Pack Qty.	Master Pack Qty.
806T	CORNER CONNECTOR	Corner Connectors Used To Mount Two Panels	Clam Shell	2	6

4' PLANAGRAM



1st Row:

PART #	Position	Description
522	1A	PRESS IN HUB STUBS
509	1B	LUG NUT SET
645	1C	SPRINGSEAT 2000 LB.
520	1D	AXLE DUST CAPS
123	1E	SHACKLEBOLTS 4/PK
124	1F	2.156" SHACKLESTRAP 4/PK
125	1G	3.18" SHACKLESTRAP 4/PK
642	1H	S HOOK 3/8"
501	1I	BEARING KIT 1"
500	1J	BEARING KIT 1-1/16"
851	1K	2K & 3K EZLUBE DUST CAPS
494	1L	1.25" SEAL
495	1M	1-1/2" SEAL
521	1N	SPRING BUSHINGS

2nd Row:

PART #	Position	Description
643	2A	CASTLE NUT KIT
512	2B	1/2" LUG STUDS
139	2C	BRAKE AWAY SWITCH KIT
638	2D	SAFETY CHAIN 48" CLASS 1
639	2E	CHAIN SAFETY 30" CLASS 2
640	2F	CHAIN SAFETY 36" CLASS 3
641	2G	S HOOK 7/16"
502	2H	BEARING KIT 1-3/8"
120	2I	2K/3K DUSTCAP 2/PK
121	2J	5200 LB. DUSTCAP 2/ PK
122	2K	6K DUSTCAP 2/PK
818	2L	SAND FOOT FOR TRAILER JACK
521	1N	SPRING BUSHINGS

3rd Row:

PART #	Position	Description
847	3A	GATE LOCK REPAIR KIT
819	3B	COMPLETE SPRING LOCK W/ SCREWS
145	3C	CHAIN POCKET WELD ON
506	3D	MEDIUM SPRING HANGER
647	3E	SPRING SEAT 5200 LB.
646	3F	SPRING SEAT 3000 LB.
806	3G	CORNER RACK STAKE POCKET 806
516	3H	SQUARE U BOLT KIT 3/8" X 4"
517	3I	SQUARE U BOLT KIT 1/2" X 2"
652	3J	U BOLT KIT 3/8" AXLE MOUNT
515	3K	SQUARE U BOLT KT 1/2" X 3"

4th Row:

PART #	Position	Description
510	4A	TANDEM EQUALIZER
498	4B	1-1/16" BEARING PROTECTOR
807	4C	BOLT ON CHAIN POCKET
514	4D	1/2" ROUND AXLE U BOLTS
140	4E	1-7/8" COUPLER REPAIR KIT
143	4F	REPAIR KIT 2" COUPLER
507	4G	LARGE TANDEM SPRING HANGER
648	4G	SPRING TIE PLATE 2000 LB.
650	4H	5200 LB. SPRING TIE PLATE
513	4I	SPRING TIE PLATE

5th Row:

PART #	Position	Description
812	5A	TAIL LIGHT PROTECTOR STEEL
607	5B	SLIPPER SPRING HANGER KIT
644	5C	SPRING HANGER KIT

6th Row:

PART #	Position	Description
LFTAILLITE	6A	SMALL CURBSIDE TAILLIGHT
RTTAILLITE	6B	SMALL ROADSIDE TAILLIGHT
LGELFTAILLITE	6C	LARGE CURBSIDE TAILLIGHT
LGERTTAILLITE	6D	LARGE ROADSIDE TAILLIGHT
AMBCL	6E	SIDE MARKER LIGHT
3BLIGHT	6F	ID BAR LIGHT
LICPLTBKFLAT	6G	UTILITY LICENSE LIGHT BRACKET

7th Row:

PART #	Position	Description
DOMELIGHTCARGO	7A	INTERIOR DOME LIGHT
FENDLIGHTLEDCURB	7B	CURBSIDE FENDER LIGHT
FENDLIGHTLEDROAD	7C	ROADSIDE FENDER LIGHT
4WAYH240	7D	240" TRAILER HARNESS
AMBCLCARGOLED	7E	RED LED MARKER LIGHT
REDCLCARGOLED	7F	AMBER LED MARKER LIGHT
LICPLTTCARGO	7G	CARGO LICENSE LIGHT/CARGO LICENSE PLATE BRACKET
9A0VALTRIMRING	7H	BEZEL FOR OVAL LED TAILLIGHT
9A0VALLEDCARGO	7I	OVAL LED TAILLIGHT

8th Row:

PART #	Position	Description
628	8A	SPARE TIRE CARRIER
151	8B	1-1/16" SPINDLE
350	8C	1-3/8" SPINDLE KIT
155	8D	2K HUB KIT 5-STUD
545	8E	HUB ASSY 5 BOLT 1750LB (3500 LB.)
150	8F	HUB ASSY 4 BOLT (1250 LB.)
701	8G	BREAKAWY KIT W/CHARGER

9th Row:

PART #	Position	Description
863	9A	2K BOLT ON SWING UP TONGUE JACK
200	9B	2" A-FRAME COUPLER
256	9C	TRAILER COUPLER 2-5/16" A FRAME
601	9D	10" ELECTRIC BRAKE SET
605	9E	10" BRAKE DRUM, PAIR

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



2020 PRODUCT CATALOG

A TRAILER IN EVERY DRIVEWAY

AVAILABLE. AFFORDABLE.



CARRY-ONTRAILER.COM